

## **IODINE - iodine solution**

**Agri Laboratories, LTD**

*Disclaimer: This drug has not been found by FDA to be safe and effective, and this labeling has not been approved by FDA. For further information about unapproved drugs, [click here](#).*

-----

### **IODINE TINCTURE 2%**

Antiseptic/Disinfectant

For animal use only.

Keep out of reach of children.

### **INDICATIONS**

Use as a topical antiseptic for superficial cuts, wounds, abrasions, insect bites and bruises on the skin of cattle, horses, dogs, sheep and swine.

### **Topical Antiseptic**

For use as a counter-irritant in chronic inflammatory conditions.

### **DIRECTIONS**

If necessary, clip hair from area to be treated and cleanse with soap and water. Apply IODINE TINCTURE 2% not more than once daily. If repeated, dilute with 3 volumes of water. Do not bandage.

### **Active Ingredients**

Iodine ..... 2%  
Sodium Iodide ..... 2%  
Isopropyl Alcohol ..... 47%

### **Inert Ingredients**

Water ..... q.s.

### **POISON**

First Aid: In case of ingestion, call Poison Control 1-800-222-1222

### **CAUTION**

If redness, irritation or swelling persists or increases, discontinue use. Avoid contact with eyes and mucous membranes. Not for burns, deep wounds or body cavities.

### **WARNING! FLAMMABLE!**

**KEEP AWAY FROM HEAT AND OPEN FLAME.**

**KEEP CONTAINER CLOSED WHEN NOT IN USE.**

STORE AT 2°-30° (36°-86°F)

PROTECT FROM LIGHT

**INDICATIONS:** Use as a topical antiseptic for superficial cuts, wounds, abrasions, insect bites and bruises on the skin of cattle, horses, dogs, sheep, and swine.

**DIRECTIONS:** If necessary, clip hair from area to be treated and cleanse with soap and water, apply IODINE TINCTURE 2% not more than once daily. If repeated, dilute with 3 volumes of water. Do not bandage.

**POISON**

In case of Ingestion, call Poison Control 1-800-222-1222.

TAKE TIME

OBSERVE LABEL DIRECTIONS

® Registered Trademark of Agri Laboratories, Ltd.

Manufactured for:  
Agri Laboratories, Ltd.  
St. Joseph, MO 64503

LOT

EXP

NDC 57561-030-16

**IODINE  
TINCTURE 2%**

**Antiseptic/Disinfectant**

**For Animal Use Only**

**Keep Out of Reach  
of Children**

**NET CONTENTS:  
16 fl oz (473 mL)**

**AgriLabs®**  
Making A Healthy Difference®

Rev. 05-14

**Active Ingredients:**  
Iodine ..... 2%  
Sodium Iodide ..... 2%  
Isopropyl Alcohol (99%) ..... 47%

**Inert Ingredients:**  
Water ..... q.s.

**Topical Antiseptic**  
For use as a counter-irritant in chronic inflammatory conditions.

**CAUTION:** If redness, irritation, or swelling persists or increases, discontinue use. Avoid contact with eyes and mucous membranes. Not for burns, deep wounds, or body cavities.

**WARNING! FLAMMABLE!**  
**KEEP AWAY FROM HEAT  
AND OPEN FLAME**

**KEEP CONTAINER  
CLOSED WHEN  
NOT IN USE.**

**STORE AT 2°-30°C  
(36°-86°F).**

**PROTECT FROM LIGHT**

57561 00456 6

## IODINE

iodine solution

### Product Information

Product Type	OTC ANIMAL DRUG	Item Code (Source)	NDC:57561-030
Route of Administration	TOPICAL		

### Active Ingredient/Active Moiety

Ingredient Name	Basis of Strength	Strength
IODINE (UNII: 9679TC07X4) (IODINE - UNII:9679TC07X4)	IODINE	0.02 mg in 1 mL
SODIUM IODIDE (UNII: F5WR8N145C) (IODIDE ION - UNII:09G4I6V86Q)	IODIDE ION	0.02 mg in 1 mL
ISOPROPYL ALCOHOL (UNII: ND2M416302) (ISOPROPYL ALCOHOL - UNII:ND2M416302)	ISOPROPYL ALCOHOL	0.47 mg in 1 mL

### Packaging

#	Item Code	Package Description	Marketing Start Date	Marketing End Date
1	NDC:57561-030-16	473 mL in 1 BOTTLE		
2	NDC:57561-030-80	3785 mL in 1 JUG		

### Marketing Information

Marketing Category	Application Number or Monograph Citation	Marketing Start Date	Marketing End Date
unapproved drug other		01/01/2010	

