

STRONGER IODINE TINCTURE - iodine solution
United Agriculture & Veterinary Products, Inc/Centaur, Inc.

Disclaimer: This drug has not been found by FDA to be safe and effective, and this labeling has not been approved by FDA. For further information about unapproved drugs, click here.

STRONGER IODINE TINCTURE 7%

Topical Antiseptic

For use as a counter-irritant in chronic inflammatory conditions.

Keep out of reach of children.

ACTIVE INGREDIENTS

Iodine..... 7%
Potassium Iodide..... 5%
Isopropyl Alcohol (99%)..... 82%

INERT INGREDIENTS

Water..... q.s.

INDICATIONS

For topical application on the skin of cattle, horses, sheep, swine and dogs to disinfect superficial wounds, cuts, abrasions, insect bites and minor bruises.

DIRECTIONS FOR USE

If necessary, clip hair from area to be treated and cleanse with soap and water. Apply iodine with a swab.

POISON

MAY BE FATAL IF SWALLOWED

First Aid: In case of ingestion, call Poison Control 1-800-222-1222

TAKE TIME OBSERVE LABEL DIRECTIONS

CAUTION

Not for use in body cavities or deep wounds. Do not use on burns. Do not apply under bandage. Irritation may occur if used on tender skin area. Avoid contact with eyes and mucous membranes. In case of deep or puncture wounds or serious burns consult a veterinarian. If redness, irritation, or swelling persist or increases, discontinue use and consult veterinarian.

WARNING FLAMMABLE

KEEP AWAY FROM HEAT AND OPEN FLAME.

KEEP CONTAINER CLOSED WHEN NOT IN USE.

STORE AT 2°-30°C (36°-86°).

PROTECT FROM LIGHT.

,

ACTIVE INGREDIENTS:
 Iodine 7%
 Potassium Iodide 5%
 Isopropyl Alcohol (99%) 82%
INERT INGREDIENTS:
 Water q.s.

centaur
ANIMAL HEALTH

Stronger Iodine Tincture 7% 103180

INDICATIONS: For topical application on the skin of cattle, horses, sheep, swine and dogs to disinfect superficial wounds, cuts, abrasions, insect bites and minor bruises.

DIRECTIONS FOR USE: If necessary, clip hair from area to be treated and cleanse with soap and water. Apply iodine with a swab.



First Aid: In case of ingestion, call Poison Control 1-800-222-1222.



Topical Antiseptic

For use as a counter-irritant in chronic inflammatory conditions.

Keep out of reach of children.

NET CONTENTS:
 1 GALLON (3.785 L)

CAUTION: Not for use in body cavities or deep wounds. Do not use on burns. Do not apply under bandage. Irritation may occur if used on tender skin area. Avoid contact with eyes and mucous membranes. In case of deep or puncture wounds or serious burns consult a veterinarian. If redness, irritation, or swelling persists or increases, discontinue use and consult veterinarian.

WARNING! FLAMMABLE!
 KEEP AWAY FROM HEAT AND OPEN FLAME
 KEEP CONTAINER CLOSED WHEN NOT IN USE.
 STORE AT 2°-30°C (36°-86°F).
 PROTECT FROM LIGHT

Manufactured By Centaur, Inc.
 Olathe, KS 66061
 1-800-236-6180



Rev. 05-14

Lot #:

Exp. Date:

STRONGER IODINE TINCTURE

iodine solution

Product Information

Product Type	OTC ANIMAL DRUG	Item Code (Source)	NDC:58305-031
Route of Administration	TOPICAL		

Active Ingredient/Active Moiety

Ingredient Name	Basis of Strength	Strength
IODINE (UNII: 9679TC07X4) (IODINE - UNII:9679TC07X4)	IODINE	70 mg in 1 mL
POTASSIUM IODIDE (UNII: 1C4QK22F9J) (IODIDE ION - UNII:09G4I6V86Q)	POTASSIUM IODIDE	50 mg in 1 mL
ISOPROPYL ALCOHOL (UNII: ND2M416302) (ISOPROPYL ALCOHOL - UNII:ND2M416302)	ISOPROPYL ALCOHOL	82 mg in 1 mL

Packaging

#	Item Code	Package Description	Marketing Start Date	Marketing End Date
1	NDC:58305-031-16	473 mL in 1 BOTTLE		
2	NDC:58305-031-80	3785 mL in 1 JUG		

Marketing Information

Marketing Category	Application Number or Monograph Citation	Marketing Start Date	Marketing End Date
unapproved drug other		12/12/2011	

Labeler - United Agriculture & Veterinary Products, Inc/Centaur, Inc. (174239087)

