

**DRAMAMINE FOR KIDS- dimenhydrinate tablet, chewable**  
**Medtech Products Inc.**

*Disclaimer: Most OTC drugs are not reviewed and approved by FDA, however they may be marketed if they comply with applicable regulations and policies. FDA has not evaluated whether this product complies.*

-----  
**Dramamine Tablets Chewable for Kids**

**Drug Facts**

**Active Ingredient**

(in each tablet)

Dimenhydrinate 25 mg

**Purpose**

Antiemetic

**Use**

for prevention and treatment of these symptoms associated with motion sickness:  
nausea dizziness vomiting

**Warnings**

**Do not use for**

children under 2 years of age unless directed by a doctor

**Ask a doctor before use if the child has**

- A breathing problem such as emphysema or chronic bronchitis
- Glaucoma

**Ask a doctor before use if the child is**

taking sedatives or tranquilizers

**When using this product**

- Marked drowsiness may occur
- Avoid alcoholic drinks
- Alcohol, sedatives, and tranquilizers may increase drowsiness
- Be careful when driving a motor vehicle or operating machinery

**If pregnant or breast-feeding,**

ask a doctor before use

### **Keep out of reach of children.**

In case of accidental overdose, get medical help or contact a Poison Control Center (1-800-222-1222) right away.

### **Directions**

- To prevent motion sickness, the first dose should be taken  $\frac{1}{2}$  to 1 hour before starting activity
- To prevent or treat motion sickness see below:

### **Children 2 to under 6 years**

- **Give  $\frac{1}{2}$  to 1 chewable tablet every 6-8 hours**
- **Do not** give more than 3 chewable tablets in 24 hours or as directed by a doctor

### **Children 6 to 12 years**

- Give 1 to 2 chewable tablets every 6-8 hours
- Do not give more than 6 chewable tablets in 24 hours, or as directed by a doctor

### **Other information**

- **Phenylketonurics: contains phenylalanine 0.38 mg per tablet**
- **Store at room temperature 20°-25°C (68°-77°F)**
- **Do not use if blister is broken or torn**

### **Inactive ingredients**

aspartame, citric acid, flavors, magnesium stearate, methacrylic acid copolymer, sorbitol

### **Questions?**

**1-800-382-7219 Dramamine.com**


### **Principal display panel**

Children's Chewable Formula

Dramamine®

8 Chewable Tablets

Travel case



## DRAMAMINE FOR KIDS

dimenhydrinate tablet, chewable

### Product Information

<b>Product Type</b>	HUMAN OTC DRUG	<b>Item Code (Source)</b>	NDC:63029-910
<b>Route of Administration</b>	ORAL		

### Active Ingredient/Active Moiety

Ingredient Name	Basis of Strength	Strength
<b>DIMENHYDRINATE</b> (UNII: JB937PER5C) (DIPHENHYDRAMINE - UNII:8GTS82S83M)	DIMENHYDRINATE	25 mg

### Inactive Ingredients

Ingredient Name	Strength
<b>ASPARTAME</b> (UNII: Z0H242BBR1)	
<b>ANHYDROUS CITRIC ACID</b> (UNII: XF417D3PSL)	
<b>GRAPE</b> (UNII: 6X543N684K)	
<b>MAGNESIUM STEARATE</b> (UNII: 70097M6130)	
<b>METHACRYLIC ACID - METHYL METHACRYLATE COPOLYMER (1:1)</b> (UNII: 74G4R6TH13)	
<b>SORBITOL</b> (UNII: 506T60A25R)	

## Product Characteristics

<b>Color</b>	white	<b>Score</b>	2 pieces
<b>Shape</b>	ROUND	<b>Size</b>	10mm
<b>Flavor</b>	GRAPE	<b>Imprint Code</b>	DRA
<b>Contains</b>			

## Packaging

#	Item Code	Package Description	Marketing Start Date	Marketing End Date
1	NDC:63029-910-01	1 in 1 CASE	02/15/2012	
1		8 in 1 BLISTER PACK; Type 0: Not a Combination Product		

## Marketing Information

Marketing Category	Application Number or Monograph Citation	Marketing Start Date	Marketing End Date
OTC monograph final	part336	02/15/2012	

**Labeler** - Medtech Products Inc. (122715688)

Revised: 4/2021

Medtech Products Inc.