MEIJER NATURAL FIBER- psyllium husk powder MEIJER DISTRIBUTION INC

Disclaimer: Most OTC drugs are not reviewed and approved by FDA, however they may be marketed if they comply with applicable regulations and policies. FDA has not evaluated whether this product complies.

meijer_® Natural Fiber 100% Natural Psyllium Husk Orange Flavor 114 TEASPOONS

Drug Facts

Active ingredient: (in each teaspoon)

Psyllium husk approximately 3.4 g

Purpose

Bulk-forming Laxative

Uses:

- for relief of occasional constipation (irregularity)
- Generally produces bowel movement in 12-72 hours

Warnings:

Choking

Taking this product without adequate fluid may cause it to swell and block your throat or esophagus and may cause choking. Do not take this product if you have difficulty in swallowing. If you experience chest pain, vomiting, or difficulty in swallowing or breathing after taking this product, seek immediate medical attention.

Allergy alert:

This product may cause allergic reaction in people sensitive to inhaled or ingested psyllium.

Ask a doctor before use if you have

- a sudden change in bowel habits persisting for 2 weeks.
- abdominal pain, nausea or vomiting

Stop use and ask a doctor if

- constipation lasts more than 7 days
- rectal bleeding occurs

These may be signs of a serious condition.

Keep out of reach of children. In case of overdose, get medical help or contact a Poison Control Center right away at 1-800-222-1222.

Directions:

Put one dose into an empty glass. Mix this product (child or adult dose) with at least 8 ounces (a full glass) of water or other fluid. Taking this product without enough liquid may cause choking. See choking warning. Stir briskly and drink promptly. If mixture thickens, add more liquid and stir.

Adults 12 years &	years & 1 rounded TEASPOON in 8 ounces of liquid at the first sign of		
older:	irregularity. Can be taken up to 3 times daily.		
Children 6 - 11	½ adult dose in 8 ounces of liquid, up to 3 times daily		
yrs :			
Children Under 6	Consult a doctor		
yrs:			

Bulk forming fibers like psyllium husk may affect how well other medicines work. If you are taking a prescription medicine by mouth, take this product at least 2 hours before or 2 hours after the prescribed medicine.

New Users

Start with 1 serving per day; gradually increase to 3 doses per day as necessary. You may initially experience changes in bowel habits or minor bloating, as your body adjusts to increased fiber intake.

Other information:

- each tablespoon contains: potassium 35 mg; sodium 5 mg
- PHENYLKETONURICS: CONTAINS PHENYLALANINE, 25 mg per teaspoon
- contains a 100% natural, therapeutic fiber
- store at room temperature. Keep the container tightly closed to protect from humidity

Inactive ingredients

aspartame, citric acid, FD &C yellow 6, maltodextrin, natural and artificial orange flavor, silica.

Questions or comments?

1-866-467-2748

PRINCIPAL DISPLAY PANEL

meijer_®

NDC 41250-455-11

Compare to Metamucil® 4 in 1 MultiHealth Fiber!™ fiber content*

fiber powder

100% Natural Psyllium Husk

MultiHealth Daily Fiber Supplement

Therapy for Regularity

SUGAR-FREE

not a low calorie food

Orange Smooth

Naturally and Artificially Flavored

- Helps you feel less hungry between meals**
- Helps maintain healthy blood sugar levels as part of your diet**
- Helps lower cholesterol to promote heart health**
- Promotes digestive health**
- Gluten free

114 teaspoon‡ doses

NET WT 23.3 OZ (1.4 LB) 660 g

fill controlled by weight, not volume

tSee back for information about soluble fiber and heart disease.

‡Serving size varies. See DIRECTIONS on back panel for more information

**These statements have not been evaluated by the Food and Drug Administration. This product is not intended to diagnose, treat, cure or prevent any disease.

DO NOT USE IF PRINTED INNER SEAL IS BROKEN OR MISSING

*This product is not manufactured or distributed by Procter & Gamble Company, Owner of the registered trademark Metamucil ${\mathbb R}$.

SF SUGAR FREE

GF GLUTEN FREE

GLUTEN FREE.

If you have specific dietary needs, you should consult your doctor before consuming this product.


This product has a low glycemic index, a measure of the effect of dietary carbohydrates on blood sugar levels.

MEIJER PHARAMACISTS RECOMMEND MONEY BACK GUARANTEE

DIST. BY MEIJER DISTRIBUTION, INC.

GRAND RAPIDS, MI 49544

www.meijer.com



Serving Size Servings Per Container	2 rounded to About		1 rounded Abo	tsp (5.8g) ut 114
Amount per Serving		%DV*	(A)	%DV*
Calories	45		20	
Total Carbohydrate	11 g	4%*	5 g	2%*
Dietary Fiber	6 g	21%*	3 g	11%*
Soluble Fiber	5 g	†	2 g	+
Total Sugars	0 g	†	0 g	+
Includes Added Sugars	0 g	0%*	0 g	0%*
ron	1.4 mg	8%	0.7 mg	4%
Sodium	10 mg	<1%	5 mg	<1%
Potassium	70 ma	1%	35 mg	1%

Notice Pol 1 does of product into an empty glass, Mix this product will at least 6 auroses (a hild plass) of liquid. Six brisidy and drink promptly, tables with our poly and product will at least 6 auroses (a hild plass) of liquid. Six brisidy and drink promptly. Tabley without product may cause choking. Do not table if you have difficulty swallbowley.

Alterny after: This product may cause alterior reaction in people sensitive to inhaled or inspetted poplium. Contact your doctor BEFDE assistance of the product may cause alterior reaction in people sensitive to inhaled or inspetted poplium. Contact your doctor BEFDE as sudden change in bowelf habits pensisting for 2 weeks, abdominal pain masses or vorniting. 5TD USMS this deletary augotement and and doctor if constiguition leats more than 7 days or rectal bleeding occurs. These may be issue of a servines condition. hese may be signs of a serious condition.

New Users: Start with 1 serving per day, gradually increase to desin daily intake, You may initially experience changes in bowel habits or minor bloating, as your body adjusts to increased fiber intake.

When used as a daily fiber supple

Fiber Supplement Information

Uses & Directions:

Uses & Directions:
For feeling less hungs; between meals**
Adults & children 12 yrs. and over: Two rounded tespoors in 8 or more ounces of legal with media, up 5 a time ounces of legal with media, up 10 a time of 10 feel for For lowering cholesterof to promote heart health?
Adults & children 12 yrs. & over: One rounded tespoon in 8 ounces of legal, 3 times daily. Tells but in stantated that adults of anouse of legal, 3 times daily. Tells but in stantated that make, is an this product, may reduce the risk of hard disease by lowering chalestero. One serving of this product has 2.4 grans of this solable filest. Dreast a doctor if you are considering use of this product as a part of a children's of the product has 2.6 grans and the common of the children's program. For maintaining healthy blood sugar levels as part of your diest.

For maintaining healthy blood sugar levels as part of your diest.

8 online of liquid, 3 times daily, Consult your doctor before use if your currently using medication to control your folder before use if your currently using or decident to control your folded tespoon in 8 ounces of liquid, 3 times daily, Consult your doctor before use if your currently using or decidents to control your folded tespoon.

8 aunces of liquid, 3 times dails, Consult your doctor before use if you reacurently using medication to control your blood sugar levels. For promoting and maintaining digestive health** Adults & children 12 yrs. and over- the rounded teappoon in 8 aunces of liquid up to 3 times daily for fiber supplementation, For coassional conseptation and to help opmore and maintain regulari For children under 12 yrs: consult a doctor.

Drug Facts Active ingredient (in each teaspoon)

Uses ■ for relief of occasional constipation (irregularity) ■ generally produces bowel movement in 12-72 hou Warnings

Warnings

Choking: Taking this product without adequate fluid may cause it to swell and block your throat or esophagus and may cause choking. Do not take this product if you have difficulty in swallowing, if you experience chest pain, vomiting, or difficulty in swallowing or breathing after taking this product, seek immediate medical attention. Allergy alert: This product may cause an allergic reaction in people sensitive to inhaled or ingested psyllium.

Asks a doctor before use if you have

a sudden change in bowel habits persisting for 2 weeks

about the doctor if a constitution and a substantial pain, nausea or vomiting

brought and a doctor if a constitution lasts more than 7 days

arectal bleeding occurs

These may be signs of a serious condition.

Keep out of reach of children. In case of overdose, get medical help or contact a Poison Control Center right away at 1-800-222-1222.

Directions Put one dose into an empty glass, Mix this product (child or adult dose) with at least 8 ounces (a full glass) of water or other fluid. Taking this product without enough liquid may cause choking. See choking warning. Stir briskly and drink promptly, if mixture thickens, add more liquid and stir.

Adults & children 12 years & older:	12 years 1 rounded teaspoon in 8 ounces of liquid at the first sign of irregular Can be taken up to 3 times daily.	
Children 6-11 yrs:	1/2 adult dose in 8 ounces of liquid, up to 3 times daily	
Children under 6 yrs:	Consult a doctor	

Bulk-forming fibers like psyllum husk may affect how well other medicines work. If you are taking a prescription medicine by mouth, take this product at least 5 hours before or 2 hours after the prescribed medicine. New **Users:** Start with 1 seving per day; gradually increase to desired dayl ratike. You may initially experience changes in bowel habits or minor bloating, as your body adjusts to increased fiber intake.

Other information

- each teaspoon contains: potassium 35 mg; sodium 5 mg
 PHENYLKETONURICS: CONTAINS PHENYLALANINE, 25 mg per teaspoon
 store at room temperature. Keep the container tightly closed to protect from humidity
 contains a 100% natural, therapeutic fiber

This product has a low glycemic index, a measure of the effect of dietary carbohydrates on blood sucar levels.

Inactive ingredients aspartame, citric acid, FD&C Yellow No. 6, maltodextrin, natural and artificial orange

Questions or comments? 1-866-467-2748

"THESE STATEMENTS HAVE NOT BEEN EVALUATED BY THE FOOD AND DRUG ADMINISTRATION. THIS PRODUCT IS NOT INTENDED TO DIAGNOSE, TREAT, CURE OR PREVENT ANY DISEASE.

TAMPER EVIDENT: DO NOT USE IF PRINTED INNER SEAL UNDER CAP IS BROKEN OR MISSING

-/---1

Purpose ...Bulk-forming Laxative

MEIJER NATURAL FIBER

psyllium husk powder

Product Information

HUMAN OTC DRUG Item Code (Source) NDC:41250-455 **Product Type**

Route of Administration ORAL

Active Ingredient/Active Moiety

Basis of Strength Ingredient Name Strength PSYLLIUM HUSK (UNII: 0SHO53407G) (PSYLLIUM HUSK - UNII:0SHO53407G) **PSYLLIUM HUSK** 3.4 g in 12 g

Inactive Ingredients

Ingredient Name Strength

ASPARTAME (UNII: Z0H242BBR1)	
ANHYDROUS CITRIC ACID (UNII: XF417D3PSL)	
FD&C YELLOW NO. 6 (UNII: H77VEI93A8)	
MALTODEXTRIN (UNII: 7CVR7L4A2D)	
SILICON DIOXIDE (UNII: ETJ7Z6XBU4)	

Product Characteristics			
Color	BROWN	Score	
Shape		Size	
Flavor	ORANGE	Imprint Code	
Contains			

ı	Packaging			
	# Item Cod	e Package Description	Marketing Start Date	Marketing End Date
	1 NDC:41250- 455-11	1368 g in 1 BOTTLE, PLASTIC; Type 0: Not a Combination Product	03/14/2017	

Marketing Information			
Marketing Category	Application Number or Monograph Citation	Marketing Start Date	Marketing End Date
OTC monograph not final	part334	03/14/2017	

Labeler - MEIJER DISTRIBUTION INC (006959555)

Revised: 1/2023 MEIJER DISTRIBUTION INC