

**TRIPLE ANTIBIOTIC- bacitracin zinc, neomycin sulfate, polymyxin b ointment**  
**Valu Merchandisers, Co.**

*Disclaimer: Most OTC drugs are not reviewed and approved by FDA, however they may be marketed if they comply with applicable regulations and policies. FDA has not evaluated whether this product complies.*

-----  
**Best Choice Triple Antibiotic Ointment**

**Active ingredients**

Bacitracin Zinc 400 units

Neomycin Sulfate 3.5mg

Polymyxin B Sulfate 5,000 units

**Purpose**

First aid antibiotic

First aid antibiotic

First aid antibiotic

**Warnings**

For external use only

**Ask a doctor before use if you have**

- serious burns
- deep or puncture wounds
- animal bites

**When using this product**

- do not use in the eyes
- do not apply over large areas of the body

**Stop use and ask a doctor if**

- you need to use more than 1 week
- condition persists or gets worse
- symptoms persist for more than 1 week or clear up and occur again within a few days.
- rash or other allergic reaction develops

**Keep out of reach of children.**

If swallowed, get medical help or contact a Poison Control Center right away.

**Do not use**

if you are allergic to any of the ingredients

## **Uses**

First aid to help prevent infection in minor:

- cuts
- scrapes
- burns

## **Directions**

- adults and children 2 years of age or older:
  - clean the affected area
  - apply a small amount of this product (an amount equal to the surface area of the tip of a finger) on the area 1 to 3 times daily
  - may be covered with a sterile bandage
- children under 2 years of age: ask a doctor

## **Other information**

- store at 59° to 77°F

## **Inactive ingredients**

cetyl alcohol, mineral oil, petrolatum, squalane, stearic acid, tocopheryl acetate

## **Package label panel**

Triple Antibiotic Ointment

Best Choice®

COMPARE TO THE ACTIVE INGREDIENT  
IN NEOSPORIN® OINTMENT\*

REGULAR STRENGTH

# Triple Antibiotic Ointment

REGULAR STRENGTH

# Triple Antibiotic Ointment

LOT & EXP.

**Polymyxin B Sulfate-Bacitracin  
Zinc-Neomycin Sulfate  
Soothing Ointment**  
First Aid to Help Prevent Infection in:  
• Minor Cuts • Scrapes  
• Burns

Net Wt. 1 OZ (28.3g)

**Best Choice.**  
100% Guaranteed  
[www.bestchoicebrand.com](http://www.bestchoicebrand.com)

PROUDLY DISTRIBUTED BY:  
VALU MERCHANTISERS, CO.  
5000 KANSAS AVE  
KANSAS CITY, KS 66106  
MADE IN CHINA

BEST CHOICE



<p><b>Drug Facts</b> (continued)</p> <p><b>Keep out of reach of children.</b> If swallowed, get medical help or contact a Poison Control Center right away.</p>	<p><b>Directions</b></p> <ul style="list-style-type: none"> <li>• adults and children 2 years of age and older: apply a small amount of this product (an amount equal to the surface area of the tip of a finger) on the area 1 to 3 times daily</li> <li>• may be covered with a sterile bandage</li> <li>• children under 2 years of age : ask a doctor</li> </ul>	<p><b>Other information</b> store at 15° to 25°C (59° to 77° F)</p> <p><b>Inactive ingredients</b> cetyl alcohol, mineral oil, petrolatum, squalane, stearic acid, tocopheryl acetate</p> <p><small>*This product is not manufactured or distributed by Johnson &amp; Johnson Consumer Products Company, owner of the registered trademark Original Neosporin®</small></p>
<p><b>Drug Facts</b></p> <p><b>Active ingredients (in each gram)</b></p> <p>Bacitracin 400 units.....First aid antibiotic Neomycin Sulfate 3.5 mg.....First aid antibiotic Polymyxin B 5,000 units.....First aid antibiotic</p> <p><b>Purpose</b></p> <p>Uses First aid to help prevent infection in minor: • cuts • scrapes • burns</p>	<p><b>Warnings</b></p> <p><b>For external use only.</b></p> <p><b>Do not use</b></p> <ul style="list-style-type: none"> <li>• if you are allergic to any of the ingredients</li> </ul> <p><b>Ask a doctor before use if you have</b></p> <ul style="list-style-type: none"> <li>• deep or puncture wounds • animal bites</li> <li>• serious burns</li> </ul>	<p><b>When using this product</b></p> <ul style="list-style-type: none"> <li>• do not use in the eyes</li> <li>• do not apply over large areas of the body</li> </ul> <p><b>Stop use and ask a doctor if</b></p> <ul style="list-style-type: none"> <li>• you need to use longer than 1 week</li> <li>• condition persists or gets worse</li> <li>• rash or other allergic reaction develops</li> </ul>

# TRIPLE ANTIBIOTIC

bacitracin zinc, neomycin sulfate, polymyxin b ointment

## Product Information

<b>Product Type</b>	HUMAN OTC DRUG	<b>Item Code (Source)</b>	NDC:63941-831
<b>Route of Administration</b>	TOPICAL		

## Active Ingredient/Active Moiety

<b>Ingredient Name</b>	<b>Basis of Strength</b>	<b>Strength</b>
<b>POLYMYXIN B SULFATE</b> (UNII: 19371312D4) (POLYMYXIN B - UNII:J2VZ07J96K)	POLYMYXIN B	5000 [USP'U] in 1 g
<b>NEOMYCIN SULFATE</b> (UNII: 057Y626693) (NEOMYCIN - UNII:I16QD7X297)	NEOMYCIN SULFATE	3.5 mg in 1 g
<b>BACITRACIN ZINC</b> (UNII: 89Y4M234ES) (BACITRACIN - UNII:58H6RWO52I)	BACITRACIN	400 [USP'U] in 1 g

## Inactive Ingredients

<b>Ingredient Name</b>	<b>Strength</b>
<b>CETYL ALCOHOL</b> (UNII: 936JST6JCN)	
<b>MINERAL OIL</b> (UNII: T5L8T28FGP)	
<b>SQUALANE</b> (UNII: GW89575KF9)	
<b>STEARIC ACID</b> (UNII: 4ELV7Z65AP)	
<b>ALPHA-TOCOPHEROL ACETATE</b> (UNII: 9E8X80D2L0)	
<b>PETROLATUM</b> (UNII: 4T6H12BN9U)	

## Packaging

<b>#</b>	<b>Item Code</b>	<b>Package Description</b>	<b>Marketing Start Date</b>	<b>Marketing End Date</b>
1	NDC:63941-831-01	1 in 1 BOX	02/22/2017	
1		28 g in 1 TUBE; Type 0: Not a Combination Product		

## Marketing Information

<b>Marketing Category</b>	<b>Application Number or Monograph Citation</b>	<b>Marketing Start Date</b>	<b>Marketing End Date</b>
OTC monograph final	part333B	07/16/2012	

**Labeler** - Valu Merchandisers, Co. (868703513)