

UBER NUMB TOPICAL ANESTHETIC- lidocaine hydrochloride cream
UberScientific, LLC

Uber Numb Topical Anesthetic Cream

DRUG FACTS:

Active Ingredient:

Lidocaine HCl 5.00%

Local Anesthetic

Uses:

For the temporary relief of local pain and discomfort associated with anorectal disorders.

Warnings:

- For external use only. Use only as directed.

When using this product,

- do not exceed the recommended daily dosage unless directed by a doctor.
- Do not insert this product into rectum using fingers or any mechanical device.

Keep out of reach of children.

- Children under 12 should consult physician prior to use.

Stop using this product if:

- Symptoms worsen or does not improve within seven days
- Bleeding occurs. *Redness, irritation, swelling, pain or other symptoms develop.

Directions:

- Apply to affected area. **Adults and children 12-years and over:**
- consult a physician before use. **Children under 12,**
- Clean affected area with warm water and mild soap. Rinse thoroughly.
- Gently dry by patting with toilet tissue or soft cloth.
- Apply externally to area up to six times per day.

How to Apply:

Other Ingredients:

Allantoin, Aqua (Deionized Water), Benzyl Alcohol, Carbomer, Propylene Glycol, Sodium Polyacrylate, Tocopheryl Acetate (Vitamin E), Triethanolamine.

Store at room temperature. Avoid direct sunlight

Package Labeling:

DOCTOR FORMULATED

UBER NUMB™

TOPICAL ANESTHETIC CREAM

4.00 fl.oz / 118ml
UberScientific®

Manufactured by
UberScientific®
(302) 566-8237
838 E High St Suite 271
Lexington KY 40502
UberNumb.com
UberScientific.com
Made in U.S.A.

DRUG FACTS:

Active Ingredient:
Lidocaine HCl 5.00% Local Anesthetic

Uses: For the temporary relief of local pain and discomfort associated with anorectal disorders.

Warnings:
*For external use only. Use only as directed.
*When using this product, do not exceed the recommended daily dosage unless directed by a doctor.
*Do not insert this product into rectum using fingers or any mechanical device.


***Keep out of reach of children.**
Children under 12 should consult physician prior to use.
***Stop using this product if:**
*Symptoms worsen or does not improve within seven days
*Bleeding occurs. *Redness, irritation, swelling, pain or other symptoms develop.

Directions:
***Adults and children 12-years and over:** Apply to affected area.
***Children under 12,** consult a physician before use.

How to Apply:
*Clean affected area with warm water and mild soap. Rinse thoroughly.
*Gently dry by patting with toilet tissue or soft cloth.
*Apply externally to area up to six times per day.

Other Ingredients:
Allantoin, Aqua (Deionized Water), Benzyl Alcohol, Carbomer, Propylene Glycol, Sodium Polyacrylate, Tocopheryl Acetate (Vitamin E), Triethanolamine.

*Store at room temperature.
Avoid direct sunlight



UBER NUMB TOPICAL ANESTHETIC

lidocaine hydrochloride cream

Product Information

Product Type	HUMAN OTC DRUG	Item Code (Source)	NDC:71131-797
Route of Administration	TOPICAL		

Active Ingredient/Active Moiety

Ingredient Name	Basis of Strength	Strength
LIDOCAINE HYDROCHLORIDE (UNII: V13007Z41A) (LIDOCAINE - UNII:98PI200987)	LIDOCAINE HYDROCHLORIDE	50 mg in 1 mL

Inactive Ingredients

Ingredient Name	Strength
ALLANTOIN (UNII: 344S277G0Z)	
WATER (UNII: 059QF0KO0R)	
BENZYL ALCOHOL (UNII: LKG8494WBH)	
CARBOXYPOLYMETHYLENE (UNII: 0A5MM307FC)	
PROPYLENE GLYCOL (UNII: 6DC9Q167V3)	
.ALPHA.-TOCOPHEROL ACETATE (UNII: 9E8X80D2L0)	

Packaging

#	Item Code	Package Description	Marketing Start Date	Marketing End Date
1	NDC:71131-797-04	118 mL in 1 JAR; Type 0: Not a Combination Product	02/23/2017	

Marketing Information

Marketing Category	Application Number or Monograph Citation	Marketing Start Date	Marketing End Date
OTC Monograph Drug	M015	02/23/2017	

Labeler - UberScientific, LLC (080459429)

Revised: 11/2023

UberScientific, LLC