

ACIDIL- picea mariana resin, activated charcoal, strychnos nux-vomica seed, robinia pseudoacacia bark tablet
Laboratoires Boiron

Disclaimer: This homeopathic product has not been evaluated by the Food and Drug Administration for safety or efficacy. FDA is not aware of scientific evidence to support homeopathy as effective.

ACIDIL

Active ingredients** (in each tablet)

Abies nigra 4C HPUS (0.6 mg)

Carbo vegetabilis 4C HPUS (0.6 mg)

Nux vomica 4C HPUS (0.6 mg) (contains less than 10-9 mg strychnine alkaloids)

Robinia pseudoacacia 4C HPUS (0.6 mg)

The letters "HPUS" indicate that the components in this product are officially monographed in the Homeopathic Pharmacopoeia of the United States.

Purpose*

Abies nigra 4C HPUS (0.6 mg).....Relieves stomach pain after eating

Carbo vegetabilis 4C HPUS (0.6 mg).....Relieves stomach bloating with gas

Nux vomica 4C HPUS (0.6 mg)..... Relieves heartburn due to excessive eating and drinking

Robinia pseudoacacia 4C HPUS (0.6 mg).....Relieves heartburn with acid indigestion

Uses*

Temporarily relieves:

- heartburn
- acid indigestion
- bloating
- upset stomach associated with these symptoms

Warnings

Stop use and ask a doctor if symptoms persist for more than 7 days or worsen. If you have trouble swallowing or persistent abdominal pain, see your doctor promptly.

If pregnant or breast-feeding, ask a health professional before use.

Keep out of reach of children. In case of overdose, get medical help or contact a Poison Control Center right away.

Directions

Adults and children 12 years of age and older: At the onset of symptoms, dissolve 2 tablets under the tongue every 15 minutes for 1 hour. If necessary, dissolve 2 tablets

under the tongue 15 minutes before meals until symptoms are relieved.

Children under 12 years of age: Ask a doctor.

Crosscarmellose sodium, lactose, magnesium stearate

do not use if glue carton flaps are open or if the blister seal is broken

store below 86°F (30°C)

Heartburn relief*

Acid Indigestion Upset Stomach*

Plant-Based Actives

No Known Drug Interactions

No Dyes or Colors

No Flavors

No Artificial Sweeteners

No Preservatives

A convenient & discreet way to relieve heartburn anywhere, anytime*

The Plant-Powered Way to Fight Acid Indigestion*

60 Meltaway Tablets unflavored

20 Meltaway Tablets unflavored

*CLAIMS BASED ON TRADITIONAL HOMEOPATHIC PRACTICE, NOT ACCEPTED MEDICAL EVIDENCE. NOT FDA EVALUATED.

**C, K, CK, and X are homeopathic dilutions: see BoironUSA.com/info for details.

Questions or comments?

BoironUSA.com

Info@Boiron.com

1-800-BOIRON-1

(1-800-264-7661)


Made in France

Distributed by Boiron Inc.

Newtown Square, PA 19073

FREE INSIDE! **Acidil®**
20 MELTAWAY TABLETS

The Plant-Powered Way to Fight Acid Indigestion*



There are many triggers that can cause indigestion, including certain foods, new diets, changes in routine, and even stress. That's why Acidil is made with plant-powered ingredients to target multiple heartburn symptoms with tablets that melt easily in your mouth. Choose the on-the-go relief of Acidil for your non-stop life.

- Convenient, discreet & unflavored
- Easy to take before or after meals
- No artificial colors, flavors, sweeteners, or preservatives

Meltaway tablets require no food or water

Drug Facts

Active ingredients* (in each tablet)

| | |
|--------------------------------------|---|
| Abies nigra 4C HPUS (0.6 mg) | Relieves stomach pain after eating |
| Carbo vegetabilis 4C HPUS (0.6 mg) | Relieves stomach bloating with gas |
| Nux vomica 4C HPUS (0.6 mg) | Relieves heartburn due to excessive eating and drinking (contains less than 10 ⁻⁶ mg strychnine alkaloids) |
| Rubina pseudoacacia 4C HPUS (0.6 mg) | Relieves heartburn with acid indigestion |

The letters "HPUS" indicate that the components in this product are officially monographed in the Homeopathic Pharmacopoeia of the United States.

Purpose*

- Relieves stomach pain after eating
- Relieves stomach bloating with gas
- Relieves heartburn due to excessive eating and drinking
- Relieves heartburn with acid indigestion

Uses* temporarily relieves:

- heartburn
- acid indigestion
- bloating
- upset stomach associated with these symptoms

Warnings

Stop use and ask a doctor if symptoms persist for more than 7 days or worsen. If you have trouble swallowing or persistent abdominal pain, see your doctor promptly.

If pregnant or breastfeeding, ask a health professional before use.

Keep out of reach of children. In case of accidental overdose, get medical help or contact a Poison Control Center right away.

Directions

- Adults and children 12 years of age and older: At the onset of symptoms, dissolve 2 tablets under the tongue every 15 minutes for 1 hour. If necessary, dissolve 2 tablets under the tongue 15 minutes before meals until symptoms are relieved.
- Children under 12 years of age: Ask a doctor.

Other information

- Do not use if glued carton end flaps are open or if the blister seal is broken
- Store below 86°F (30°C)

Inactive ingredients croscarmellose sodium, lactose, magnesium stearate

*CLAIMS BASED ON TRADITIONAL HOMEOPATHIC PRACTICE, NOT ACCEPTED MEDICAL EVIDENCE. NOT FDA EVALUATED. *C, K, CK, and X are homeopathic dilutions: see BoironUSA.com/info for details.

NDC 0220-9004-91

HEARTBURN RELIEF*

Acid Indigestion Upset Stomach*

Help Your Body the Natural Way

Acidil®

MELTAWAY TABLETS

HOMEOPATHIC MEDICINE

- Plant-Based Actives
- No Known Drug Interactions

20 MELTAWAY TABLETS
Unflavored

BOIRON®
World Leader in Homeopathic Medicines

Made in France
Distributed by Boiron Inc.
Newtown Square, PA 19073

please recycle

3 06969 00491 3

Drug Facts

Active ingredients* (in each tablet)

| | |
|--------------------------------------|---|
| Abies nigra 4C HPUS (0.6 mg) | Relieves stomach pain after eating |
| Carbo vegetabilis 4C HPUS (0.6 mg) | Relieves stomach bloating with gas |
| Nux vomica 4C HPUS (0.6 mg) | Relieves heartburn due to excessive eating and drinking (contains less than 10 ⁻⁶ mg strychnine alkaloids) |
| Rubina pseudoacacia 4C HPUS (0.6 mg) | Relieves heartburn with acid indigestion |

The letters "HPUS" indicate that the components in this product are officially monographed in the Homeopathic Pharmacopoeia of the United States.

Purpose*

- Relieves stomach pain after eating
- Relieves stomach bloating with gas
- Relieves heartburn due to excessive eating and drinking
- Relieves heartburn with acid indigestion

Uses* temporarily relieves:

- heartburn
- acid indigestion
- bloating
- upset stomach associated with these symptoms

Warnings

Stop use and ask a doctor if symptoms persist for more than 7 days or worsen. If you have trouble swallowing or persistent abdominal pain, see your doctor promptly.

If pregnant or breastfeeding, ask a health professional before use.

Keep out of reach of children. In case of accidental overdose, get medical help or contact a Poison Control Center right away.

Directions

- Adults and children 12 years of age and older: At the onset of symptoms, dissolve 2 tablets under the tongue every 15 minutes for 1 hour. If necessary, dissolve 2 tablets under the tongue 15 minutes before meals until symptoms are relieved.
- Children under 12 years of age: Ask a doctor.

Other information

- Do not use if glued carton end flaps are open or if the blister seal is broken
- Store below 86°F (30°C)

Inactive ingredients croscarmellose sodium, lactose, magnesium stearate

*CLAIMS BASED ON TRADITIONAL HOMEOPATHIC PRACTICE, NOT ACCEPTED MEDICAL EVIDENCE. NOT FDA EVALUATED. *C, K, CK, and X are homeopathic dilutions: see BoironUSA.com/info for details.

Drug Facts

(continued)

Questions or comments?
BoironUSA.com
Info@Boiron.com
1-800-BOIRON-1
(1-800-264-7661)



Meltaway tablets require no food or water

Made in France
Distributed by Boiron Inc.
Newtown Square, PA 19073

please recycle

3 06969 00860 6

NDC 0220-9004-04

HEARTBURN RELIEF*

Acid Indigestion Upset Stomach*

Help Your Body the Natural Way

Acidil®

MELTAWAY TABLETS

HOMEOPATHIC MEDICINE

- Plant-Based Actives
- No Known Drug Interactions

60 MELTAWAY TABLETS
Unflavored

BOIRON®
World Leader in Homeopathic Medicines

FREE INSIDE! **Acidil®**
20 MELTAWAY TABLETS

Churning & Burning?

Get Plant-Based Relief with Acidil!

A convenient & discreet way to relieve heartburn anywhere, anytime.*

Common Causes of Heartburn

- Eating too fast or too much
- Certain foods and beverages
- Stress and nervousness

Tips for Managing Heartburn

- Limit intake of trigger foods or beverages
- Relax to help alleviate stress
- Take Acidil at the first sign of symptoms!

Meltaway tablets require no food or water

SAMPLE - NOT FOR SALE

Acidil®

HEARTBURN RELIEF

Plant-Based Actives

- No Dyes or Colors
- No Flavors
- No Artificial Sweeteners
- No Preservatives

Drug Facts

Active ingredients* (in each tablet)

| | |
|--------------------------------------|---|
| Abies nigra 4C HPUS (0.6 mg) | Relieves stomach pain after eating |
| Carbo vegetabilis 4C HPUS (0.6 mg) | Relieves stomach bloating with gas |
| Nux vomica 4C HPUS (0.6 mg) | Relieves heartburn due to excessive eating and drinking (contains less than 10 ⁻⁶ mg strychnine alkaloids) |
| Rubina pseudoacacia 4C HPUS (0.6 mg) | Relieves heartburn with acid indigestion |

The letters "HPUS" indicate that the components in this product are officially monographed in the Homeopathic Pharmacopoeia of the United States.

Purpose*

- Relieves stomach pain after eating
- Relieves stomach bloating with gas
- Relieves heartburn due to excessive eating and drinking
- Relieves heartburn with acid indigestion

Uses* temporarily relieves:

- heartburn
- acid indigestion
- bloating
- upset stomach associated with these symptoms

Warnings

Stop use and ask a doctor if symptoms persist for more than 7 days or worsen. If you have trouble swallowing or persistent abdominal pain, see your doctor promptly.

If pregnant or breastfeeding, ask a health professional before use.

Keep out of reach of children. In case of accidental overdose, get medical help or contact a Poison Control Center right away.

Directions

- Adults and children 12 years of age and older: At the onset of symptoms, dissolve 2 tablets under the tongue every 15 minutes for 1 hour. If necessary, dissolve 2 tablets under the tongue 15 minutes before meals until symptoms are relieved.
- Children under 12 years of age: Ask a doctor.

Other information

- Do not use if glued carton end flaps are open or if the blister seal is broken
- Store below 86°F (30°C)

Inactive ingredients croscarmellose sodium, lactose, magnesium stearate

Questions or comments?
BoironUSA.com
Info@Boiron.com
1-800-BOIRON-1
(1-800-264-7661)

*CLAIMS BASED ON TRADITIONAL HOMEOPATHIC PRACTICE, NOT ACCEPTED MEDICAL EVIDENCE. NOT FDA EVALUATED. *C, K, CK, and X are homeopathic dilutions: see BoironUSA.com/info for details.

Made in France
Distributed by Boiron Inc., Newtown Square, PA 19073

please recycle

3 06969 00491 3

NDC 0220-9004-91

HEARTBURN RELIEF*

Acid Indigestion Upset Stomach*

Help Your Body the Natural Way

Acidil®

MELTAWAY TABLETS

HOMEOPATHIC MEDICINE

- Plant-Based Actives
- No Known Drug Interactions

20 MELTAWAY TABLETS
Unflavored

BOIRON®
World Leader in Homeopathic Medicines

A Better Way

At Boiron, we believe there's a better way to feel better. Since 1852, the Boiron family has been dedicated to providing the purest medicines using sustainable practices. As world leader in homeopathic medicines, quality has always been our passion and your well-being is our goal.

Drug Facts

Active Ingredients* (in each tablet) **Purpose***
 Abies nigra 4C HPUS (0.6 mg) Relieves stomach pain after eating
 Carbo vegetabilis 4C HPUS (0.6 mg) Relieves stomach bloating with gas
 Nux vomica 4C HPUS (0.6 mg) Relieves heartburn due to excessive eating and drinking (contains less than 10⁻⁹ mg strychnine)
 Robinia pseudoacacia 4C HPUS (0.6 mg) Relieves heartburn with acid indigestion

The letters "HPUS" indicate that the components in this product are officially monographed in the Homeopathic Pharmacopoeia of the United States.

Uses*
 temporarily relieves:
 ■ heartburn ■ acid indigestion ■ bloating ■ upset stomach associated with these symptoms

Warnings
 Stop use and ask a doctor if symptoms persist for more than 7 days or worsen. If you have trouble swallowing or persistent abdominal pain, see your doctor promptly.
 If pregnant or breastfeeding, ask a health professional before use.
 Keep out of reach of children. In case of accidental overdose, get medical help or contact a Poison Control Center right away.

Directions
 ■ Adults and children 12 years of age and older: At the onset of symptoms, dissolve 2 tablets under the tongue every 15 minutes for 1 hour. If necessary, dissolve 2 tablets under the tongue 15 minutes before meals until symptoms are relieved.
 ■ Children under 12 years of age: Ask a doctor.

Other information
 ■ do not use if glued carton end flaps are open or if the blister seal is broken ■ store below 86°F (30°C)

Inactive ingredients croscarmellose sodium, lactose, magnesium stearate

CLAIMS BASED ON TRADITIONAL HOMEOPATHIC PRACTICE, NOT ACCEPTED MEDICAL EVIDENCE. NOT FDA EVALUATED. *C, K, CK, and X are homeopathic dilutions; see BoironUSA.com/info for details.

Drug Facts
 (continued)

Questions or comments?
 BoironUSA.com
 info@Boiron.com
 1-800-BOIRON-1
 (1-800-264-7661)

Meltaway tablets require no food or water

Made in France
 Distributed by Boiron Inc.
 Newtown Square, PA 19073

please recycle

06962-60860 6

NDC 0220-9004-04

HEARTBURN RELIEF*
 Acid Indigestion
 Upset Stomach*

Help Your Body the Natural Way

Acidil®
 —MELTAWAY TABLETS
 HOMEOPATHIC MEDICINE

- Plant-Based Actives
- No Known Drug Interactions

60 MELTAWAY TABLETS Unflavored

BOIRON®
 World Leader in Homeopathic Medicines

BOIRON®

A Better Way
 At Boiron, we believe there's a better way to feel better. Since 1932, the Boiron family has been dedicated to providing the purest medicines using sustainable practices. As world leader in homeopathic medicines, quality has always been our passion and your well-being is our goal.

The Boiron Promise
 Your health deserves the greatest respect. That's why we're committed to your satisfaction. Please visit BoironUSA.com/promise for details.

Drug Facts

Active ingredients** **Purpose***
 Abies nigra 4C HPUS Relieves stomach pain after eating
 Carbo vegetabilis 4C HPUS Relieves stomach bloating with gas
 Nux vomica 4C HPUS Relieves heartburn due to (contains less than 10⁻⁹ mg alkaloids per dose) excessive eating and drinking
 Robinia pseudoacacia 4C HPUS Relieves heartburn with acid indigestion

The letters HPUS indicate that this ingredient is officially included in the Homeopathic Pharmacopoeia of the United States.

Uses* ■ temporarily relieves occasional heartburn, acid indigestion, bloating or upset stomach

Warnings
 Ask a doctor before use in children under 12 years of age.
 Stop use and ask a doctor if symptoms persist continuously for more than 7 days or worsen. If you have trouble swallowing or persistent abdominal pain, see your doctor promptly.
 If pregnant or breastfeeding, ask a health professional before use.
 Keep out of reach of children.

Directions ■ Adults and children 12 years of age and older: At the onset of symptoms, dissolve 2 tablets under the tongue every 15 minutes for 1 hour. If necessary, dissolve 2 tablets under the tongue 15 minutes before meals until symptoms are relieved.
 ■ Children under 12 years of age: Ask a doctor.

Other information ■ do not use if glued carton end flaps are open or if the blister seal is broken ■ store at 68-77°F (20-25°C)

Inactive ingredients croscarmellose sodium, lactose, magnesium stearate

*These "Uses" have not been evaluated by the Food and Drug Administration. **C, K, CK, and X are homeopathic dilutions; see www.boironusa.com for details.

INDIGESTION

Acidil®

Drug Facts
 (continued)

Questions or comments?
 www.boironusa.com
 info@boiron.com
 1-800-BOIRON-1
 (1-800-264-7661)
 Distributed by Boiron Inc.,
 8 Campus Boulevard
 Newtown Square, PA
 19073-3267

Made in France

please recycle

06962-60860 6

NDC 0220-9004-04

INDIGESTION*

**Heartburn • Bloating
 Upset Stomach
 Acid Indigestion***

Acidil®
 HOMEOPATHIC MEDICINE

- No Drug Interactions
- Works Naturally with Your Body

natural ACTIVE INGREDIENTS

60 QUICK-DISSOLVING TABLETS

BOIRON®
 World Leader in Homeopathic Medicines

INDIGESTION

Acidil®

The Boiron Promise
 At Boiron, we believe there's a better way to feel good. A better way that works naturally with your body. Since 1932, the Boiron family has been committed to providing safe, natural medicines. As world leader in homeopathic medicines, our passion is your total health. Our promise is your total satisfaction. Please visit boironusa.com/promise for details.

please recycle

Acidil Image

| ACIDIL | | | |
|--|----------------|---------------------------|-----------------|
| picea mariana resin, activated charcoal, strychnos nux-vomica seed, robinia pseudoacacia bark tablet | | | |
| Product Information | | | |
| Product Type | HUMAN OTC DRUG | Item Code (Source) | NDC:0220-9004 |
| Route of Administration | ORAL | | |
| Active Ingredient/Active Moiety | | | |
| Ingredient Name | | Basis of Strength | Strength |
| PICEA MARIANA RESIN (UNII: 71AOV0W131) (PICEA MARIANA RESIN - | | PICEA MARIANA RESIN | 4.166 G |

| | | |
|---|---------------------------|----------|
| UNII:71AOV0W131) | FICEA MARIANA RESIN | 4 [hp_C] |
| ACTIVATED CHARCOAL (UNII: 2P3VWU3H10) (ACTIVATED CHARCOAL - UNII:2P3VWU3H10) | ACTIVATED CHARCOAL | 4 [hp_C] |
| STRYCHNOS NUX-VOMICA SEED (UNII: 269XH13919) (STRYCHNOS NUX-VOMICA SEED - UNII:269XH13919) | STRYCHNOS NUX-VOMICA SEED | 4 [hp_C] |
| ROBINIA PSEUDOACACIA BARK (UNII: 7TPC058OWY) (ROBINIA PSEUDOACACIA BARK - UNII:7TPC058OWY) | ROBINIA PSEUDOACACIA BARK | 4 [hp_C] |

Inactive Ingredients

| Ingredient Name | Strength |
|--|----------|
| CROSCARMELOSE SODIUM (UNII: M28OL1HH48) | |
| LACTOSE (UNII: J2B2A4N98G) | |
| MAGNESIUM STEARATE (UNII: 70097M6I30) | |

Product Characteristics

| | | | |
|-----------------|----------------|---------------------|----------|
| Color | white | Score | no score |
| Shape | ROUND (BOIRON) | Size | 9mm |
| Flavor | | Imprint Code | ; |
| Contains | | | |

Packaging

| # | Item Code | Package Description | Marketing Start Date | Marketing End Date |
|---|------------------|---|----------------------|--------------------|
| 1 | NDC:0220-9004-04 | 60 in 1 BLISTER PACK; Type 0: Not a Combination Product | 08/05/1997 | |
| 2 | NDC:0220-9004-91 | 20 in 1 BLISTER PACK; Type 0: Not a Combination Product | 04/16/2020 | |

Marketing Information

| Marketing Category | Application Number or Monograph Citation | Marketing Start Date | Marketing End Date |
|------------------------|--|----------------------|--------------------|
| unapproved homeopathic | | 08/05/1997 | |

Labeler - Laboratoires Boiron (282560473)

Registrant - Boiron Inc. (014892269)

Establishment

| Name | Address | ID/FEI | Business Operations |
|--------|---------|-----------|------------------------|
| Boiron | | 282560473 | manufacture(0220-9004) |