

**LYM- arnica montana, calendula officinalis, echinacea, hydrastis canadensis, myrrha, phytolacca decandra, tarasacum officinale, trifolium pratense, trigonella foenum-graecum, urtica cioica, propolis, adrenalinum, gunpowder, thymus (suis), thyroidinum (suis), arsenicum album, cocculus indicus, iridium metallicum, lycopodium clavatum phosphorus, liquid Deseret Biologicals, Inc.**

*Disclaimer: This homeopathic product has not been evaluated by the Food and Drug Administration for safety or efficacy. FDA is not aware of scientific evidence to support homeopathy as effective.*

-----  
**Drug Facts**

**ACTIVE INGREDIENTS:** Arnica montana 3X, Calendula officinalis 3X, Echinacea 3X, Hydrastis canadensis 3X, Myrrha 3X, Phytolacca decandra 3X, Taraxacum officinale 3X, Trifolium pratense 3X, Trigonella foenum-graecum 3X, Urtica dioica 3X, Propolis 6X, Adrenalinum 8X, Gunpowder 8X, Thymus (suis) 8X, Thyroidinum (suis) 8X, Arsenicum album 12X, Cocculus indicus 12X, Iridium metallicum 12X, Lycopodium clavatum 12X, Phosphorus 12X, Rhus toxicodendron 12X, Borrelia burgdorferi 15X, 30X, 60X, 100X, 200X, Encephalitis virus 15X, 30X, 60X, 100X, 200X, Ledum palustre 30X, Meningococcus 30X, 60X, 100X, 200X, Hepatitis virus type B 33X, 60X, 100X, 200X.

**INDICATIONS:** For temporary relief of symptoms related to Lyme Disease including joint pain, severe headache, fever(s), severe muscle aches/pain, flu-like feelings of headache, stiff neck, fever, muscle aches, and profound fatigue, circular rash surrounding the site of a tick bite, vision changes and change in smell/taste; difficulty chewing, swallowing, or speaking; hoarseness or vocal cord problems; facial paralysis.

**WARNINGS:** Keep out of reach of children. In case of overdose, contact physician or Poison Control Center right away.

If pregnant or breast-feeding, seek advice of a health professional before use.

Tamper seal: "Sealed for Your Protection." Do not use if seal is broken or missing.

**DIRECTIONS:** 1-10 drops under the tongue, 3 times a day or as directed by a health professional. Consult a physician for use in children under 12 years of age.

**INACTIVE INGREDIENTS:** Demineralized water, 25% Ethanol.

**KEEP OUT OF REACH OF CHILDREN.** In case of overdose, contact physician or Poison Control Center right away.

**INDICATIONS:** For temporary relief of symptoms related to Lyme Disease including joint pain, severe headache, fever(s), severe muscle aches/pain, flu-like feelings of headache, stiff neck, fever, muscle aches, and profound fatigue, circular rash surrounding the site of a tick bite, vision changes and change in smell/taste; difficulty chewing, swallowing, or speaking; hoarseness or vocal cord problems, facial paralysis.

**Dist. By:**

**Deseret Biologicals, Inc.**

**469 Parkland Drive**

**Sandy, UT 84070**

**www.desbio.com**

**DESBIO**

**NDC 43742-0038-1**

# HOMEOPATHIC

## LYM

1 FL OZ (30 ml)

### WARNINGS:

**Keep out of reach of children.** In case of overdose, contact physician or Poison Control Center right away. **If pregnant or breast-feeding,** seek advice of a health professional before use. Tamper seal: "Sealed for Your Protection." Do not use if seal is broken or missing.

### DIRECTIONS:

1-10 drops under the tongue, 3 times a day or as directed by a health professional. Consult a physician for use in children under 12 years of age.

LOT: XXXXXXXXXX

Dist. By: Deseret Biologicals, Inc.  
469 Parkland Drive  
Sandy, UT 84070 [www.desbio.com](http://www.desbio.com)



NDC 43742-0038-1

HOMEOPATHIC

# LYM



1 FL OZ (30 ml)

**INACTIVE INGREDIENTS:**  
Demineralized Water, 25% Ethanol

### ACTIVE INGREDIENTS:

Arnica Montana 3X, Calendula Officinalis 3X, Echinacea 3X, Hydrastis Canadensis 3X, Myrrha 3X, Phytolacca Decandra 3X, Taraxacum Officinale 3X, Trifolium Pratense 3X, Trigonella Foenum-Graecum 3X, Urtica Dioica 3X, Propolis 6X, Adrenalinum 8X, Gunpowder 8X, Thymus 8X, Thyroidinum 8X, Arsenicum Album 12X, Coccus Indicus 12X, Iridium Metallicum 12X, Lycopodium Clavatum 12X, Phosphorus 12X, Rhus Toxicodendron 12X, Borrelia Burgdorferi 15X, 30X, 60X, 100X, 200X, Encephalitis Virus 15X, 30X, 60X, 100X, 200X, Ledum Palustre 30X, Meningococcus 30X, 60X, 100X, 200X, Hepatitis Virus Type B 33X, 60X, 100X, 200X.

### INDICATIONS:

For temporary relief of symptoms related to Lyme Disease including joint pain, severe headache, fever(s), severe muscle aches/pain, flu-like feelings of headache, stiff neck, fever, muscle aches, and profound fatigue, circular rash surrounding the site of a tick bite, vision changes and change in smell/taste; difficulty chewing, swallowing, or speaking; hoarseness or vocal cord problems; facial paralysis.

## LYM

arnica montana, calendula officinalis, echinacea, hydrastis canadensis, myrrha, phytolacca decandra, taraxacum officinale, trifolium pratense, trigonella foenum-graecum, urtica cioica, propolis, adrenalinum, gunpowder, thymus (suis), thyroidinum (suis), arsenicum album, cocculus indicus, iridium metallicum, lycopodium clavatum phosphorus, liquid

### Product Information

Product Type	HUMAN OTC DRUG	Item Code (Source)	NDC:43742-0038
Route of Administration	ORAL		

### Active Ingredient/Active Moiety

Ingredient Name	Basis of Strength	Strength
ARNICA MONTANA (UNII: O80TY208ZW) (ARNICA MONTANA - UNII:O80TY208ZW)	ARNICA MONTANA	3 [hp_X] in 1 mL
CALENDULA OFFICINALIS FLOWERING TOP (UNII: 18E7415PXQ) (CALENDULA OFFICINALIS FLOWERING TOP - UNII:18E7415PXQ)	CALENDULA OFFICINALIS FLOWERING TOP	3 [hp_X] in 1 mL
ECHINACEA ANGUSTIFOLIA (UNII: VB06AV5US8) (ECHINACEA ANGUSTIFOLIA - UNII:VB06AV5US8)	ECHINACEA ANGUSTIFOLIA	3 [hp_X] in 1 mL
GOLDENSEAL (UNII: ZW3Z11D0JV) (GOLDENSEAL - UNII:ZW3Z11D0JV)	GOLDENSEAL	3 [hp_X] in 1 mL
MYRRH (UNII: JC71GJ1F3L) (MYRRH - UNII:JC71GJ1F3L)	MYRRH	3 [hp_X] in 1 mL
PHYTOLACCA AMERICANA ROOT (UNII: 11E6VI8VEG) (PHYTOLACCA AMERICANA ROOT - UNII:11E6VI8VEG)	PHYTOLACCA AMERICANA ROOT	3 [hp_X] in 1 mL
TARAXACUM OFFICINALE (UNII: 39981FM375) (TARAXACUM OFFICINALE - UNII:39981FM375)	TARAXACUM OFFICINALE	3 [hp_X] in 1 mL
TRIFOLIUM PRATENSE FLOWER (UNII: 4JS0838828) (TRIFOLIUM PRATENSE	TRIFOLIUM PRATENSE	3 [hp_X]

FLOWER - UNII:4JS0838828)	FLOWER	in 1 mL
<b>FENUGREEK SEED</b> (UNII: 654825W09Z) (FENUGREEK SEED - UNII:654825W09Z)	FENUGREEK SEED	3 [hp_X] in 1 mL
<b>URTICA DIOICA</b> (UNII: 710FLW4U46) (URTICA DIOICA - UNII:710FLW4U46)	URTICA DIOICA	3 [hp_X] in 1 mL
<b>PROPOLIS WAX</b> (UNII: 6Y8XYV2NOF) (PROPOLIS WAX - UNII:6Y8XYV2NOF)	PROPOLIS WAX	6 [hp_X] in 1 mL
<b>EPINEPHRINE</b> (UNII: YKH834O4BH) (EPINEPHRINE - UNII:YKH834O4BH)	EPINEPHRINE	8 [hp_X] in 1 mL
<b>SUS SCROFA THYMUS</b> (UNII: 7B69B0BD62) (SUS SCROFA THYMUS - UNII:7B69B0BD62)	SUS SCROFA THYMUS	8 [hp_X] in 1 mL
<b>THYROID, PORCINE</b> (UNII: 6RV024OAUQ) (THYROID, PORCINE - UNII:6RV024OAUQ)	THYROID, PORCINE	8 [hp_X] in 1 mL
<b>ARSENIC TRIOXIDE</b> (UNII: S7V92P67HO) (ARSENIC CATION (3) - UNII:C96613F5AV)	ARSENIC TRIOXIDE	12 [hp_X] in 1 mL
<b>ANAMIRTA COCCULUS SEED</b> (UNII: 810258W28U) (ANAMIRTA COCCULUS SEED - UNII:810258W28U)	ANAMIRTA COCCULUS SEED	12 [hp_X] in 1 mL
<b>IRIDIUM</b> (UNII: 44448S9773) (IRIDIUM - UNII:44448S9773)	IRIDIUM	12 [hp_X] in 1 mL
<b>LYCOPODIUM CLAVATUM SPORE</b> (UNII: C88X29Y479) (LYCOPODIUM CLAVATUM SPORE - UNII:C88X29Y479)	LYCOPODIUM CLAVATUM SPORE	12 [hp_X] in 1 mL
<b>PHOSPHORUS</b> (UNII: 27YLU75U4W) (PHOSPHORUS - UNII:27YLU75U4W)	PHOSPHORUS	12 [hp_X] in 1 mL
<b>TOXICODENDRON PUBESCENS LEAF</b> (UNII: 6IO182RP7A) (TOXICODENDRON PUBESCENS LEAF - UNII:6IO182RP7A)	TOXICODENDRON PUBESCENS LEAF	12 [hp_X] in 1 mL
<b>BORRELIA BURGDORFERI</b> (UNII: 0J8NV9V5Q8) (BORRELIA BURGDORFERI - UNII:0J8NV9V5Q8)	BORRELIA BURGDORFERI	15 [hp_X] in 1 mL
<b>JAPANESE ENCEPHALITIS VIRUS</b> (UNII: P07E7XWU9D) (JAPANESE ENCEPHALITIS VIRUS - UNII:P07E7XWU9D)	JAPANESE ENCEPHALITIS VIRUS	15 [hp_X] in 1 mL
<b>LEDUM PALUSTRE TWIG</b> (UNII: 877L01IZ0P) (LEDUM PALUSTRE TWIG - UNII:877L01IZ0P)	LEDUM PALUSTRE TWIG	30 [hp_X] in 1 mL
<b>NEISSERIA MENINGITIDIS</b> (UNII: V3TP2MD7F3) (NEISSERIA MENINGITIDIS - UNII:V3TP2MD7F3)	NEISSERIA MENINGITIDIS	30 [hp_X] in 1 mL
<b>HEPATITIS B VIRUS</b> (UNII: 77H9EM77P7) (HEPATITIS B VIRUS - UNII:77H9EM77P7)	HEPATITIS B VIRUS	33 [hp_X] in 1 mL
<b>ACTIVATED CHARCOAL</b> (UNII: 2P3VWU3H10) (ACTIVATED CHARCOAL - UNII:2P3VWU3H10)	ACTIVATED CHARCOAL	8 [hp_X] in 1 mL
<b>SULFUR</b> (UNII: 70FD1KFU70) (SULFUR - UNII:70FD1KFU70)	SULFUR	8 [hp_X] in 1 mL
<b>POTASSIUM NITRATE</b> (UNII: RU45X2JN0Z) (NITRATE ION - UNII:T93E9Y2844)	POTASSIUM NITRATE	8 [hp_X] in 1 mL

### Inactive Ingredients

Ingredient Name	Strength
<b>ALCOHOL</b> (UNII: 3K9958V90M)	
<b>WATER</b> (UNII: 059QF0K00R)	

### Packaging

#	Item Code	Package Description	Marketing Start Date	Marketing End Date
1	NDC:43742-0038-1	30 mL in 1 BOTTLE, DROPPER		

### Marketing Information

Marketing Category	Application Number or Monograph Citation	Marketing Start Date	Marketing End Date
unapproved homeopathic		05/17/2012	

**Labeler** - Deseret Biologicals, Inc. (940741853)

**Registrant** - Apotheca Company (844330915)

**Establishment**

Name	Address	ID/FEI	Business Operations
Apotheca Company		844330915	manufacture(43742-0038)

Revised: 5/2012

Deseret Biologicals, Inc.