ANTIFUNGAL- tolnaftate spray Rite Aid Corporation

Disclaimer: Most OTC drugs are not reviewed and approved by FDA, however they may be marketed if they comply with applicable regulations and policies. FDA has not evaluated whether this product complies.

Rite Aid Corporation Antifungal Powder Spray Drug Facts

Active ingredient

Tolnaftate 1%

Purpose

Antifungal

Uses

- cures most jock itch
- for effective relief of itching, chafing and burning

Warnings

For external use only

Flammable: Do not use while smoking or near heat or flame

Do not use

on children under 2 years of age unless directed by a doctor

When using this product

- avoid contact with the eyes
- use only as directed. Intentional misuse by deliberately concentrating and inhaling contents can be harmful or fatal.
- contents under pressure. Do not puncture or incinerate. Do not store at temperature above 120°F (49°C).

Stop use and ask a doctor if

- irritation occurs
- there is no improvement within 2 weeks

Keep out of reach of children.

If swallowed, get medical help or contact a Poison Control Center right away (1-800-222-1222).

Directions

- wash affected area and dry thoroughly
- shake can well and spray a thin layer over affected area twice daily (morning and night)

- supervise children in the use of this product
- use daily for 2 weeks; if condition persists longer, ask a doctor
- this product is not effective on the scalp or nails
- in case of clogging, clean nozzle with a pin

Other information

• store at 20-25°C (68-77°F)

Inactive ingredients

alcohol denat., aluminum starch octenylsuccinate, isobutane, isopropyl myristate, propylene carbonate, sorbitan monooleate, stearalkonium hectorite, talc

Questions or comments?

1-800-719-9260

Package/Label Principal Display Panel

Compare to the active ingredient of Tinactin® Antifungal Powder Spray ANTIFUNGAL POWDER SPRAY tolnaftate 1% goes on dry relieves itching, burning and chafing cures most jock itch NET WT 4.6 OZ (130 g)

Compare to the active ingredient of Tinactin® Antifungal Powder Spray*

ANTIFUNGAL POWDER SPRAY

tolnaftate 1%

goes on dry

relieves itching, burning and chafing

cures most jock itch



NET WT 4.6 OZ (130 g)

Drug Facts

Active ingredient Tolnaftate 1%

Purpose .Antifunga

Uses

cures most jock itch

■ for effective relief of itching, chafing and burning

Warnings

Flammable: Do not use while smoking or near heat or flame

Do not use on children under 2 years of age unless directed by a doctor

- When using this product avoid contact with the eyes
 use only as directed. Intentional misuse by deliberately concentrating and inhaling contents can be harmful or fatal.
- contents under pressure. Do not puncture or incinerate. Do not store at temperature above 120°F (49°C).

Stop use and ask a doctor if ■ irritation occurs ■ there is no improvement within 2 weeks

Keep out of reach of children. If swallowed, get medical help or contact a Poison Control Center right away (1-800-222-1222).

Directions

- wash affected area and dry thoroughly
 shake can well and spray a thin layer over affected area twice daily (morning and night)
- supervise children in the use of this product
- use daily for 2 weeks; if condition persists longer, ask a doctor
- this product is not effective on the scalp or nails
- in case of clogging, clean nozzle with a pin

Other information ■ store at 20-25°C (68-77°F)

Inactive ingredients alcohol denat., aluminum starch octenylsuccinate, isobutane, isopropyl myristate, propylene carbonate, sorbitan monooleate, stearalkonium hectorite, talc

Questions or comments? 1-800-719-9260

*This product is not manufactured or distributed by Bayer HealthCare LLC, distributor of Tinactin® Antifungal Powder Spray.

DISTRIBUTED BY:

30 HUNTER LANE CAMP HILL, PA 17011 WWW.RITÉAID.COM





DOT 2P : 69590 83 F6

ANTIFUNGAL

tolnaftate spray

Product Information

Product Type HUMAN OTC DRUG Item Code (Source) NDC:11822-0539

Route of Administration TOPICAL

Active Ingredient/Active Moiety

Ingredient Name Basis of Strength Strength 1 g in 100 g TOLNAFTATE (UNII: 06KB629TKV) (TOLNAFTATE - UNII:06KB629TKV) **TOLNAFTATE**

Inactive Ingredients Ingredient Name Strength ALUMINUM STARCH OCTENYLSUCCINATE (UNII: 19 PJ 0 O 6 2 9 4) **ISOBUTANE** (UNII: BXR49TP611) ISOPROPYL MYRISTATE (UNII: 0 RE8 K4LNJS) PROPYLENE CARBONATE (UNII: 8 D0 8 K3 S51E) SORBITAN MONOOLEATE (UNII: 06 XEA2VD56)

| STEARALKONIUM HECTORITE (UNII: OLX698AH5P) | |
|--|--|
| TALC (UNII: 7SEV7J4R1U) | |
| ALCOHOL (UNII: 3K9958V90M) | |

| Product Characteristics | | | | |
|-------------------------|-------------------|--------------|--|--|
| Color | WHITE (off-white) | Score | | |
| Shape | | Size | | |
| Flavor | | Imprint Code | | |
| Contains | | | | |

| Pac | kaging | | | |
|-----|-----------------|---|----------------------|--------------------|
| # | Item Code | Package Description | Marketing Start Date | Marketing End Date |
| 1 N | DC:11822-0539-1 | 130 g in 1 CAN; Type 0: Not a Combination Product | 05/12/2016 | |

| Marketing Information | | | | | |
|-----------------------|--|----------------------|--------------------|--|--|
| Marketing Category | Application Number or Monograph Citation | Marketing Start Date | Marketing End Date | | |
| OTC monograph final | part333C | 05/12/2016 | | | |
| | | | | | |

Labeler - Rite Aid Corporation (014578892)

Revised: 6/2019 Rite Aid Corporation