

NOLVASAN SURGICAL SCRUB- chlorhexidine acetate solution
Zoetis Inc.

Disclaimer: This drug has not been found by FDA to be safe and effective, and this labeling has not been approved by FDA. For further information about unapproved drugs, click here.

Nolvasan® Surgical Scrub

Nolvasan® Surgical Scrub

CHLORHEXIDINE

Antimicrobial skin and wound cleanser

Contains 2% (w/v) chlorhexidine acetate in a stable detergent base

Nolvasan Surgical Scrub possesses a wide range of antimicrobial activity and provides a rapid and residual antimicrobial effect.

DIRECTIONS FOR USE

Rinse the area to be cleansed with clean water. Apply 1 to 5 mL of Nolvasan Surgical Scrub to the area and wash with a sponge or brush for 2 to 4 minutes. It may be necessary to apply additional water to obtain adequate sudsing. Wipe away excess foam with sterile sponge.

CAUTION

Avoid contact with the eyes and mucous membranes. If contact is made, flush promptly and thoroughly with clean water. Hypersensitivity to Nolvasan is rare; however, if reactions should occur, discontinue use.

Store at or below 25°C (77°F).

For Veterinary Use Only. Not for Human Use

Not for sale or distribution in California

CAUTION

For External Use Only. Keep out of reach of children.

zoetis

Distributed by:
Zoetis Inc.
Kalamazoo, MI 49007

1 Gallon (3.7 L)

30008701

PRINCIPAL DISPLAY PANEL - 1 Gallon (3.7 L)

Nolvasan[®] Surgical Scrub

CHLORHEXIDINE

Antimicrobial skin and wound cleanser

Contains 2% (w/v) chlorhexidine acetate in a stable detergent base

Nolvasan Surgical Scrub possesses a wide range of antimicrobial activity and provides a rapid and residual antimicrobial effect.

DIRECTIONS FOR USE: Rinse the area to be cleansed with clean water. Apply 1 to 5 mL of Nolvasan Surgical Scrub to the area and wash with a sponge or brush for 2 to 4 minutes. It may be necessary to apply additional water to obtain adequate sudsing. Wipe away excess foam with sterile sponge.

CAUTION: Avoid contact with the eyes and mucous membranes. If contact is made, flush promptly and thoroughly with clean water. Hypersensitivity to Nolvasan is rare; however, if reactions should occur, discontinue use.

Store at or below 25°C (77°F).
For Veterinary Use Only. Not for Human Use
Not for sale or distribution in California



CAUTION
For External Use Only. Keep out of reach of children.

zoetis
Distributed by:
Zoetis Inc.
Kalamazoo, MI 49007

1 Gallon (3.7 L)

Product No: 1NOL411 8NOL413 Rev: 11/14
30008701

Lot:
Exp. Date:

NOLVASAN SURGICAL SCRUB

chlorhexidine acetate solution

Product Information

Product Type	OTC ANIMAL DRUG	Item Code (Source)	NDC:54771-8701
Route of Administration	TOPICAL		

Active Ingredient/Active Moiety

Ingredient Name	Basis of Strength	Strength
CHLORHEXIDINE ACETATE (UNII: 5908ZUF22Y) (CHLORHEXIDINE - UNII:R4KO0DY52L)	CHLORHEXIDINE ACETATE	20 mg in 1 mL

Packaging

#	Item Code	Package Description	Marketing Start Date	Marketing End Date
1	NDC:54771-8701-1	3.7 mL in 1 BOTTLE, PLASTIC		

Marketing Information

Marketing Category	Application Number or Monograph Citation	Marketing Start Date	Marketing End Date
unapproved drug other		11/10/2014	

Labeler - Zoetis Inc. (828851555)

Revised: 9/2022

Zoetis Inc.