

**ANTACID FRUIT CHEWS- calcium carbonate tablet, chewable**  
**CVS Pharmacy**

*Disclaimer: Most OTC drugs are not reviewed and approved by FDA, however they may be marketed if they comply with applicable regulations and policies. FDA has not evaluated whether this product complies.*

-----  
**Calcium Carbonate 750 mg**

Active ingredient (in each chew)

Calcium Carbonate 750 mg

Purpose

Antacid

Uses: Relieves

Heartburn

Sour stomach

Acid indigestion

Upset stomach due to these symptoms

Warnings

Do not use if you have ever had an allergic reaction to this product or any of its ingredients.

Ask a doctor or pharmacist before use if you are now taking a prescription drug. Antacids may interact with certain prescription drugs.

When using this product do not take more than 5 chews in a 24-hour period, or use the maximum dosage for more than 2 weeks, except under the advice and supervision of a physician.

When using this product constipation may occur.

If pregnant or breast-feeding, ask a health professional before use.

Keep out of reach of children.

Directions

Adults and children 12 years and older chew and swallow 1 to 2 chews every 2-4 hours as needed. Do not exceed 5 chews in 24 hours. Children under 12 years consult a doctor.

Other information

Each chew contains: calcium 300 mg, magnesium 1 mg

Contains soy

Inactive ingredients

Beeswax, carmine, carnauba wax, citric acid, corn starch, corn syrup, DL-alpha

tocopherol, ethyl acetate, FD&C blue no. 1 aluminum lake, FD&C red no. 40 aluminum lake, FD&C yellow no. 5 (tartrazine), FD&C yellow no. 6 aluminum lake, gum arabic, hydrogenated coconut oil, medium chain triglycerides, methyl paraben, modified corn starch, natural and artificial flavors, pregelatinized corn starch, propylene glycol, propyl paraben, phosphoric acid, purified water, shellac, sodium benzoate, sorbic acid, sorbitol, soy lecithin, soybean oil, sucrose, titanium dioxide.

Questions? Call 1-800-245-2898 Monday - Friday, 9AM to 4PM EST

**Drug Facts (continued)**

**Directions** Adults and children 12 years and older chew and swallow 1 to 2 chews every 2-4 hours as needed. Do not exceed 5 chews in 24-hours. Children under 12 years consult a doctor.

**Other information**

- Each chew contains: calcium 300mg, magnesium 1mg
- Contains soy ■ Contains FD&C yellow No.5 (tartrazine) as a color additive
- Store between 20° to 25°C (68° to 77°F) in a dry place

**Inactive ingredients:** Beeswax, carmine, carnauba wax, citric acid, corn starch, corn syrup, DL-alpha tocopherol, ethyl acetate, FD&C blue no. 1 aluminum lake, FD&C red no. 40 aluminum lake, FD&C yellow no. 5 lake (tartrazine), FD&C yellow no. 6, FD&C yellow no. 6 aluminum lake, gum arabic, hydrogenated coconut oil, medium chain triglycerides, methyl paraben, modified corn starch, natural and artificial flavors, pregelatinized corn starch, propylene glycol, propyl paraben, phosphoric acid, purified water, shellac, soybean oil, sodium benzoate, sorbic acid, sorbitol, soy lecithin, sucrose and titanium dioxide.

**Questions?** Or to report an adverse event call 1-800-245-2898 Monday - Friday, 9AM - 4PM EST

TAMPER EVIDENT: DO NOT USE IF IMPRINTED SAFETY SEAL UNDER CAP IS BROKEN OR MISSING.

Gluten-Free

Distributed by: CVS Pharmacy, Inc.  
One CVS Drive, Woonsocket, RI 02895  
© 2017 CVS/pharmacy  
CVS.com\* 1-800-SHOP CVS  
V-10900

**VALUE SIZE 120 CT**

**CVS Health**

Compare to the active ingredient in Alka-Seltzer®\*  
**Chewy not Chalky®**

**EXTRA STRENGTH**

**Flavor Chews®**

**CALCIUM CARBONATE 750 mg/ANTACID**

**Relieves:**  
Heartburn, sour stomach & acid indigestion

Assorted Fruit

**120 COUNT**

**Drug Facts**

Active ingredient (in each chew)	Purpose
Calcium carbonate 750mg	Antacid

**Uses:** Relieves

- Heartburn ■ Sour stomach ■ Acid indigestion
- Upset stomach due to these symptoms

**Warnings**

**Do not use** if you have ever had an allergic reaction to this product or any of its ingredients

**Ask a doctor or pharmacist before use** if you are now taking a prescription drug. Antacids may interact with certain prescription drugs.

Do not take more than 5 chews in a 24-hour period, or use the maximum dosage for more than 2 weeks, except under the advice and supervision of a physician.

When using this product constipation may occur

**If pregnant or breast-feeding**, ask a health professional before use. **Keep out of reach of children.**

\*This product is not manufactured or distributed by Bayer, owner of the registered trademark Alka-Seltzer®, or any of its affiliates.  
Flavor Chews® and Chewy not Chalky® are registered trademarks of Bestco Inc.

#245115  50428 56860 6 PN-217975

## ANTACID FRUIT CHEWS

calcium carbonate tablet, chewable

### Product Information

<b>Product Type</b>	HUMAN OTC DRUG	<b>Item Code (Source)</b>	NDC:69842-360
<b>Route of Administration</b>	ORAL		

### Active Ingredient/Active Moiety

Ingredient Name	Basis of Strength	Strength
<b>CALCIUM CARBONATE</b> (UNII: H0G9379FGK) (CALCIUM CATION - UNII:2M83C4R6Z B)	CALCIUM CARBONATE	750 mg

### Inactive Ingredients

Ingredient Name	Strength
<b>SUCROSE</b> (UNII: C151H8M554)	

### Product Characteristics

<b>Color</b>	orange (Orange, Pink, Yellow)	<b>Score</b>	no score
<b>Shape</b>	ROUND	<b>Size</b>	14mm
<b>Flavor</b>	ORANGE (Orange, Strawberry, Lemon)	<b>Imprint Code</b>	FC

**Contains****Packaging**

#	Item Code	Package Description	Marketing Start Date	Marketing End Date
1	NDC:69842-360-20	120 in 1 BOTTLE; Type 0: Not a Combination Product	01/05/2017	



Marketing Category	Application Number or Monograph Citation	Marketing Start Date	Marketing End Date
OTC monograph final	part331	01/05/2017	

**Labeler** - CVS Pharmacy (062312574)

**Registrant** - Bestco Inc. (002149136)

### Establishment

Name	Address	ID/FEI	Business Operations
Bestco Inc.		002149136	manufacture(69842-360)

Revised: 10/2023

CVS Pharmacy