RSTRVBR QUIT SMOKING- nicotine7mg quit smoking patch
Jiangxi Yudexi Pharmaceutical Co., LTD

85248-132update

Active Ingredient

Nicotine,7mg delivered over 24 hours

Purpose

stop smoking aid

Use

reduces withdrawal symptoms,including nicotine craving,associated with quitting smoking

Warnings

If you are pregnant or breast-feeding, only use this medicine on the advice of your health care provider.Smoking can seriously harm your child. Try to stop smoking without using any nicotine replacement medicine, This medicine is believed to be safer than smoking.However, the risks to your child from this medicine are not fully known.

Do not use

If you are allergic to any of the ingredients. ·Gastric ulcers or diabetes mellitus, history of seizures prohibited. · If you are under 18 years of age without a doctor's recommendation. · Do not use on damaged skin or wounds.

When Using

If you have vivid dreams or other sleep disturbances remov this patch at bedtime.

Stop Use

If Feeling uncomfortable or experiencing or other sensitive dizziness symptoms

Ask Doctor

Heart disease, recent heart attack, or irrepular heartbeat. Nicotine canincrease your heart high blood pressure not controlled with medication,Nicotine can increase your blood pressure.
An allergy to adhesive tape or have skin problems because you are more likely to get

rashes, Stomach
ulcer or diabetes,History of seizures Using a non-nicotine stop smokindrug.Taking a prescription medicine for depression or asthma Your prescription dose may need to be adjusted

Keep Oot Of Reach Of Children

Keep out of reach of children and pets

Directions

lf you are under 18 years of age, ask a doctor before uSe, Beore using this product, need the enclosed self-help guidefor complete directions and other information.Bepin using the patch on your quit day. lf you smoke more than 10 cigarettes per day, use the following schedule below. The used patch should be removed and a new one applied to a different skin site at the same time each day.If you have vivid dreams, you may remove the patch at bedtime and apply a new one in the morninp.Do not wear more than one patch at a time.Dnot cut patch in half or into smaller pieces.Do not leave patch on for more than 24 hours. Because it may irritate your skinand loses strength after 24 hours.To avoid possible bums,remove patch before undergoing any MRl (magnetic resonance imaging)procedures.
It is important to complete treatrent, if you feel you need to use the patch for a longer period to keep from smoking, talk to your health care provider.Signs of excessive use may include nauseavomiting,dizzines,weakness, or rapidheartbeat. lf these Symptoms occur, remove the patch immediately and contata doctor or poison control center.

Other information

store at 20-25℃ lnactive

Inactive ingredients

acrylate adhesive□cellulose paper□methacrylic acid .

PRINCIPAL DISPLAY PANEL



RSTRVBR QUIT SMOKING

nicotine7mg quit smoking patch

Product Information			
Product Type	HUMAN OTC DRUG	**Item Code (Source)**	NDC:85248-132
Route of Administration	TOPICAL		

Active Ingredient/Active Moiety		
Ingredient Name	**Basis of Strength**	**Strength**
NICOTINE (UNII: 6M3C89ZY6R) (NICOTINE - UNII:6M3C89ZY6R)	NICOTINE	7 mg in 100

Inactive Ingredients	
Ingredient Name	**Strength**
METHACRYLIC ACID (UNII: 1CS02G8656)	
POWDERED CELLULOSE (UNII: SMD1X3XO9M)	
2-HYDROXYETHYL ACRYLATE (UNII: 25GT92NY0C)	

Packaging

#	Item Code	Package Description	Marketing Start Date	Marketing End Date
1	NDC:85248-132-01	30 in 1 BOX; Type 0: Not a Combination Product	02/09/2026	

Marketing Information

Marketing Category	Application Number or Monograph Citation	Marketing Start Date	Marketing End Date
OTC Monograph Drug	M017	02/09/2026	

Labeler - Jiangxi Yudexi Pharmaceutical Co., LTD (455662836)

Revised: 7/2026 Jiangxi Yudexi Pharmaceutical Co., LTD