# BD E-Z SCRUB- chlorhexidine gluconate solution Xttrium Laboratories, Inc.

-----

### BD EZ Scrub 4% CHG 1060 Solution

Drug Facts

### Active ingredient

chlorhexidine gluconate 4% solution

### Purpose

surgical hand scrub healthcare personnel handwash

### Uses

- **surgical hand scrub:** significantly reduces the number of microorganisms on the hands and forearms prior to surgery or patient care
- healthcare personnel handwash: helps reduce bacteria that potentially can cause disease

### Warnings

### For external use only

## Allergy alert:

This product may cause a severe allergic reaction. Symptoms may include:

- wheezing/difficulty breathing
- shock
- facial swelling
- hives
- rash

If an allergic reaction occurs, stop use and seek medical help right away.

### Do not use

• if you are allergic to chlorhexidine gluconate or any other ingredient in this product

## When using this product

- keep out of eyes, ears, and mouth. May cause serious and permanent eye injury if permitted to enter and remain in the eye or may cause deafness when instilled in the middle ear through perforated eardrums
- if solution should contact these areas, rinse out promptly and thoroughly with water
- do not use routinely if you have wounds which involve more than the superficial layers of the skin

**Stop use and ask a doctor if** irritation, sensitization or allergic reaction occurs. These may be signs of a serious condition.

**Keep out of reach of children.** If swallowed, get medical help or contact a Poison Control Center right away.

## Directions

• Use with care in premature infants or infants under 2 months of age. These products may cause irritation or chemical burns.

## Surgical hand scrub:

- wet hands and forearms with water
- scrub for 3 minutes with about 2.0 cubic inches of product and a wet brush paying close attention to the nails, cuticles, and interdigital spaces
- a separate nail cleaner may be used
- rinse thoroughly
- wash for an additional 3 minutes with 2.0 cubic inches of product and rinse under running water
- dry thoroughly

## Healthcare personnel handwash:

- wet hands with water
- dispense 1.5 cubic inches of product into cupped hands, wash in a vigorous manner for 15 seconds, and rinse under running water
- dry thoroughly

# Other information

- store at 20-25° C (68-77° F)
- avoid excessive heat above 40° C (104°F)

## **Inactive ingredients**

cocamide DEA, fragrance, glucono-delta-lactone, isopropyl alcohol, lauramine oxide, PEG-75 lanolin, purified water, tridecyl alcohol

## Questions or comments?

## call 1-800-453-4538 Monday through Friday 8 AM to 5 PM EST

WARNING: This product can expose you to coconut oil diethanolamine condensate (cocamide diethanolamine) which is known to the State of California to cause cancer. For more information go to www.P65Warnings.ca.gov

NDC 17271-505-02

BD E-Z Scrub

Chlorhexidine Gluconate 4% Solution Antiseptic

REF 372412

Foreign Patents and Patents Pending

U.S. Patent 6,427,875

CHLORHEXIDINE GLUCONATE

32 fl oz (946 mL)



NDC 17271-505-01

BD E-Z Scrub

Chlorhexidine Gluconate 4% Solution Antiseptic

REF 372402

Foreign Patents and Patents Pending

U.S. Patents 6,053,369 6,308,866

Chlorhexidine Gluconate

32 fl oz (946 ml)

Drug Facts (continued) Directions - we with as its promotes infants or infants under 2 months of age. These products may cause inflation or chemical burns. Surgical hand soruls:	BD E-Z Scrub <sup>™</sup>	Drug Facts Active Ingredient Surgedient Chefnesd or gluconse 4% solution before resonand handwals
<ul> <li>study for 3 minutes with about 2.0 cubic indexe of product and a wet heads paring close attention to the nails, catcles, and intendigital grants and closen may be used <i>initian throughly</i></li> <li>a separate nail closen may be used <i>initian throughly</i></li> <li>Headthicare exercisement handwards.</li> </ul>	Chlorhexidine Gluconate 4% Solution	Uses - surgical hand scrub: significantly reduces the number of microarganisms as the hands and Sensorns prior to surgery or proteint-core - healthcare personnel handwadt: helps reduce bacteria that potentially can cause disease
<ul> <li>wetchnick with mater</li> <li>dispress block: To sole in other of product into capped hands, weah in a vigorous manner for 15 seconds, and ritue under naming water</li> <li>dy throughly</li> </ul>	Antiseptic	Warnings For external use only Allergy whet's the product may came a server allergic reaction. Symptons may include: • whospital/funds learning
Other Information + store at 20-25° C (58-77° F) + avoid excessive heat above 40° C (104°F)	REF 372402 Foreign Patents and Patents Pending.	• shock
Inactive ingredients cocamide DEA, fragrance, glucono-delta-lactone, isopropyl alcohol, Jauramine oxide, PEG-75 Janolin, purified water, trideovi alcohol	U.S. Patents 6,053,369 - 6,308,866	tacial ovelling     this     this     this     this     this
Questions or comments? call 1-800-453-4538 Monday through Friday 8 AM to 5 PM EST		If an allergic reaction occurs, stop use and seek medical help right away.
Quescions of commercer call 1-800-453-4538 Monday through Phday 8 AMI to 5 PM EST		Do not use 1 if you are allergic to chierbeninine glucorate or any other ingredient in this product.
WARNING: The and/or tracket period part of the functionary constraint information for an end of the sector of the stand of them at tracket areas for any end of the sector of the stand of them at the sector of the stand of them at the sector of the stand of the sector of	biotobectranica	When using this product • keep out of eyes, ear and mosth. May cause serious and permanent eye legary if permitted to enter and remain in the privar may cause diafness when instified in the middle are through performance and verse. • if solutions should contact these errors, more out prompting and frequency with when
Container is single use only. Discard when empty.	Chlorhexidine Gluconate	do not use routinely if you have wounds which involve more than the superfidial layers of the skin
Ed. Sci Lago and Sci Ed. School and trademarks of Becton, December and Exempting (Bable 80, Manufactured for Becton, Deckinson and Company, Franklin Laker NJ 07417, Made in USA.		Stop use and ask a doctor if initiales, sensituation, or alergic reaction occur. These may be sign of a seriou condition. Keep out of reach of children. If swallowed, get medical help or contact a Poison Control Center right away.
ALCOMPACT AND COMPACT	32 fl oz (946 ml.)	Receip des de reacter de cantarens a anticipante git motica nep a contact a resoli contact cantar cantar cantar

# **BD E-Z SCRUB**

chlorhexidine gluconate solution Product Information Product Type HUMAN OTC DRUG Item Code (Source) NDC:0116-0505 Route of Administration TOPICAL Active Ingredient/Active Moiety								
Product Type       HUMAN OTC DRUG       Item Code (Source)       NDC:0116-0505         Route of Administration       TOPICAL            Active Ingredient/Active Moisser	chlorhexidine gluconate solution							
Product Type       HUMAN OTC DRUG       Item Code (Source)       NDC:0116-0505         Route of Administration       TOPICAL            Active Ingredient/Active Moisser								
Route of Administration     TOPICAL       Active Ingredient/Active Moiety	Product Information							
Active Ingredient/Active Moiety	Product T ype	HUMAN OTC DRUG	Item Code (S	ource)	NDC:0116	6-0505		
	Route of Administration	TOPICAL						
Ingradiant Name Basis of Strongth Strongth	Active Ingredient/Active Moiety							
Ingredient Name Basis of Strength Strength	Ingredient Name			<b>Basis of Strength</b>		Strength		
CHLORHEXIDINE GLUCONATE (UNII: MOR84MUD8E) (CHLORHEXIDINE - CHLORHEXIDINE 40 g	CHLORHEXIDINE GLUCONATE (UNII: MOR84MUD8E) (CHLORHEXIDINE -			CHLORHEXIDINE		40 g		

1116	active Ingredie	lits			
		Ingredient Name		Strength	
CO	OCO DIETHANOLA	MIDE (UNII: 92005F972D)			
GL	LUCONOLACTONE	(UNII: WQ29KQ9POT)			
ISC	OPROPYL ALCOH	<b>DL</b> (UNII: ND2M416302)			
LA	AURAMINE O XIDE (	UNII: 4F6 FC4MI8 W)			
PE	G-75 LANOLIN (UN	NII: 09179OX7TB)			
WA	ATER (UNII: 059QF0	KO0R)			
TRIDECYL ALCOHOL (UNII: 819428H868)					
TR					
Pa	ackaging				
Pa		Package Description	Marketing Start Date	Marketing End Date	
Pa #	ackaging Item Code		•	Marketing End Date	
Pa #	ackaging Item Code NDC:0116-0505-01	Package Description	01/01/2006	Marketing End Date	
Pa #	ackaging Item Code NDC:0116-0505-01	<b>Package Description</b> 946 mL in 1 BOTTLE; Type 0: Not a Combination Product	01/01/2006	Marketing End Date	
<b>Pa</b> #	ackaging Item Code NDC:0116-0505-01	<b>Package Description</b> 946 mL in 1 BOTTLE; Type 0: Not a Combination Product	01/01/2006	Marketing End Date	
Pa # 1 1 2 1	ackaging Item Code NDC:0116-0505-01	<b>Package Description</b> 946 mL in 1 BOTTLE; Type 0: Not a Combination Product 946 mL in 1 BOTTLE; Type 0: Not a Combination Product	01/01/2006	Marketing End Date	
Pa # 1 1 1 2 1	<b>Ackaging</b> Item Code NDC:0116-0505-01 NDC:0116-0505-02	Package Description 946 mL in 1 BOTTLE; Type 0: Not a Combination Product 946 mL in 1 BOTTLE; Type 0: Not a Combination Product Drmation	01/01/2006	Marketing End Date	

Labeler - Xttrium Laboratories, Inc. (007470579)

**Registrant** - Xttrium Laboratories, Inc. (007470579)

Name	Address	ID/FEI	<b>Business Operations</b>
Xttrium Laboratories, Inc.		007470579	manufacture(0116-0505)

Revised: 10/2020

Xttrium Laboratories, Inc.