

**SCRUB CARE EXIDINE-2 CHG- chlorhexidine gluconate solution**  
**Xttrium Laboratories, Inc.**

-----  
**Drug Facts 2% CVS 1021**

**Active ingredient**

chlorhexidine gluconate 2% solution

**Purpose**

Antiseptic

**Uses**

- **surgical hand scrub:** significantly reduces the number of microorganisms on the hands and forearms prior to surgery or patient care
- **healthcare personnel handwash:** helps reduce bacteria that potentially can cause disease

**Warnings**

**For external use only**

**Allergy alert:**

This product may cause a severe allergic reaction. Symptoms may include:

- wheezing/difficulty breathing
- shock
- facial swelling
- hives
- rash

If an allergic reaction occurs, stop use and seek medical help right away.

**Do not use**

- if you are allergic to chlorhexidine gluconate or any other ingredient in this product

**When using this product**

- keep out of eyes, ears, and mouth. May cause serious and permanent eye injury if permitted to enter and remain in the eye or may cause deafness when instilled in the middle ear through perforated eardrums.
- if solution should contact these areas, rinse out promptly and thoroughly with water
- do not use routinely if you have wounds which involve more than the superficial layers of the skin

**Stop use and ask a doctor if**

irritation, sensitization, or allergic reaction occurs. These may be signs of a serious condition.

### **Keep out of reach of children.**

If swallowed, get medical help or contact a Poison Control Center right away.

### **Directions**

- use with care in premature infants or infants under 2 months of age. These products may cause irritation or chemical burns.

### **Surgical hand scrub:**

- wet hands and forearms under running water for 30 seconds. Clean fingernails using a nailstick or similar cleaner.
- scrub for 1.5 minutes with about 8 mL of product with or without a wet brush paying close attention to the nails, cuticles, and skin between the fingers
- rinse thoroughly under running water for 30 seconds
- wash for an additional 1.5 minutes with 8 mL of product and rinse under running water for 30 seconds
- dry thoroughly

### **Healthcare personnel handwash:**

- wet hands with water
- dispense about 5 mL of product into cupped hands and wash in a vigorous manner for about 15 seconds
- rinse and dry thoroughly

### **Other information**

- store at 20-25°C (68-77°F)
- avoid excessive heat above 40°C (104°F)

### **Inactive ingredients**

citric acid, cocamide DEA, hydroxyethylcellulose, isopropyl alcohol, lauramine oxide, purified water

### **Questions or comments?**

Call 1-800-587-3721 Monday through Friday 8:00 AM to 4:30 PM

**Laundering/Cleaning Instructions:** Chlorhexidine gluconate skin cleansers will cause stains if used with chlorine releasing products. Rinse completely and use only non-chlorine detergents.

**Warning:** This product can expose you to coconut oil diethanolamine condensate (cocamide diethanolamine), which is known to the State of California to cause cancer. For more information go to [www.P65Warnings.ca.gov](http://www.P65Warnings.ca.gov)

## Package Label

CVS Health

NDC 59779-722-75

Advanced Antimicrobial Hand Soap

CHLORHEXIDINE GLUCONATE 2% SOLUTION

Antiseptic/Antimicrobial skin cleanser

- Used by healthcare professionals
- Clinically proven to reduce bacteria on the skin
- Paraben & phthalate free

8.5 FL OZ (250 mL)

2CVS85LBLFB



2CVS85LBLBA

2CVS85LBA

905846



Distributed by: CVS Pharmacy, Inc., One CVS Drive, Woonsocket, RI 02895  
© 2016 CVS/pharmacy CVS.com 1-800-SHOP CVS Made in the U.S.A. V-33050

### Drug Facts

Active ingredient	Purpose
Chlorhexidine gluconate 2% solution	Antiseptic

#### Uses

- surgical hand scrub: significantly reduces the number of microorganisms on the hands and forearms prior to surgery or patient care
- healthcare personnel handwash: helps reduce bacteria that potentially can cause disease

#### Warnings

For external use only

##### Allergy alert:

This product may cause a severe allergic reaction. Symptoms may include:

- wheezing/difficulty breathing
- shock
- facial swelling
- hives
- rash

If an allergic reaction occurs, stop use and seek medical help right away.

##### Do not use

- if you are allergic to chlorhexidine gluconate or any other ingredient in this product

### Drug Facts (continued)

#### When using this product

- keep out of eyes, ears, and mouth. May cause serious and permanent eye injury if permitted to enter and remain in the eye or may cause deafness when instilled in the middle ear through perforated eardrums.
- if solution should contact these areas, rinse out promptly and thoroughly with water
- do not use routinely if you have wounds which involve more than the superficial layers of the skin

Stop use and ask a doctor if irritation, sensitization, or allergic reaction occurs. These may be signs of a serious condition.

Keep out of reach of children.

If swallowed, get medical help or contact a Poison Control Center right away.

#### Directions

- use with care in premature infants or infants under 2 months of age. These products may cause irritation or chemical burns.

##### Surgical hand scrub:

- wet hands and forearms under running water for 30 seconds. Clean fingernails using a nailstick or similar cleaner.
- scrub for 1.5 minutes with about 8 mL of product with or without a wet brush paying close attention to the nails, cuticles, and skin between the fingers.

**Drug Facts (continued)**

- rinse thoroughly under running water for 30 seconds
  - wash for an additional 1.5 minutes with 8 mL of product and rinse under running water for 30 seconds ■ dry thoroughly
- Healthcare personnel handwash:**
- wet hands with water ■ dispense about 5 mL of product into cupped hands and wash in a vigorous manner for 15 seconds ■ rinse and dry thoroughly

**Other information**

- store at 20-25°C (68-77°F) ■ avoid excessive heat above 40°C (104°F)

**Inactive ingredients**

citric acid, cocamide DEA, hydroxyethylcellulose, isopropyl alcohol, lauramine oxide, purified water

**Questions or comments?** call 1-800-587-3721  
Monday through Friday 8:00 AM to 4:30 PM CST

**Laundering/Cleaning Instructions:**

Chlorhexidine gluconate skin cleansers will cause stains if used with chlorine releasing products, such as chlorine bleach. Rinse completely and use only non-chlorine detergents.

2CVS85LBL4CAA

**WARNING:** This product can expose you to coconut oil diethanolamine condensate (cocamide diethanolamine), which is known to the State of California to cause cancer. For more information go to [www.P65Warnings.ca.gov](http://www.P65Warnings.ca.gov).

Distributed by: CVS Pharmacy, Inc.,  
One CVS Drive, Woonsocket, RI 02895  
© 2019 CVS/pharmacy CVS.com®  
1-800-SHOP CVS. Made in the U.S.A. V-33050 0

2CVS85LBL4CAA 906646  
  
50428 39799 2

**Drug Facts**

Active ingredient	Purpose
Chlorhexidine gluconate 2% solution	Antiseptic

- Uses**
- surgical hand scrub: significantly reduces the number of microorganisms on the hands and forearms prior to surgery or patient care
  - healthcare personnel handwash: helps reduce bacteria that potentially can cause disease

**Warnings**  
For external use only

**Allergy alert**  
This product may cause a severe allergic reaction. Symptoms may include:  
■ wheezing/difficulty breathing ■ shock ■ facial swelling ■ hives ■ rash  
If an allergic reaction occurs, stop use and seek medical help right away.

**Do not use**  
■ if you are allergic to chlorhexidine gluconate or any other ingredient in this product

**When using this product**  
■ keep out of eyes, ears, and mouth. May cause serious and permanent eye injury if permitted to enter and remain in the eye or may cause deafness when instilled in the middle ear through perforated eardrums.

**Drug Facts (continued)**

- If solution should contact these areas, rinse out promptly and thoroughly with water
- do not use routinely if you have wounds which involve more than the superficial layers of the skin

Stop use and ask a doctor if irritation, sensitization, or allergic reaction occurs. These may be signs of a serious condition.

Keep out of reach of children.

If swallowed, get medical help or contact a Poison Control Center right away.

**Directions**

- use with care in premature infants or infants under 2 months of age. These products may cause irritation or chemical burns.

Surgical hand scrub:

- wet hands and forearms under running water for 30 seconds. Clean fingernails using a nailstick or similar cleaner.
- scrub for 1.5 minutes with about 8 mL of product with or without a wet brush paying close attention to the nails, cuticles, and skin between the fingers.
- rinse thoroughly under running water for 30 seconds

**Drug Facts (continued)**

- wash for an additional 1.5 minutes with 8 mL of product and rinse under running water for 30 seconds
- dry thoroughly

Healthcare personnel handwash:

- wet hands with water
- dispense about 5 mL of product into cupped hands and wash in a vigorous manner for 15 seconds
- rinse and dry thoroughly

**Other information**

- store at 20-25°C (68-77°F)
- avoid excessive heat above 40°C (104°F)

**Inactive ingredients**

citric acid, cocamide DEA, hydroxyethylcellulose, isopropyl alcohol, lauramine oxide, purified water

**Questions or comments?** call 1-800-587-3721

Monday through Friday 8:00 AM to 4:30 PM CST

Laundering/Cleaning Instructions:

Chlorhexidine gluconate skin cleansers will cause stains if used with chlorine releasing products, such as chlorine bleach. Rinse completely and use only non-chlorine detergents.

## SCRUB CARE EXIDINE-2 CHG

chlorhexidine gluconate solution

### Product Information

<b>Product Type</b>	HUMAN OTC DRUG	<b>Item Code (Source)</b>	NDC:0116-0722
<b>Route of Administration</b>	TOPICAL		

### Active Ingredient/Active Moiety

Ingredient Name		Basis of Strength	Strength	
CHLORHEXIDINE GLUCONATE (UNII: MOR84MUD8E) (CHLORHEXIDINE - UNII:R4KO0DY52L)		CHLORHEXIDINE GLUCONATE	2 mg in 100 mL	
Inactive Ingredients				
Ingredient Name			Strength	
LAURAMINE OXIDE (UNII: 4F6FC4MI8W)				
HYDROXYETHYL CELLULOSE (2000 CPS AT 1%) (UNII: S38J6RZN16)				
COCO DIETHANOLAMIDE (UNII: 92005F972D)				
WATER (UNII: 059QF0KO0R)				
CITRIC ACID MONOHYDRATE (UNII: 2968PHW8QP)				
Packaging				
#	Item Code	Package Description	Marketing Start Date	Marketing End Date
1	NDC:0116-0722-02	60 mL in 1 BOTTLE, PLASTIC; Type 0: Not a Combination Product	12/01/2015	02/28/2018
2	NDC:0116-0722-75	250 mL in 1 BOTTLE, PUMP; Type 0: Not a Combination Product	12/01/2015	
Marketing Information				
Marketing Category	Application Number or Monograph Citation	Marketing Start Date	Marketing End Date	
NDA	NDA019422	12/01/2015		

**Labeler** - Xttrium Laboratories, Inc. (007470579)

**Registrant** - Xttrium Laboratories, Inc. (007470579)

### Establishment

Name	Address	ID/FEI	Business Operations
Xttrium Laboratories, Inc.		007470579	manufacture(0116-0722)

Revised: 1/2024

Xttrium Laboratories, Inc.