ANTISEPTIC SKIN CLEANSER- chlorhexidine gluconate 4% liquid Xttrium Laboratories, Inc.

Health Mart McKesson 4% CHG 1061

Active Ingredient

Chlorhexidine gluconate 4% Solution

Purpose

Antiseptic

Uses

- **surgical hand scrub:** significantly reduces the number of microorganisms on the hands and forearms prior to surgery or patient care
- **healthcare personnel handwash**: helps reduce bacteria that potentially can cause disease
- skin wound and general skin cleansing

Warnings

For external use only

Allergy alert:

This product may cause a severe allergic reaction. Symptoms may include:

- wheezing/difficulty breathing
- shock
- facial swelling
- hives
- rash

If an allergic reaction occurs, stop use and seek medical help right away

Do not use

- if you or the patient is allergic to chlorhexidine gluconate or any other ingredient in this product
- in contact with meninges
- in the genital area

When using this product

- keep out of eyes, ears, and mouth. May cause serious and permanent eye injury if permitted to enter and remain in the eye or may cause deafness when instilled in the middle ear through perforated eardrums.
- if solution should contact these areas, rinse out promptly and thoroughly with water
- wounds which involve more than the superficial layers of the skin should not be routinely treated
- repeated general skin cleansing of large body areas should not be done except when advised by a health care provider

Stop use and ask a doctor if

irritation, sensitization, or allergic reaction occurs. These may be signs of a serious condition.

Keep out of reach of children.

If swallowed, get medical help or contact a Poison Control Center right away.

Directions

• use with care in premature infants or infants under 2 months of age. These products may cause irritation or chemical burns.

Surgical hand scrub:

- wet hands and forearms with water
- scrub for 3 minutes with about 5 mL of product and a wet brush, paying close attention to the nails, cuticles, and interdigital spaces
- a separate nail cleaner may be used
- rinse thoroughly
- wash for an additional 3 minutes with 5 mL of product and rinse under running water
- dry thoroughly

Healthcare personnel handwash:

- wet hands with water
- dispense about 5 mL of product into cupped hands and wash in a vigorous manner for about 15 seconds
- rinse and dry thoroughly

Patient preoperative skin preparation:

- apply product liberally to surgical site and swab for at least 2 minutes and dry with a sterile towel
- repeat procedure for an additional 2 minutes and dry with a sterile towel

Skin wound and general skin cleansing:

- thoroughly rinse the area to be cleaned with water
- apply the minimum amount of product necessary to cover the skin or wound area and wash gently
- rinse again thoroughly

Other information

- store at 20-25° C (68-77° F)
- avoid excessive heat above 40°C (104°F)

Inactive ingredients

cocamide DEA, fragrance, glucono-delta-lactone, hydroxyethylcellulose, isopropyl alcohol, lauramine oxide, PEG-75 lanolin, purified water, tridecyl alcohol.

Questions of comments?

call 1-800-587-3721 Monday through Friday 8:00 AM to 4:30 PM CST

Warning: This product can expose you to coconut oil diethanolamine condensate (cocamide diethanolamine), which is known to the State of California to cause cancer. For more information go to www.P65Warnings.gov

Laundering/Cleaning Instructions: Chlorhexidine gluconate skin cleansers will cause stains if used with chlorine releasing products. Rinse completely and use only non-chlorine detergents.

*This product is not manufactured or distributed by Mölnlycke Healthcare, owner of the registered

trademark Hibiclens®.

NDC 62011-0237-1

Health Mart

Compare to Hibiclens® active ingredient

Antiseptic Skin Cleanser

chlorhexidine gluconate 4% solution

antiseptic / antimicrobial skin cleanser

Dye Free

FOR EXTERNAL USE ONLY

8 fl oz (237 mL)





Drug Facts (continued)

Warnings

For external use only

Allergy alert:

This product may cause a severe allergic reaction. Symptoms may include:

- wheezing/difficulty breathing
- facial swelling
- hives
- m rash

If an allergic reaction occurs, stop use and seek medical help right away.

Do not use

- If you or the patient is allergic to chlorhexidine gluconate or any other ingredient in this product
- In contact with meninges In the genital area.

When using this product

- keep out of eyes, ears, and mouth. May cause serious and permanent eye injury if permitted to enter and remain in the eye or may cause deafness when instilled in the middle ear through
- perforated eardrums.
 If solution should contact these areas, rinse out promptly and
- thoroughly with water wounds which involve more than the superficial layers of the skin
- should not be routinely treated repeated general skin cleansing of large body areas should not be done except when advised by a health care provider

Stop use and ask a doctor if Irritation, sensitization, or allergic reaction occurs. These may be signs of a serious condition.

Keep out of reach of children. If swallowed, get medical help or contact a Poison Control Center right away.

Directions

use with care in premature infants or infants under 2 months of age. These products may cause irritation or chemical burns.

Surgical hand scrub:

- wet hands and forearms with water
- scrub for 3 minutes with about 5 mL of product and a wet brush, paying close attention to the nails, cuticles, and interdigital spaces
- a separate nall cleaner may be used
- rinse thoroughly
- wash for an additional 3 minutes with 5 mL of product and rinse under running water
- dry thoroughly

Healthcare personnel handwash: wet hands with water

- dispense about 5 mL of product into cupped hands and wash in a vigorous manner for about 15 seconds
- rinse and dry thoroughly

Skin wound and general skin cleansing:

thoroughly rinse the area to be cleaned with water

Drug Facts (continued)

- apply the minimum amount of product necessary to cover the skin or wound area and wash gently
- rinse again thoroughly

Other information

- store at 20-25°C (68-77°F)
 avoid excessive heat above 40°C (104°F)

Inactive ingredients

cocamide DEA, fragrance, glucono-delta-lactone, hydroxyethylcellulose, sopropyl alcohol, lauramine codde, PEG-75 lanolin, purified water, tridecyl alcohol

Questions or comments?

call 1-800-587-3721 Monday through Friday 8:00 AM to 4:30 PM CST

Laundering/Cleaning instructions: Chlorhexidine gluconate skin cleansers will cause stains if used with chlorine releasing products, such as chlorine bleach. Rinse completely and use only non-chlorine

"This product is not manufactured or distributed by Mölntycke Healthcare, owner of the registered trademark Hibidens®.

ANTISEPTIC SKIN CLEANSER

chlorhexidine gluconate 4% liquid

Product Information

Product Type	HUMAN OTC DRUG	Item Code (Source)	NDC:0116-0237
Route of Administration	TOPICAL		

Active Ingredient/Active Moiety				
Ingredient Name	Basis of Strength	Strength		
	CHLORHEXIDINE GLUCONATE	4 mg in 100 mL		

Inactive Ingredients			
Ingredient Name	Strength		
COCO DIETHANO LAMIDE (UNII: 92005F972D)			
PEG-75 LANOLIN (UNII: 09179OX7TB)			
HYDROXYETHYL CELLULOSE (2000 CPS AT 1%) (UNII: S38J6RZN16)			
ISOPROPYL ALCOHOL (UNII: ND2M416302)			
WATER (UNII: 059QF0KO0R)			
TRIDECYL ALCOHOL (UNII: 819428H868)			
GLUCONOLACTONE (UNII: WQ29KQ9POT)			

ı	Packaging				
	#	Item Code	Package Description	Marketing Start Date	Marketing End Date
	1	NDC:0116-0237- 01	237 mL in 1 BOTTLE, PLASTIC; Type 0: Not a Combination Product	02/20/2014	

Marketing Information				
Marketing Category	Application Number or Monograph Citation	Marketing Start Date	Marketing End Date	
NDA	NDA0 19 125	02/20/2014		

Labeler - Xttrium Laboratories, Inc. (007470579)

Registrant - Xttrium Laboratories, Inc. (007470579)

Establishment				
Name	Address	ID/FEI	Business Operations	
Xttrium Laboratories, Inc.		007470579	manufacture(0116-0237)	

Revised: 10/2020 Xttrium Laboratories, Inc.