

FORTICEPT HOOF-FORTE- zinc oxide, benzethonium chloride ointment
Lidan, inc.

Disclaimer: This drug has not been found by FDA to be safe and effective, and this labeling has not been approved by FDA. For further information about unapproved drugs, click here.

FORTICEPT HOOF-FORTE ANTIMICROBIAL OUNTMENT

DRUG FACTS

Active Ingredients:

Zinc Oxide.....10.0%
Benzethonium Chloride.....0.2%

Inactive Ingredients:

Waxes, Oils, Emollients..... 89.8%

Uses:

Water-resistant hoof dressing and topical antiseptic.

Helps treat and decrease the risk of bacterial and fungal frog and hoof infections. Helps protect affected area from moisture and environmental stress. Promotes healing of minor lacerations, scrapes, burns, and wounds.

Warnings:

- For external use only
- For animal use only
- Keep out of reach of children
- When using this product - avoid eye contact

Directions for use:

FOR HORSES AND CATLE

Clean the hoof thoroughly, removing debris and necrotic material prior to application of the ointment. Apply to affected hoofs as needed until fully healed.

Storage and handling:

☐Keep container closed when not in use. Do not store below 32F/00C or above 95F/350C for extended periods.

FIRST AID

Eye contact: In case of contact, immediately flush eyes with cool running water. Get medical attention if irritation persists.

Skin contact: Wash the skin with water and soap.

Ingestion: If large quantities of this material are swallowed, contact poison control center immediately!

For questions, please call: +1 212 709-8133

Forticept® Hoof-Forte™
Antimicrobial Ointment



Treats and Prevents hoof infections
Antibacterial/Antifungal Barrier Dressing

8 oz/227 g

LEAD, INC. 50 WALL ST. 8TH FLOOR
NEW YORK, NY 10038 USA
+1 (212) 700-4139 WWW.FORTICEPT.COM



Active Ingredients
Zinc Oxide 10.0%
Benzethonium Chloride 0.2%

Inactive Ingredients
Water, Oils, Emollients 89.8%

Uses
Water-resistant hoof dressing and topical antiseptic. Helps treat and decrease the risk of bacterial and fungal frog and hoof infections. Helps protect affected areas from moisture and environmental stress. Promotes healing of minor lacerations, scrapes, burns, and wounds.

Warnings
For external use only
For animal use only
Keep out of reach of children
Stop use and ask a doctor if irritation occurs

Directions for use
FOR HORSES AND CATTLE
Clean the hoof thoroughly, removing debris and necrotic material prior to application of the ointment. Apply to affected hoofs as needed until fully healed.

Storage and handling
Keep container closed when not in use. Do not store below 32°F/0°C or above 104°F/40°C for extended periods.

First Aid
Eye contact: In case of contact, immediately flush eyes with cool running water. Get medical attention if irritation persists.
Skin contact: Wash the skin with water and soap.
Ingestion: If large quantities of this material are swallowed, contact poison control center immediately.

Forticept® is a registered trademark of Lidan, Inc. all rights reserved 2016




1 2345 14 887081

MADE IN USA



Forticept® Hoof-Forte™
Antimicrobial Ointment



Treats and Prevents hoof infections
Antibacterial/Antifungal Barrier Dressing

16oz/453g

LEAD, INC. 50 WALL ST. 8TH FLOOR
NEW YORK, NY 10038 USA
+1 (212) 700-4139 WWW.FORTICEPT.COM



Active Ingredients
Zinc Oxide 10.0%
Benzethonium Chloride 0.2%

Inactive Ingredients
Water, Oils, Emollients 89.8%

Uses
Water-resistant hoof dressing and topical antiseptic. Helps treat and decrease the risk of bacterial and fungal frog and hoof infections. Helps protect affected areas from moisture and environmental stress. Promotes healing of minor lacerations, scrapes, burns, and wounds.

Warnings
For external use only
For animal use only
Keep out of reach of children
Stop use and ask a doctor if irritation occurs

Directions for use
FOR HORSES AND CATTLE
Clean the hoof thoroughly, removing debris and necrotic material prior to application of the ointment. Apply to affected hoofs as needed until fully healed.

Storage and handling
Keep container closed when not in use. Do not store below 32°F/0°C or above 104°F/40°C for extended periods.

First Aid
Eye contact: In case of contact, immediately flush eyes with cool running water. Get medical attention if irritation persists.
Skin contact: Wash the skin with water and soap.
Ingestion: If large quantities of this material are swallowed, contact poison control center immediately.

Forticept® is a registered trademark of Lidan, Inc. all rights reserved 2016




1 2345 14 887081

MADE IN USA



FORTICEPT HOOF-FORTE
zinc oxide, benzethonium chloride ointment

Product Information			
Product Type	OTC ANIMAL DRUG	Item Code (Source)	NDC:72127-0705
Route of Administration	TOPICAL		

Active Ingredient/Active Moiety		
Ingredient Name	Basis of Strength	Strength
ZINC OXIDE (UNII: SOI2LOH54Z) (ZINC OXIDE - UNII:SOI2LOH54Z)	ZINC OXIDE	.1 kg in 1 kg
BENZETHONIUM CHLORIDE (UNII: PH41D05744) (BENZETHONIUM - UNII:1VU15B70BP)	BENZETHONIUM CHLORIDE	0.002 kg in 1 kg

Packaging				
#	Item Code	Package Description	Marketing Start Date	Marketing End Date
1	NDC:72127-0705-0	0.227 kg in 1 JAR		
2	NDC:72127-0705-1	.453 kg in 1 JAR		

Marketing Information			
Marketing Category	Application Number or Monograph Citation	Marketing Start Date	Marketing End Date
unapproved drug other		05/03/2020	

Labeler - Lidan, inc. (014456716)

Registrant - Lidan, inc. (014456716)

Establishment			
Name	Address	ID/FEI	Business Operations
Cosco International, Inc.		016433141	manufacture, api manufacture, analysis, pack

Establishment			
Name	Address	ID/FEI	Business Operations
Pharmex Group, LLC.		365309015	manufacture, pack, repack

Revised: 5/2020

Lidan, inc.