

**HEARTBURN AND GAS ANTACID CHEWS- calcium carbonate tablet, chewable  
DOLGENCORP, LLC**

-----  
**Calcium Carbonate 750 mg  
Simethicone 80 mg**

**Active ingredients (in each chew)**

Calcium carbonate 750 mg

Simethicone 80 mg

**Purpose**

Antacid

Anti-gas

Uses: Relieves

Heartburn

Sour stomach

Acid indigestion

Upset stomach associated with these symptoms

Bloating, pressure or stuffed feeling commonly referred to as gas

**Warnings**

Do not use if you have ever had an allergic reaction to this product or any of its ingredients.

Do not take more than 5 chews in a 24-hour period, or use the maximum dosage for more than 2 weeks, except under the advice and supervision of a physician.

**Ask a doctor or pharmacist before use if you are** now taking a prescription drug. Antacids may interact with certain prescription drugs.

**If pregnant or breast-feeding,** ask a health professional before use.

**Keep out of reach of children.**

Directions

Adults and children 12 years and older - chew and swallow 1 to 2 chews every 2-4 hours as needed. Do not exceed 5 chews in 24 hours.

Children under 12 years - consult a doctor.

**Other information:**

Each chew contains: calcium 300 mg

**Inactive ingredients:** Acacia gum, beeswax, carmine, carnauba wax, citric acid, corn starch, corn syrup, FD&C blue no. 1 aluminum lake, FD&C blue no. 2 aluminum lake, FD&C red no. 40 aluminum lake, FD&C yellow no. 6 aluminum lake, natural and artificial flavors, hydrogenated coconut oil, modified corn starch, phosphoric acid, propylene

glycol, purified water, shellac, sodium benzoate, sorbic acid, sorbitol, soy lecithin, sucrose and titanium dioxide.

**Questions? Call (888)-309-9030**

**Drug Facts (continued)**

**Other information**  
 ■ Each chew contains: calcium 300mg ■ Store between 20° to 25°C (68° to 77°F) in a dry place ■ Close cap tightly after use.

**Inactive ingredients:** Acacia gum, beeswax, carmine, carnauba wax, citric acid, corn starch, corn syrup, FD&C blue no. 1 aluminum lake, FD&C blue no. 2 aluminum lake, FD&C red no. 40 aluminum lake, FD&C yellow no. 6 aluminum lake, natural & artificial flavors, hydrogenated coconut oil, modified corn starch, phosphoric acid, propylene glycol, purified water, shellac, sodium benzoate, sorbic acid, sorbitol, soy lecithin, sucrose and titanium dioxide.

**Questions? Call (888)-309-9030.**

\*This product is not manufactured or distributed by Bayer, owner of the registered trademark Alka-Seltzer® or any of its affiliates.

TAMPER EVIDENT: DO NOT USE IF IMPRINTED SAFETY SEAL UNDER CAP IS BROKEN OR MISSING.

DISTRIBUTED BY DOLGENCORP, LLC  
100 MISSION RIDGE  
GOODLETTSVILLE, TN 37072



**Extra Strength**  
**Heartburn & Gas**  
**Antacid Chews**

Calcium Carbonate/Antacid 750mg  
 Simethicone/Anti-Gas 80mg

Digestive relief for:

- Heartburn
- Sour stomach
- Gas pressure and bloating

Mixed Berry Flavor

**32 Chews**

**Drug Facts**

Active ingredients (in each chew)	Purpose
Calcium carbonate 750 mg.....	Antacid
Simethicone 80 mg.....	Anti-gas

**Uses:** Relieves  
 ■ Heartburn ■ Sour stomach ■ Acid indigestion ■ Upset stomach associated with these symptoms ■ Bloating, pressure or stuffed feeling commonly referred to as gas

**Warnings**  
**Do not use if** you have ever had an allergic reaction to this product or any of its ingredients  
**Ask a doctor or pharmacist before use if you are** now taking a prescription drug. Antacids may interact with certain prescription drugs.  
 Do not take more than 5 chews in a 24-hour period, or use the maximum dosage for more than 2 weeks, except under the advice and supervision of a physician.  
**If pregnant or breast-feeding,** ask a health professional before use. **Keep out of reach of children.**

**Directions** Adults and children 12 years and older chew and swallow 1 to 2 chews every 2-4 hours as needed. Do not exceed 5 chews in 24 hours. Children under 12 years consult a doctor.

A1034 PN-217981

  
 0 70312 30043 3

Gluten Free

## HEARTBURN AND GAS ANTACID CHEWS

calcium carbonate tablet, chewable

### Product Information

<b>Product Type</b>	HUMAN OTC DRUG	<b>Item Code (Source)</b>	NDC:55910-077
<b>Route of Administration</b>	ORAL		

### Active Ingredient/Active Moiety

Ingredient Name	Basis of Strength	Strength
<b>CALCIUM CARBONATE</b> (UNII: H0G9379FGK) (CALCIUM CATION - UNII:2M83C4R6ZB)	CALCIUM CARBONATE	750 mg
<b>DIMETHICONE</b> (UNII: 92RU3N3Y1O) (DIMETHICONE - UNII:92RU3N3Y1O)	DIMETHICONE	80 mg

### Inactive Ingredients

Ingredient Name	Strength
<b>SUCROSE</b> (UNII: C151H8M554)	

### Product Characteristics

<b>Color</b>	pink	<b>Score</b>	no score
<b>Shape</b>	ROUND	<b>Size</b>	14mm
<b>Flavor</b>	BERRY	<b>Imprint Code</b>	DR
<b>Contains</b>			

## Packaging

#	Item Code	Package Description	Marketing Start Date	Marketing End Date
1	NDC:55910-077-32	32 in 1 BOTTLE; Type 0: Not a Combination Product	02/28/2017	



## Marketing Information

Marketing Category	Application Number or Monograph Citation	Marketing Start Date	Marketing End Date
OTC Monograph Drug	M001	02/28/2017	

**Labeler** - DOLGENCORP, LLC (068331990)

**Registrant** - Bestco Inc. (002149136)

**Establishment**

<b>Name</b>	<b>Address</b>	<b>ID/FEI</b>	<b>Business Operations</b>
Bestco Inc.		002149136	manufacture(55910-077)

Revised: 10/2023

DOLGENCORP, LLC