

**TUSSIN DM COUGH AND CHEST CONGESTION ADULT- dextromethorphan hbr,  
guaifenesin liquid  
P & L Development, LLC**

-----  
**Drug Facts**

**Active ingredients (in each 10 mL)**

Dextromethorphan HBr 20 mg

Guaifenesin 200 mg

**Purposes**

Cough suppressant

Expectorant

**Uses**

- temporarily relieves cough due to minor throat and bronchial irritation as may occur with a cold
- helps loosen phlegm (mucus) and thin bronchial secretions to drain bronchial tubes

**Warnings**

**Do not use**

if you are now taking a prescription monoamine oxidase inhibitor (MAOI) (certain drugs for depression, psychiatric or emotional conditions, or Parkinson's disease), or for 2 weeks after stopping the MAOI drug. If you do not know if your prescription drug contains an MAOI, ask a doctor or pharmacist before taking this product.

**Ask a doctor before use if you have**

- cough that occurs with too much phlegm (mucus)
- cough that lasts or is chronic such as occurs with smoking, asthma, chronic bronchitis or emphysema

**Stop use and ask a doctor if**

cough lasts more than 7 days, comes back, or is accompanied by fever, rash, or persistent headache. These could be signs of a serious condition.

**If pregnant or breast-feeding,**

ask a health professional before use.

**Keep out of reach of children.**

In case of overdose, get medical help or contact a Poison Control Center (1-800-222-

1222) right away.

### **Directions**

- do not take more than 6 doses in any 24-hour period
- measure only with dosing cup provided. Do not use any other dosing device.
- keep dosing cup with product
- mL= milliliter
- this adult product is not intended for use in children under 12 years of age
- adults and children 12 years and over: 10 mL every 4 hours
- children under 12 years: do not use

### **Other information**

- store between 20-25°C (68-77°F). Do not refrigerate.

### **Inactive ingredients**

citric acid, FD&C red# 40, flavor, glucose, glycerin, high fructose corn syrup, menthol, purified water, saccharin sodium, sodium benzoate

### **Questions or comments?**

Call **1-877-753-3935** Monday-Friday 9AM-5PM EST

### **Principal Display Panel**

Compare to the active ingredients in Robitussin® Cough + Chest Congestion DM\*

adult tussin cough + chest congestion DM

Dextromethorphan HBr 20 mg

Guaifenesin 200 mg

cough suppressant

expectorant

relieves:

- Cough
- chest congestion
- mucus

for ages 12+

alcohol free

non-drowsy

fl oz (mL)

\*This product is not manufactured or distributed by Haleon group of companies,

distributor of Robitussin® Cough+Chest Congestion DM.

**TAMPER EVIDENT: DO NOT USE IF PRINTED SAFETY SEAL AROUND BOTTLE OR UNDER CAP IS BROKEN OR MISSING.**

Manufactured by:

**PL Developments**

11865 S. Alameda St

Lynwood, CA 90262

## Package Label



Compare to the active ingredients in Robitussin® Cough + Chest Congestion DM\*  
NDC 49580-0385-2

**\$1.25**

**adult tussin  
cough & chest  
congestion DM**

**Dextromethorphan HBr 20 mg  
Guaifenesin 200 mg**  
cough suppressant  
expectorant

relieves:  
• cough  
• chest congestion  
• mucus

for ages 12+  
alcohol free  
non-drowsy

**4 fl oz (118 mL)**

**Drug Facts**

**Active ingredients (in each 10 mL)**

|                                 |                   |
|---------------------------------|-------------------|
| Dextromethorphan HBr 20 mg..... | Cough suppressant |
| Guaifenesin 200 mg.....         | Expectorant       |

**Purposes**

**Uses**

- temporarily relieves cough due to minor throat and bronchial irritation as may occur with a cold
- helps loosen phlegm (mucus) and thin bronchial secretions to drain bronchial tubes

**Warnings**

**Do not use** if you are now taking a prescription monoamine oxidase inhibitor (MAOI) (certain drugs for depression, psychiatric or emotional conditions, or Parkinson's disease), or for 2 weeks after stopping the MAOI drug. If you do not know if your prescription drug contains an MAOI, ask a doctor or pharmacist before taking this product.

**Ask a doctor before use if you have**

- cough that occurs with too much phlegm (mucus)
- cough that lasts or is chronic such as occurs with smoking, asthma, chronic bronchitis or emphysema

\*This product is not manufactured or distributed by Haleon group of companies, distributor of Robitussin® Cough+Chest Congestion DM.

**TAMPER EVIDENT: DO NOT USE IF PRINTED SAFETY SEAL AROUND BOTTLE OR UNDER CAP IS BROKEN OR MISSING.**

**PARENTS:**  
Learn about your child's dose  
[www.StayMedicineAware.org](http://www.StayMedicineAware.org)

**Manufactured by:**  
**PL Developments**  
11865 S. Alameda St  
Lynwood, CA 90262

PLD-8325C LB009648



3 49580 38504 7

**Drug Facts (continued under label)**    **PEEL HERE** →

### Drug Facts (continued)

**Stop use and ask a doctor** if cough lasts more than 7 days, comes back, or is accompanied by fever, rash, or persistent headache. These could be signs of a serious condition.

**If pregnant or breast-feeding**, ask a health professional before use.

**Keep out of reach of children.**

In case of overdose, get medical help or contact a Poison Control Center (1-800-222-1222) right away.

**Directions**

- do not take more than 6 doses in any 24-hour period
- keep dosing cup with product
- measure only with dosing cup provided. Do not use any other dosing device.
- mL = milliliter
- this adult product is not intended for use in children under 12 years of age
- adults and children 12 years and over: 10 mL every 4 hours
- children under 12 years: do not use

**Other information**

- store between 20-25°C (68-77°F). Do not refrigerate.

**Inactive ingredients** citric acid, FD&C red #40, flavor, glucose, glycerin, high fructose corn syrup, menthol, purified water, saccharin sodium, sodium benzoate

**Questions or comments?** Call 1-877-753-3935 Monday-Friday 9AM-5PM EST

**Readyincase - Adult Tussin cough & chest congestion DM**

## TUSSIN DM COUGH AND CHEST CONGESTION ADULT

dextromethorphan hbr, guaifenesin liquid

## Product Information

|                                |                |                           |                |
|--------------------------------|----------------|---------------------------|----------------|
| <b>Product Type</b>            | HUMAN OTC DRUG | <b>Item Code (Source)</b> | NDC:49580-0385 |
| <b>Route of Administration</b> | ORAL           |                           |                |

## Active Ingredient/Active Moiety

| <b>Ingredient Name</b>  | <b>Basis of Strength</b>         | <b>Strength</b>    |
|---|----------------------------------|--------------------|
| <b>DEXTROMETHORPHAN HYDROBROMIDE</b> (UNII: 9D2RTI9KYH)<br>(DEXTROMETHORPHAN - UNII:7355X3ROTS) | DEXTROMETHORPHAN<br>HYDROBROMIDE | 20 mg<br>in 10 mL  |
| <b>GUAIFENESIN</b> (UNII: 495W7451VQ) (GUAIFENESIN - UNII:495W7451VQ)                           | GUAIFENESIN                      | 200 mg<br>in 10 mL |

## Inactive Ingredients

| <b>Ingredient Name</b>                             | <b>Strength</b> |
|--|-----------------|
| <b>ANHYDROUS CITRIC ACID</b> (UNII: XF417D3PSL)    |                 |
| <b>FD&amp;C RED NO. 40</b> (UNII: WZB9127XOA)      |                 |
| <b>DEXTROSE</b> (UNII: IY9XDZ35W2)                 |                 |
| <b>GLYCERIN</b> (UNII: PDC6A3C0OX)                 |                 |
| <b>HIGH FRUCTOSE CORN SYRUP</b> (UNII: XY6UN3QB6S) |                 |
| <b>MENTHOL</b> (UNII: L7T10EIP3A)                  |                 |
| <b>WATER</b> (UNII: 059QF0KO0R)                    |                 |
| <b>SACCHARIN SODIUM</b> (UNII: SB8ZUX40TY)         |                 |
| <b>SODIUM BENZOATE</b> (UNII: OJ245FE5EU)          |                 |

## Packaging

| <b>#</b> | <b>Item Code</b> | <b>Package Description</b>                                     | <b>Marketing Start Date</b> | <b>Marketing End Date</b> |
|----------|------------------|--|-----------------------------|---------------------------|
| <b>1</b> | NDC:49580-0385-4 | 1 in 1 BOX   | 03/31/2015                  |                           |
| <b>1</b> |                  | 118 mL in 1 BOTTLE, PLASTIC; Type 0: Not a Combination Product |                             |                           |
| <b>2</b> | NDC:49580-0385-2 | 118 mL in 1 BOTTLE, PLASTIC; Type 0: Not a Combination Product | 03/31/2015                  |                           |
| <b>3</b> | NDC:49580-0385-8 | 1 in 1 BOX   | 03/31/2015                  |                           |
| <b>3</b> |                  | 237 mL in 1 BOTTLE, PLASTIC; Type 0: Not a Combination Product |                             |                           |

## Marketing Information

| <b>Marketing Category</b> | <b>Application Number or Monograph Citation</b> | <b>Marketing Start Date</b> | <b>Marketing End Date</b> |
|---------------------------|---|-----------------------------|---------------------------|
| OTC Monograph Drug        | M012  | 03/31/2015                  |                           |

**Labeler** - P & L Development, LLC (101896231)

