CHLOROXIDE A- lactic acid concentrate Dairy Dynamics L.L.C.

Disclaimer: This drug has not been found by FDA to be safe and effective, and this labeling has not been approved by FDA. For further information about unapproved drugs, click here.

CHLOROXIDE "A"
Concentrated Activator

DIRECTIONS FOR USE

Read Safety Data Sheet (SDS) Before Using This Product!

1-PART CHLORIOXIDE "A' CONCENTRATE ACTIVATOR MUST BE COMBINED AND MIXED THOROUGHLY WITH 1-PART CHLOROXIDE "B" CONCENTRATED BASE AND 15 PARTS OF POTABLE WATER! NEVER MIX CONCENTRATED CHLOROXIDE "A" ACTIVATOR DIRECTLY WITH CONCENTRATED CHLOROXIDE "B" BASE, EACH PART MUST BE MIXED SEPARATELY INTO SPECIFIED AMOUNT OF POTABLE WATER!

PRE-DIPPING: Immediately propr to milking, remove any excessive soils from teat surfaces. Apply mixed CHLOROXIDE with dip cup or sprayer covering entire surface of teat. Allow for minimum of 30 seconds contact time. Wipe each teat with a single service towel to remove teat dip and soil from teat surface.

POST-DIPPING: Immediately after milking use CHLOROXIDE MIXTURE at full strength. Submerge or spray entire teat with CHLOROXIDE solution. Allow to air dry. Do not wipe. Always use fresh, full strength CHLOROXIDE MIXTURE.

If product in dip cup becomes visibly dirty, discard contents and replenish with fresh solution of CHLOROXIDE.

Do not reuse or return used product to the original container. If original container becomes frozen, thaw completely then mix thoroughly before use. May become more viscous in sub-zero temperatures.

PRECAUTIONARY STATEMENTS

WARNING

USE IN WELL VENTILATED AREA!

KEEP OUT OF REACH OF CHILDREN

CAN CAUSE EYE DAMAGE.

Protect eyes when handling. DO NOT get in eyes or on clothing. Harmful if swallowed. Avoid contamination of food.

FIRST AID

Eyes: In case of contact with eyes, flush immediately with plenty of water for at least 15 minutes. Call a physician.

Internal: If swallowed, promptly rinse mouth then give a large Quantify of milk or water. Avoid alcohol. Contact a physician immediately. Never give anything by mouth to an unconscious person.

For Hazardous Materials (or dangerous goods) Incidents ONLY (soil, leak, fire, exposure, accident)

Call CHEMTREC AT 1-800-424-9300

17820 Washington St.

Union, IL 60180

DIRECTIONS FOR USE

Read Safety Data Sheet(SDS) Before Using This Product! 1-PART CHLOROXIDE "A" CONCENTRATE ACTIVATOR MUST BE COMBINED AND MIXED THOROUGHLY WITH 1-PART CHLOROXIDE "B" CONCENTRATED BASE AND

15 PARTS OF POTABLE WATER! NEVER MIX CONCENTRATED CHLOROXIDE "A" **ACTIVATOR DIRECTLY WITH CONCENTRATED** CHLOROXIDE "B" BASE, EACH PART MUST BE MIXED SEPARATELY INTO SPECIFIED AMOUNT OF POTABLE WATER!

PRE-DIPPING: Immediately prior to milking, remove any excessive soils from teat surfaces. Apply mixed CHLOROXIDE with dip cup or sprayer covering entire surface of teat. Allow fo minimum of 30 seconds contact time. Wipe each teat with a single wel to remove teat dip and soil from teat surface POST-DIPPING: Immediately after milking use CHLOROXIDE MIXTURE at full strength. Submerge or spray entire teat with CHLOROXIDE solution.
Allow to air dry. Do not wipe. Always use fresh, full strength

CHLOROXIDE MIXTURE.

If product in dip cup becomes visibly dirty, discard contents and replenish with fresh solution of CHLOROXIDE.

Do not reuse or return used product to the original container. If original container becomes frozen, thaw completely then mix thoroughly before use. May become more viscous in sub-zero temperatures.

PRECAUTIONARY STATEMENTS

WARNING

USE IN WELL VENTIALTED AREA! KEEP OUT OF REACH OF CHILDREN

Can Cause Eye Damage.

Protect eyes when handling. DO NOT get in eyes or on clothing. Harmful if swallowed. Avoid contamination of food.

FIRST AID

Eyes: In case of contact with eyes, flush immediately with plenty of water for at least 15 minutes. Call a physician.

Internal: If swallowed, promptly rinse mouth then give a large Quantity of milk or water. Avoid alcohol. Contact a physician immediately. Never give anything by mouth to an unconscious

For Hazardous Materials (or dangerous goods) Incidents ONLY (soil, leak, fire, exposure, accident) Call CHEMTREC AT 800-424-9300





AMERICAN OWNED AND OPERATED

INDUSTRIAL STRENGTH FORMULATIONS FOR THE COMMERCIAL DAIRY

Active Ingredients: Lactic Acid 15.6%

TAKE TIME



KEEP OUT OF REACH OF CHILDREN **NET CONTENTS: U.S. GALLONS**

Manufactured by: Dairy Dynamics 17820 Washington St. Union, IL 60180





CHLOROXIDE A

lactic acid concentrate

Product Information

OTC ANIMAL DRUG Product Type Item Code (Source) NDC:67351-985

Route of Administration TOPICAL

Active Ingredient/Active Moiety

Ingredient Name Basis of Strength Strength LACTIC ACID (UNII: 33X04XA5AT) (LACTIC ACID - UNII:33X04XA5AT) LACTIC ACID 156.0 g in 1 L

Inactive Ingredients Ingredient Name Strength METHYLPARABEN (UNII: A2I8C7HI9T) GLYCERIN (UNII: PDC6A3C0OX) FD&C BLUE NO. 1 (UNII: H3R47K3TBD) ANHYDRO US CITRIC ACID (UNII: XF417D3PSL)

WATER (UNII: 059QF0KO0R)

Packaging								
#	Item Code	Package Description	Marketing Start Date	Marketing End Date				
1	NDC:67351-985-01	3.79 L in 1 BOTTLE, PLASTIC						
2	NDC:67351-985-05	18.9 L in 1 PAIL						
3	NDC:67351-985-15	56.8 L in 1 DRUM						
4	NDC:67351-985-55	208.4 L in 1 DRUM						
5	NDC:67351-985-75	10 42.2 L in 1 DRUM						

Marketing Information								
Marketing Category	Application Number or Monograph Citation	Marketing Start Date	Marketing End Date					
unapproved drug other		05/07/2019						

Labeler - Dairy Dynamics L.L.C. (142010953)

Establishment							
Name	Address	ID/FEI	Business Operations				
Dairy Dynamics L.L.C.		142010953	manufacture, analysis, label, pack, api manufacture				

Revised: 5/2019 Dairy Dynamics L.L.C.