

**MUCUS RELIEF DM EXTENDED RELEASE CAPLETS- guaifenesin,
dextromethorphan hbr tablet
MEIJER, INC.**

Drug Facts

Active ingredients (in each extended-release tablet)

Dextromethorphan HBr 30 mg

Guaifenesin 600 mg

Purpose

Cough Suppressant

Expectorant

Uses

- helps loosen phlegm (mucus) and thin bronchial secretions to rid the bronchial passageways of bothersome mucus and make coughs more productive
- temporarily relieves
 - cough due to minor throat and bronchial irritation as may occur with the common cold or inhaled irritants
 - the intensity of coughing
 - the impulse to cough to help you get to sleep

Warnings

Do not use

- for children under 12 years of age
- if you are now taking a prescription monoamine oxidase inhibitor (MAOI) (certain drugs for depression, psychiatric or emotional conditions, or Parkinson's disease), or for 2 weeks after stopping the MAOI drug. If you do not know if your prescription drug contains an MAOI, ask a doctor or pharmacist before taking this product.

Ask a doctor before use if you have

- persistent or chronic cough such as occurs with smoking, asthma, chronic bronchitis, or emphysema
- cough accompanied by too much phlegm (mucus)

When using this product,

do not use more than directed.

Stop use and ask a doctor if

cough lasts more than 7 days, comes back, or occurs with fever, rash or persistent headache. These could be signs of a serious condition.

If pregnant or breast-feeding,

ask a health professional before use.

Keep out of reach of children.

In case of overdose, get medical help or contact a Poison Control Center right away (1-800-222-1222).

Directions

- do not crush, chew, or break tablet
- take with a full glass of water
- this product can be administered without regards for timing of meals
- adults and children 12 years of age and older: 1 or 2 tablet every 12 hours; not more than 4 tablets in 24 hours
- children under 12 years of age: do not use

Other information

store between 20° to 25°C (68° to 77°F)

Inactive ingredients

carbomer, colloidal silicon dioxide, D&C yellow #10 aluminum lake, hypromellose, lactose monohydrate, magnesium stearate, microcrystalline cellulose, povidone, talc

Questions or comments?

Call **1-877-753-3935 Monday-Friday 9AM-5PM EST**

Principal Display Panel

*Compare to the active ingredients in Mucinex® DM

Mucus Relief DM

guaifenesin | 600 mg

expectorant

dextromethorphan HBr | 30 mg

cough suppressant

12 HOUR RELIEF

Controls Cough, Thins & Loosens Mucus

Extended Release Tablets

*This product is not manufactured or distributed by Reckitt Benckiser LLC, distributor of Mucinex® DM.

TAMPER EVIDENT: DO NOT USE IF BLISTER UNIT IS TORN, BROKEN OR SHOWS ANY SIGNS OF TAMPERING.

KEEP OUTER CARTON FOR COMPLETE WARNINGS AND PRODUCT INFORMATION.

DIST. BY MEIJER

DISTRIBUTION, INC.

GRAND RAPIDS, MI 49544

www.meijer.com

Package Label

Drug Facts

Active ingredients (in each extended-release tablet)	Purposes
Dextromethorphan HBr 30 mg	Cough Suppressant
Guaifenesin 600 mg	Expectorant

Uses

- helps loosen phlegm (mucus) and thin bronchial secretions to rid the bronchial passageways of bothersome mucus and make coughs more productive
- temporarily relieves
 - cough due to minor throat and bronchial irritation as may occur with the common cold or inhaled irritants
 - the intensity of coughing
 - the impulse to cough to help you get to sleep

Warnings

Do not use ■ for children under 12 years of age

■ if you are now taking a prescription monoamine oxidase inhibitor (MAOI) (certain drugs for depression, psychiatric or emotional conditions, or Parkinson's disease), or for 2 weeks after stopping the MAOI drug. If you do not know if your prescription drug contains an MAOI, ask a doctor or pharmacist before taking this product.

Ask a doctor before use if you have

- persistent or chronic cough such as occurs with smoking, asthma, chronic bronchitis, or emphysema
- cough accompanied by too much phlegm (mucus)

When using this product, do not use more than directed.

Stop use and ask a doctor if cough lasts more than 7 days, comes back, or occurs with fever, rash or persistent headache. These could be signs of a serious illness.

If pregnant or breast-feeding, ask a health professional before use.

Keep out of the reach of children. In case of overdose, get medical help or contact a Poison Control Center right away (1-800-222-1222).

Directions

- do not crush, chew, or break tablet
- take with a full glass of water
- this product can be administered without regard for timing of meals
- adults and children 12 years of age and older: 1 or 2 tablets every 12 hours; not more than 4 tablets in 24 hours
- children under 12 years of age: do not use

Other information

- store between 20° to 25°C (68° to 77°F)

Inactive ingredients carbomer, colloidal silicon dioxide, D&C yellow #10 aluminum lake, hypromellose, lactose monohydrate, magnesium stearate, microcrystalline cellulose, povidone, talc

Questions or comments? Call 1-877-753-3935 Monday-Friday 9AM-5PM EST

*This product is not manufactured or distributed by Reckitt Benckiser LLC, distributor of Mucinex® DM.

DIST. BY MEIJER DISTRIBUTION, INC.
GRAND RAPIDS, MI 49544
www.meijer.com

PARENTS:
Learn about your child's disease
www.StopMedicineUse.org

PLD-B519A FC005184 PID 4338888

7 13733 50986 2

mucus relief DM

12 HOUR RELIEF
Controls Cough, Thins & Loosens Mucus

meijer

NDC 41250-633-20

*Compare to the active ingredients in Mucinex® DM

mucus relief DM

Guaifenesin | 600 mg
Expectorant
Dextromethorphan HBr | 30 mg
Cough suppressant

12 HOUR RELIEF
Controls Cough, Thins & Loosens Mucus

20 Extended Release Tablets

actual size

TAMPER EVIDENT: DO NOT USE IF BLISTER UNIT IS TORN, BROKEN OR SHOWS ANY SIGNS OF TAMPERING.
KEEP OUTER CARTON FOR COMPLETE WARNINGS AND PRODUCT INFORMATION.

Lot No.:
Exp. Date:

MEIJER Mucus Relief DM

MUCUS RELIEF DM EXTENDED RELEASE CAPLETS

guaifenesin, dextromethorphan hbr tablet

Product Information

Product Type	HUMAN OTC DRUG	Item Code (Source)	NDC:41250-633
Route of Administration	ORAL		

Active Ingredient/Active Moiety

Ingredient Name	Basis of Strength	Strength
GUAIFENESIN (UNII: 495W7451VQ) (GUAIFENESIN - UNII:495W7451VQ)	GUAIFENESIN	600 mg
DEXTROMETHORPHAN HYDROBROMIDE (UNII: 9D2RTI9KYH) (DEXTROMETHORPHAN - UNII:7355X3ROTS)	DEXTROMETHORPHAN HYDROBROMIDE	30 mg

Inactive Ingredients

Ingredient Name	Strength
SILICON DIOXIDE (UNII: ETJ7Z6XBU4)	
MAGNESIUM STEARATE (UNII: 70097M6I30)	
CARBOMER 934 (UNII: Z135WT9208)	
CELLULOSE, MICROCRYSTALLINE (UNII: OP1R32D61U)	
POVIDONE (UNII: FZ989GH94E)	
D&C YELLOW NO. 10 (UNII: 35SW5USQ3G)	
HYPROMELLOSE, UNSPECIFIED (UNII: 3NXW29V3WO)	
LACTOSE MONOHYDRATE (UNII: EWQ57Q8I5X)	
TALC (UNII: 7SEV7J4R1U)	

Product Characteristics

Color	yellow	Score	no score
Shape	OVAL	Size	16mm
Flavor		Imprint Code	AN038
Contains			

Packaging

#	Item Code	Package Description	Marketing Start Date	Marketing End Date
1	NDC:41250-633-40	40 in 1 CARTON	11/01/2019	04/01/2025
1		1 in 1 BLISTER PACK; Type 0: Not a Combination Product		
2	NDC:41250-633-20	20 in 1 CARTON	01/01/2019	04/01/2025
2		1 in 1 BLISTER PACK; Type 0: Not a Combination Product		

Marketing Information

Marketing Category	Application Number or Monograph Citation	Marketing Start Date	Marketing End Date
ANDA	ANDA209692	01/01/2019	04/01/2025

Labeler - MEIJER, INC. (006959555)

Revised: 1/2023

MEIJER, INC.