

EUCERIN REDNESS RELIEF DAILY PERFECTING- avobenzone, homosalate, octisalate, octocrylene lotion
Beiersdorf Inc

Eucerin Redness Relief Daily Perfecting

Active ingredients

Avobenzone 2.0%

Homosalate 3.5%

Octisalate 3.5%

Octocrylene 4.5%

Purpose

Sunscreen

Uses

- helps prevent sunburn
- if used as directed with other sun protection measures (see Directions), decreases the risk of skin cancer and early skin aging caused by the sun

Warnings

For external use only

Do not use on damaged or broken skin.

When using this product keep out of eyes.

Rinse with water to remove.

Stop use and ask a doctor if rash occurs.

Keep out of reach of children. If swallowed, get medical help or contact a Poison Control Center right away.

Directions For sunscreen use:

- apply liberally 15 minutes before sun exposure
- use a water resistant sunscreen if swimming or sweating
- reapply at least every 2 hours
- children under 6 months of age: Ask a doctor
- Sun Protection Measures. Spending time in the sun increases your risk of skin cancer and

early skin aging. To decrease this risk, regularly use a sunscreen with a Broad Spectrum SPF

value of 15 or higher, and other sun protection measures including:

- limit time in the sun, especially from 10 a.m. - 2 p.m.
- wear long-sleeved shirts, pants, hats, and sunglasses.
- children under 6 months of age: Ask a doctor.

Inactive ingredients

Water, Glycerin, Methylpropanediol, Titanium Dioxide, Butyrospermum Parkii (Shea) Butter, Cetearyl Alcohol, Pentylene Glycol, Dimethicone, Glycyrrhiza Inflata Root Extract, Potassium Cetyl Phosphate, Caprylyl Glycol, Acrylates/C10-30 Alkyl Acrylate Crosspolymer, Xanthan Gum, Phenoxyethanol, Chromium Oxide Greens, Sodium Hydroxide, Trisodium EDTA.

Eucerin

REDNESS RELIEF

DAY LOTION

Broad Spectrum SPF 15

Sunscreen

Subtle Green Color Neutralizers

immediately reduce visible redness and blotchiness

Fragrance-free, Paraben Free

Dermatological skincare

Eucerin®

Use the Eucerin Redness Relief Skincare system for optimal results:

Gently Cleanse

- **Cleansing Gel**
Gently yet effectively cleanses and soothes skin.

Moisturize

- **Day Lotion Broad Spectrum SPF 15**
Immediately reduces visible redness with subtle Green Color Neutralizers, while providing moisturization and UV protection.
- **Overnight Cream**
Provides soothing moisture and calms skin.



Learn more at EucerinUS.com

Beiersdorf
Made in Mexico/Distributed by:
Beiersdorf Inc., Stamford, CT 06901
©=reg. TM. of
Beiersdorf AG, Germany
Patent pending
NART# 63466

Eucerin®

REDNESS RELIEF

Day Lotion Broad Spectrum SPF 15

Light  Rich 


Sunscreen

Subtle **Green Color Neutralizers** immediately reduce visible redness and blotchiness

Fragrance Free, Paraben Free

DERMATOLOGICAL SKINCARE

1.7 FL. OZ. 50 mL




Eucerin Redness Relief Day Lotion Broad Spectrum SPF 15 provides daily moisturization and broad spectrum UVA/UVB protection while immediately reducing visible redness and blotchiness, for an even-toned complexion.

- Formulated with natural Licochalcone, a skin soothing extract of licorice root
- Calms sensitive skin prone to redness
- Subtle Green Color Neutralizers immediately counteract and diminish red skin tone
- Helps protect the skin from redness-provoking UVA/UVB rays
- Light texture. Absorbs quickly
- Gentle formula that minimizes the risk of irritation

All **Eucerin Redness Relief** products are appropriate for sensitive skin.

What is Licochalcone?
Licochalcone (Glycyrrhiza Inflata Root Extract) is a licorice root extract with skin soothing properties.

Eucerin Redness Relief subtle Green Color Neutralizers instantly counteract visible redness for an even-toned complexion.



Drug Facts

Active ingredients.....	Purpose
Avobenzone 2.0%	Sunscreen
Homosalate 3.5%	Sunscreen
Octisalate 3.5%	Sunscreen
Octocrylene 4.5%	Sunscreen

Uses

- helps prevent sunburn
- if used as directed with other sun protection measures (see **Directions**), decreases the risk of skin cancer and early skin aging caused by the sun

Warnings

For external use only

Do not use on damaged or broken skin

When using this product keep out of eyes. Rinse with water to remove.

Stop use and ask a doctor if rash occurs

Keep out of reach of children. If swallowed, get medical help or contact a Poison Control Center right away.

Directions

For sunscreen use:

- apply liberally 15 minutes before sun exposure
- use a water resistant sunscreen if swimming or sweating
- reapply at least every 2 hours
- **Sun Protection Measures.** Spending time in the sun increases your risk of skin cancer and early skin aging. To decrease this risk, regularly use a sunscreen with a Broad Spectrum SPF value of 15 or higher and other sun protection measures including:
 - limit time in the sun, especially from 10 a.m. - 2 p.m.
 - wear long-sleeved shirts, pants, hats, and sunglasses
 - children under 6 months of age: Ask a doctor

Other information

- protect this product from excessive heat and direct sun

Inactive ingredients
Water, Glycerin, Methylpropanediol, Titanium Dioxide, Butyrospermum Parkii (Shea) Butter, Cetearyl Alcohol, Pentylene Glycol, Dimethicone, Glycyrrhiza Inflata Root Extract, Potassium Cetyl Phosphate, Caprylyl Glycol, Acrylates/C10-30 Alkyl Acrylate Crosspolymer, Xanthan Gum, Phenoxethanol, Chromium Oxide Greens, Sodium Hydroxide, Trisodium EDTA

Questions or comments? 1-800-227-4703

Position
UPC-Code
072140634667
37 x 26 mm

EUCERIN REDNESS RELIEF DAILY PERFECTING

avobenzone, homosalate, octisalate, octocrylene lotion

Product Information

Product Type	HUMAN OTC DRUG	Item Code (Source)	NDC:10356-353
Route of Administration	TOPICAL		

Active Ingredient/Active Moiety

Ingredient Name	Basis of Strength	Strength
OCTOCRYLENE (UNII: 5A68WGF6WM) (OCTOCRYLENE - UNII:5A68WGF6WM)	OCTOCRYLENE	4.5 g in 100 mL
HOMOSALATE (UNII: V06SV4M95S) (HOMOSALATE - UNII:V06SV4M95S)	HOMOSALATE	3.5 g in 100 mL
AVOBENZONE (UNII: G63QQF2NOX) (AVOBENZONE - UNII:G63QQF2NOX)	AVOBENZONE	2 g in 100 mL
OCTISALATE (UNII: 4X49Y0596W) (OCTISALATE - UNII:4X49Y0596W)	OCTISALATE	3.5 g in 100 mL

Inactive Ingredients

Ingredient Name	Strength
PENTYLENE GLYCOL (UNII: 50C1307PZG)	

METHYLPROPANEDIOL (UNII: N8F53B3R4R)
SHEA BUTTER (UNII: K49155WL9Y)
POTASSIUM CETYL PHOSPHATE (UNII: 03KCY6P7UT)
CAPRYLYL GLYCOL (UNII: 00YIU5438U)
SODIUM HYDROXIDE (UNII: 55X04QC32I)
CETOSTEARYL ALCOHOL (UNII: 2DMT128M1S)
EDETATE TRISODIUM (UNII: 420IP921MB)
CARBOMER INTERPOLYMER TYPE A (ALLYL SUCROSE CROSSLINKED) (UNII: 59TL3WG5CO)
WATER (UNII: 059QF0KO0R)
GLYCERIN (UNII: PDC6A3C0OX)
DIMETHICONE (UNII: 92RU3N3Y1O)
PHENOXYETHANOL (UNII: HIE492ZZ3T)
GLYCYRRHIZA INFLATA ROOT (UNII: 1MV1Z7MKVQ)
XANTHAN GUM (UNII: TTV12P4NEE)
TITANIUM DIOXIDE (UNII: 15FIX9V2JP)
CHROMIC OXIDE (UNII: X5Z09SU859)

Packaging

#	Item Code	Package Description	Marketing Start Date	Marketing End Date
1	NDC:10356-353-05	50 mL in 1 BOTTLE, PUMP; Type 0: Not a Combination Product	03/30/2017	
2	NDC:10356-353-32	1.5 mL in 1 PACKET; Type 0: Not a Combination Product	03/30/2017	

Marketing Information

Marketing Category	Application Number or Monograph Citation	Marketing Start Date	Marketing End Date
OTC Monograph Drug	M020	03/30/2017	

Labeler - Beiersdorf Inc (001177906)