

**ACETAMINOPHEN- acetaminophen tablet, film coated, extended release
SUPERVALU INC.**

Drug Facts

ACTIVE INGREDIENT (IN EACH CAPLET)

Acetaminophen USP, 650 mg

PURPOSE

Pain reliever/fever reducer

USES

- temporarily relieves minor aches and pains due to:
 - minor pain of arthritis
 - muscular aches
 - backache
 - headache
 - toothache
 - the common cold
 - premenstrual and menstrual cramps

- temporarily reduces fever

WARNINGS

Liver warning: This product contains acetaminophen. Severe liver damage may occur if you take

- more than 6 caplets in 24 hours, which is the maximum daily amount
- with other drugs containing acetaminophen
- 3 or more alcoholic drinks every day while using this product

Do not use

- with any other drug containing acetaminophen (prescription or nonprescription). If you are not sure whether a drug contains acetaminophen, ask a doctor or pharmacist.
- if you are allergic to acetaminophen or any of the inactive ingredients in this product.

Ask a doctor before use if you have

Liver disease.

Ask a doctor or pharmacist before use if you are

Taking the blood thinning drug warfarin.

Stop use and ask a doctor if

- pain gets worse or lasts more than 10 days
- fever gets worse or lasts more than 3 days
- new symptoms occur
- redness or swelling is present

These could be signs of a serious condition.

If pregnant or breast-feeding

Ask a health professional before use.

Keep out of reach of children.

Overdose warning: In case of overdose, get medical help or contact a Poison Control Center right away (1-800-222-1222). Quick medical attention is critical for adults as well as for children even if you do not notice any signs or symptoms.

DIRECTIONS

- **do not take more than directed (see overdose warning)**

adults	<ul style="list-style-type: none">▪ take 2 caplets every 8 hours with water▪ swallow whole - do not crush, chew, split or dissolve▪ do not take more than 6 caplets in 24 hours▪ do not use for more than 10 days unless directed by a doctor
under 18 years of age	<ul style="list-style-type: none">▪ ask a doctor

OTHER INFORMATION

- store at 20 - 25° C (68 - 77° F). Avoid excessive heat 40° C (104° F).
- see end panel for batch number and expiration date
- **TAMPER EVIDENT: DO NOT USE IF IMPRINTED SEAL IS BROKEN OR MISSING FROM BOTTLE.**

INACTIVE INGREDIENTS

Croscarmellose sodium, hypromellose, magnesium stearate, microcrystalline cellulose, povidone, pregelatinized starch, propylene glycol, sodium lauryl sulfate, stearic acid, titanium dioxide

QUESTIONS?

Call **1-877-932-7948**

PRINCIPAL DISPLAY PANEL

equaline®

compare to Tylenol® Arthritis Pain active ingredient*

NDC 41163-333-50

use only as directed

lasts up to 8 hours

arthritis pain relief

acetaminophen extended-release tablets, USP 650 mg

pain reliever/fever reducer

50 caplets**

650 mg each

for the temporary relief of minor arthritis pain

(**capsule-shaped tablets)

DO NOT USE WITH OTHER MEDICINES CONTAINING ACETAMINOPHEN
DISTRIBUTED BY SUPERVALU INC.

5098478/R1012

COATING FREE AREA

Batch No. 41163740992

Expiration Date: 2660740992

7

equaline[®] compare to Tylenol[®]
Arthritis Pain active ingredient*

NDC 41163-333-50

use only as directed
lasts up to 8 hours

arthritis pain relief
acetaminophen

extended-release tablets, USP 650 mg
pain reliever/fever reducer
for the temporary relief of minor arthritis pain

50 caplets**
650 mg each
(*capsule-shaped tablets)

DO NOT USE WITH OTHER MEDICINES CONTAINING ACETAMINOPHEN

equaline[®]

lasts up to 8 hours
arthritis
pain relief
acetaminophen

extended-release tablets, USP 650 mg
pain reliever/fever reducer
for the temporary relief of
minor arthritis pain

50 caplets**
650 mg each
(*capsule-shaped tablets)

Drug Facts (continued)

Other information

- store at 20° - 25° C (68° - 77° F). Avoid excessive heat 40° C (104° F).
- see end panel for batch number and expiration date

Inactive ingredients

croscarmellose sodium, hypromellose, magnesium stearate, microcrystalline cellulose, povidone, pregelatinized starch, propylene glycol, sodium lauryl sulfate, stearic acid, titanium dioxide

Questions? call 1-877-932-7948

Contains No Aspirin

Keep the carton. It contains important information.

*This product is not manufactured or distributed by McNeil Consumer Healthcare, Inc. The owner of the registered trademark Tylenol[®] is The Tylenol Company.

TAMPER EVIDENT: DO NOT USE IF IMPRINTED SEAL IS BROKEN OR MISSING FROM BOTTLE.

DISTRIBUTED BY SUPERVALU INC.
EDEN PRAIRIE, MN 55344 USA
Contact us at 1-877-932-7948, or www.supervalu-ourownbrands.com

R1012

Drug Facts (continued)

Stop use and ask a doctor if

- pain gets worse or lasts more than 10 days
- fever gets worse or lasts more than 3 days
- new symptoms occur
- itchiness or swelling is present

These could be signs of a serious condition.

If pregnant or breast-feeding, ask a health professional before use.

Keep out of reach of children.

Overdose warning: In case of overdose, get medical help or contact a Poison Control Center right away (1-800-222-1222). Quick medical attention is critical for adults as well as for children even if you do not notice any signs or symptoms.

Directions

do not take more than directed (see overdose warning)

adults

- take 2 caplets every 8 hours with water
- swallow whole – do not crush, chew, split or dissolve
- do not take more than 6 caplets in 24 hours
- do not use for more than 10 days unless directed by a doctor
- ask a doctor

under 18 years of age

COATING FREE AREA

5098478

COATING FREE AREA

5098478

Drug Facts

Active ingredient (in each caplet)

Acetaminophen USP, 650 mg.....fever reducer

Purpose

Pain reliever/fever reducer

Uses

- temporarily relieves minor aches and pains due to:
 - minor pain of arthritis
 - muscular aches
 - backache
 - headache
 - bothache
 - the common cold
 - premenstrual and menstrual cramps
- temporarily reduces fever

Warnings

Liver warning: This product contains acetaminophen. Severe liver damage may occur if you take more than 6 caplets in 24 hours, which is the maximum daily amount

- with other drugs containing acetaminophen
- 3 or more alcoholic drinks every day while using this product

Do not use

- with any other drug containing acetaminophen (prescription or nonprescription). If you are not sure whether a drug contains acetaminophen, ask a doctor or pharmacist.
- if you are allergic to acetaminophen or any of the inactive ingredients in this product.

Ask a doctor before use if you have liver disease.

Ask a doctor or pharmacist before use if you are taking the blood thinning drug warfarin.

COATING FREE AREA

8478605

ACETAMINOPHEN

acetaminophen tablet, film coated, extended release

Product Information

Product Type	HUMAN OTC DRUG	Item Code (Source)	NDC:41163-333
Route of Administration	ORAL		

Active Ingredient/Active Moiety

Ingredient Name	Basis of Strength	Strength
ACETAMINOPHEN (UNII: 362O9ITL9D) (ACETAMINOPHEN - UNII:362O9ITL9D)	ACETAMINOPHEN	650 mg

Inactive Ingredients

Ingredient Name	Strength
CROSCARMELLOSE SODIUM (UNII: M28OL1HH48)	
HYPROMELLOSES (UNII: 3NXW29V3WO)	
MAGNESIUM STEARATE (UNII: 70097M6I30)	
CELLULOSE, MICROCRYSTALLINE (UNII: OP1R32D61U)	
POVIDONE (UNII: FZ989GH94E)	
STARCH, PREGELATINIZED CORN (UNII: O8232NY3SJ)	
PROPYLENE GLYCOL (UNII: 6DC9Q167V3)	
SODIUM LAURYL SULFATE (UNII: 368GB5141J)	
STEARIC ACID (UNII: 4ELV7Z65AP)	
TITANIUM DIOXIDE (UNII: 15FIX9V2JP)	

Product Characteristics

Color	white	Score	no score
Shape	OVAL (Capsule Shaped)	Size	19mm
Flavor		Imprint Code	cor116
Contains			

Packaging

#	Item Code	Package Description	Marketing Start Date	Marketing End Date
1	NDC:41163-333-50	1 in 1 CARTON		
1		50 in 1 BOTTLE		

Marketing Information

Marketing Category	Application Number or Monograph Citation	Marketing Start Date	Marketing End Date
ANDA	ANDA076200	11/22/2004	

Labeler - SUPERVALU INC. (006961411)

Registrant - Ranbaxy Pharmaceuticals Inc. (937890044)

Establishment

Name	Address	ID/FEI	Business Operations
Ohm Laboratories Inc.		184769029	manufacture(41163-333)

Revised: 9/2013

SUPERVALU INC.