

AVAIL BODY WITH SUNSCREEN- homosalate, octocrylene, octisalate, and avobenzone lotion

Emeis Cosmetics Pty Ltd

Disclaimer: Most OTC drugs are not reviewed and approved by FDA, however they may be marketed if they comply with applicable regulations and policies. FDA has not evaluated whether this product complies.

Avail Body Lotion with Sunscreen

Drug Facts

Active ingredients

Avobenzone 3%
Homosalate 10%
Octisalate 5%
Octocrylene 8%

Purpose

Sunscreen

Uses

- Helps prevent sunburn.
- If used as directed with other sun protection measures (see **Directions**), decreases the risk of skin cancer and early skin aging caused by the sun.

Warnings

For external use only.

Do not use on damaged or broken skin.

When using this product keep out of eyes. Rinse with water to remove.

Stop use and ask a doctor if rash occurs.

Keep out of reach of children. If swallowed, get medical help or contact a Poison Control Center right away.

Directions

- Apply liberally 15 minutes before sun exposure.
- **Reapply**
- At least every 2 hours
- Immediately after swimming, sweating, or towel drying.
- **Sun Protection Measures.** Spending time in the sun increases your risk of skin cancer and early skin aging. To decrease the risk, regularly use a sunscreen with a

broad spectrum SPF of 15 or higher and other sun protection measures including:

- Limit time in the sun, especially from 10 a.m. - 2 p.m.
- Wear long-sleeve shirts, pants, hats, and sunglasses.
- Children under 6 months of age: Ask a doctor.

Other information

- Protect the product in this container from excessive heat and direct sun.
- You may report a serious adverse reaction to Report Reaction LLC, PO Box 22, Plainsboro, NJ 08536-0222.

Inactive ingredients

Water (*Aqua*), C12-15 Alkyl Benzoate, Euphorbia Cerifera (*Candelilla*) Wax, Silica, Triacontanyl PVP, PEG-15 Cocamine, Glyceryl Behenate, Panthenol, PEG-40 Stearate, Lavandula Angustifolia (*Lavender*) Oil, Caprylyl Glycol, Mentha Viridis (*Spearmint*) Leaf Oil, Acrylates/Stearate-20 Methacrylate Copolymer, Aloe Barbadensis Leaf Juice, Ammonium Acryloyldimethyltaurate/VP Copolymer, Caprylhydroxamic Acid, Glycerin, Citrus Medica Limonum (*Lemon*) Peel Oil, Persea Gratissima (*Avocado*) Oil, Prunus Amygdalus Dulcis (*Sweet Almond*) Oil, Simmondsia Chinensis (*Jojoba*) Seed Oil, Methyl Glucose Sesquistearate, Glycine Soja (*Soybean*) Oil, Tocopheryl Acetate, Beta-Carotene, Daucus Carota (*Carrot*) Sativa Root Extract, Tocopherol, Linalool, Limonene, Citral, Geraniol.

Product Packaging

Aēsop ®

SPF
50

Avail Body Lotion with Sunscreen

Spearmint Leaf • Panthenol • Tocopherol

Broad-spectrum SPF50

High protection, Broad-spectrum moisturising sunscreen with a lightweight skin feel and refreshing aroma.

Massage generously into uncovered skin fifteen minutes prior to sun exposure.

To maintain protection, reapply at least every two hours, and after perspiring, swimming or towelling dry.

www.aesop.com

Net Wt. 145.5 g / 5.13 oz.

Drug Facts

Active ingredients	Purpose
Avobenzone 3% Homosalate 10% Octisalate 5% Octocrylene 8%	Sunscreen

Uses
 • Helps prevent sunburn.
 • If used as directed with other sun protection measures (see **Directions**), decreases the risk of skin cancer and early skin aging caused by the sun.

Warnings
For external use only.
 Do not use on damaged or broken skin.
 When using this product keep out of eyes. Rinse with water to remove.
 Stop use and ask a doctor if rash occurs.
 Keep out of reach of children. If swallowed, get medical help or contact a Poison Control Center right away.

Directions
 • Apply liberally 15 minutes before sun exposure.
Reapply
 • At least every 2 hours
 • Immediately after swimming, sweating, or towel drying.
Sun Protection Measures: Spending time in the sun increases your risk of skin cancer and early skin aging. To decrease the risk, regularly use a sunscreen with a broad spectrum SPF of 15 or higher and other sun protection measures including:
 • Limit time in the sun, especially from 10 a.m. - 2 p.m.
 • Wear long-sleeve shirts, pants, hats, and sunglasses.
 • Children under 6 months of age: Ask a doctor.

Other information
 • Protect the product in this container from excessive heat and direct sun.
 • You may report a serious adverse reaction to Report Reaction LLC, PO Box 22, Plainsboro, NJ 08536-0222.

Inactive ingredients
 Water (Aqua), C12-15 Alkyl Benzoate, Euphorbia Cerifera (Candelilla) Wax, Silica, Triacetyl PVP, PEG-15 Cocamine, Glyceryl Behenate, Panthenol, PEG-40 Stearate, Lavandula Angustifolia (Lavender) Oil, Caprylyl Glycol, Mentha Viridis (Spearmint) Leaf Oil, Acrylates/Steareth-20 Methacrylate Copolymer, Aloe Barbadensis Leaf Juice, Ammonium Acryloyldimethylsulfate/VP Copolymer, Caprylylhydroxamic Acid, Glycerin, Citrus Medica Limonium (Lemon) Peel Oil, Persea Gratissima (Avocado) Oil, Prunus Amygdalus Dulcis (Sweet Almond) Oil, Simmondsia Chinensis (Jojoba) Seed Oil, Methyl Glucose Sesquistearate, Glycine Soja (Soybean) Oil, Tocopheryl Acetate, Beta-Carotene, Daucus Carota (Carrot) Sativa Root Extract, Tocopherol, Linalool, Limonene, Citral, Geraniol.

Manufactured in Australia. Fabriqué en Australie.
 Aesop, 26 Smith Street, Fitzroy 3065, Australia
 ☎ +61 3 9412 8900 52 aesop@aesop.com
 Aesop USA Inc, 48 West 25th St, New York, NY, 10010



Informations Médicamenteuses

Ingrédients actifs	Objet
Avobenzone 3% Homosalate 10% Octisalate 5% Octocrylene 8%	Ecran solaire

Utilité
 • Aide à éviter les coups de soleil.
 • Utilisé, selon la posologie recommandée et en complément d'autres mesures de protection solaire (voir **Posologie**), le produit diminue le risque de cancer et de vieillissement prématuré de la peau occasionnés par le soleil.

Mises en garde
Usage externe uniquement.
 Ne pas utiliser sur une peau abîmée ou sur des plaies. Pendant l'utilisation de ce produit éviter les yeux. Bien rincer à l'eau pour le retirer.
 Arrêter l'utilisation et consulter un médecin si des rougeurs apparaissent.
 Tenir hors de portée des enfants. En cas d'ingestion, consulter un médecin ou contacter immédiatement un Centre Anti-Poison.

Posologie
 • Appliquer généreusement 15 minutes avant l'exposition au soleil.
Renouveler l'application
 • Au moins toutes les 2 heures
 • Immédiatement après avoir transpiré ou vous être baigné ou séché.
Mesures de Protection Solaire. Passer du temps au soleil augmente le risque de cancer et de vieillissement prématuré de la peau. Pour atténuer ce risque, utilisez régulièrement un écran solaire à large spectre avec un facteur de protection solaire (SPF) de 15 ou plus, et prenez d'autres mesures de protection, parmi lesquelles:

- Limiter le temps passé au soleil (surtout entre 10h et 14h);
- Porter un haut à manches longues, un pantalon, un chapeau et des lunettes de soleil.
- Enfants de moins de 6 mois : demander conseil à un médecin.

Autres informations
 • Ne pas exposer le produit contenu dans ce récipient à une chaleur excessive ou aux rayons du soleil.
 • Pour signaler une réaction négative mesure, adressez-vous à Report Reaction LLC, PO Box 22, Plainsboro, NJ 08536-0222, USA.

Excipients
 Water (Aqua), C12-15 Alkyl Benzoate, Euphorbia Cerifera (Candelilla) Wax, Silica, Triacetyl PVP, PEG-15 Cocamine, Glyceryl Behenate, Panthenol, PEG-40 Stearate, Lavandula Angustifolia (Lavender) Oil, Caprylyl Glycol, Mentha Viridis (Spearmint) Leaf Oil, Acrylates/Steareth-20 Methacrylate Copolymer, Aloe Barbadensis Leaf Juice, Ammonium Acryloyldimethylsulfate/VP Copolymer, Caprylylhydroxamic Acid, Glycerin, Citrus Medica Limonium (Lemon) Peel Oil, Persea Gratissima (Avocado) Oil, Prunus Amygdalus Dulcis (Sweet Almond) Oil, Simmondsia Chinensis (Jojoba) Seed Oil, Methyl Glucose Sesquistearate, Glycine Soja (Soybean) Oil, Tocopheryl Acetate, Beta-Carotene, Daucus Carota (Carrot) Sativa Root Extract, Tocopherol, Linalool, Limonene, Citral, Geraniol.

Aēsop.

SPF 50 Avail Body Lotion with Sunscreen

Lotion pour le Corps avec Protection Solaire

Spearmint Leaf • Panthenol
 • Tocopherol
 Feuille de Menthe Verte • Panthénol
 • Tocophérol

Broad-spectrum SPF50
 Protection à Large Spectre SPF50

High protection, broad-spectrum moisturising sunscreen with a lightweight skin feel and refreshing aroma. Massage generously into uncovered skin fifteen minutes prior to sun exposure. To maintain protection, reapply at least every two hours, and after perspiring, swimming or towelling dry.

Écran solaire hydratant offrant une protection renforcée à large spectre, laissant sur la peau une sensation de légèreté et un arôme rafraîchissant. Appliquer en massage et en quantité généreuse sur les parties du corps non protégées quinze minutes avant l'exposition au soleil. Pour maintenir la protection, renouvelez l'application au moins toutes les deux heures et après avoir transpiré ou vous être baigné ou séché.

aesop.com Net Wt. 145.5g / 5.13oz.

To see the summer sky is poetry. Emily Dickinson

AVAIL BODY WITH SUNSCREEN

homosalate, octocrylene, octisalate, and avobenzone lotion

Product Information

Product Type	HUMAN OTC DRUG	Item Code (Source)	NDC:76293-015
Route of Administration	TOPICAL		

Active Ingredient/Active Moiety

Ingredient Name	Basis of Strength	Strength
HOMOSALATE (UNII: V06S V4M95S) (HOMOSALATE - UNII:V06S V4M95S)	HOMOSALATE	3500 mg in 35 g
OCTOCRYLENE (UNII: 5A68WGF6VM) (OCTOCRYLENE - UNII:5A68WGF6VM)	OCTOCRYLENE	2800 mg in 35 g
OCTISALATE (UNII: 4X49Y0596W) (OCTISALATE - UNII:4X49Y0596W)	OCTISALATE	1750 mg in 35 g
AVOBENZONE (UNII: G63QQF2NOX) (AVOBENZONE - UNII:G63QQF2NOX)	AVOBENZONE	1050 mg in 35 g

Inactive Ingredients

Ingredient Name	Strength
-----------------	----------

LINALOOL, (+/-)- (UNII: D81QY6I88E)
LIMONENE, (+)- (UNII: GFD7C86Q1W)
CITRAL (UNII: T7EU009VPP)
GERANIOL (UNII: L837108USY)
WATER (UNII: 059QF0KO0R)
ALKYL (C12-15) BENZOATE (UNII: A9EJ3J61HQ)
TRICONTANYL POVIDONE (UNII: N0SS3Q238D)
CANDELILLA WAX (UNII: WL0328HX19)
SILICON DIOXIDE (UNII: ETJ7Z6XBU4)
PEG-15 COCAMINE (UNII: 8L6LB12TSJ)
ETHYL ACRYLATE/METHACRYLIC ACID/STEARETH-20 METHACRYLATE COPOLYMER (UNII: EPA1872R1N)
PEG-40 STEARATE (UNII: ECU18C66Q7)
GLYCERYL MONOBEHENATE (UNII: A626UU0W2A)
PANTHENOL (UNII: WW9CM0067Z)
LAVENDER OIL (UNII: ZBP1YXW0H8)
CAPRYLYL GLYCOL (UNII: 00YIU5438U)
SPEARMINT OIL (UNII: C3M81465G5)
ALOE VERA LEAF (UNII: ZY81Z83H0X)
AMMONIUM ACRYLOYLDIMETHYLTAURATE/VP COPOLYMER (UNII: W59H9296ZG)
CAPRYLHYDROXAMIC ACID (UNII: UPY805K99W)
GLYCERIN (UNII: PDC6A3C0OX)
LEMON OIL (UNII: I9GRO824LL)
AVOCADO OIL (UNII: 6VNO72PFC1)
ALMOND OIL (UNII: 66YXD4DKO9)
JOJOBA OIL (UNII: 724GKU717M)
SOYBEAN OIL (UNII: 241ATL177A)
METHYL GLUCOSE SESQUISTEARATE (UNII: V1YW10H14D)
.ALPHA.-TOCOPHEROL ACETATE, D- (UNII: A7E6112E4N)
CARROT (UNII: L56Z1JK48B)
.BETA.-CAROTENE (UNII: 01YAE03M7J)
TOCOPHEROL (UNII: R0ZB2556P8)

Product Characteristics

Color	white	Score	
Shape		Size	
Flavor		Imprint Code	
Contains			

Packaging

#	Item Code	Package Description	Marketing Start Date	Marketing End Date
1	NDC:76293-015-15	1 in 1 CARTON	11/04/2014	01/15/2023
1		152.4 g in 1 BOTTLE, PUMP; Type 0: Not a Combination Product		
2	NDC:76293-015-02	1 in 1 CARTON	05/17/2021	
3		145.5 g in 1 BOTTLE, PUMP; Type 0: Not a		

Marketing Information

Marketing Category	Application Number or Monograph Citation	Marketing Start Date	Marketing End Date
OTC monograph not final	part352	11/04/2014	

Labeler - Emeis Cosmetics Pty Ltd (754271146)

Revised: 5/2021

Emeis Cosmetics Pty Ltd