

**CLEAR UP CONTROL SOLUTION ANTI-BLEMICHES - salicylic acid gel**  
**Laboratoire Dr. Renaud**

*Disclaimer: Most OTC drugs are not reviewed and approved by FDA, however they may be marketed if they comply with applicable regulations and policies. FDA has not evaluated whether this product complies.*

-----

**Drug Facts**

**ACTIVE INGREDIENT**

Salicylic Acid 2% w/w.

**INACTIVE INGREDIENTS**

WATER/EAU • ETHOXYDIGLYCOL • GLYCOLIC ACID • METHYL GLUCETH 20 • SODIUM CITRATE • GLYCERIN • PEG-40 HYDROGENATED CASTOR OIL • SODIUM HYDROXIDE • AMYLOPECTIN • DEXTRIN • LACTIC ACID\* • XANTHAN GUM • BUTYLENE GLYCOL • ARGININE\* • CELLULOSE GUM • PEG-60 ALMOND GLYCERIDES • CAPRYLYL GLYCOL • ALLANTOIN • CITRUS AURANTIUM DULCIS (ORANGE) PEEL OIL • ALMOND (PRUNUS AMYGDALUS DULCIS) OIL • ROSEMARY (ROSMARINUS OFFICINALIS) OIL • SAGE (SALVIA OFFICINALIS) OIL SPANISH • LAVANDIN (LAVANDULA LATIFOLIA) OIL • COLEUS FORSKOHLII OIL • GALANGAL (KAEMPFERIA GALANGA) EXTRACT • CHAMOMILE (ANTHEMIS NOBILIS) OIL • CARBOMER • NORDIHYDROGUAIARETIC ACID • OLEANOLIC ACID • ETHYLHEXYL GLYCERIN • PHENOXYETHANOL

For the treatment of acne.Reduces the number of acne pimples,blackheads and whiteheads and allows skin to heal.

**DIRECTIONS**

Morning and evening, first cleanse the skin thoroughly with CLEAR UP Cleansing Gel. Then apply a thin layer of CLEAR UP Control Solution Anti-Blemishes to the entire face and other affected areas one to three times daily, or as directed by a doctor. Massage in with light effleurages. Then apply CLEAR UP Anti-Shine Moisturizer SPF 15. Because excessive drying of the skin may occur, start with one application daily, then gradually increase to two or three times daily if needed or as directed by a doctor. If bothersome dryness or peeling occurs, reduce application to once a day or every other day.

**WARNINGS**

For external use only. Using other topical acne medications at the same time or immediately following use of this

product may increase dryness or irritation of the skin. If this occurs, only one medication should be used unless directed by a doctor. Avoid direct contact with the eyes. If product gets into the eyes, rinse liberally with water. Discontinue use if skin irritation develops or increases. If irritation persists, consult a doctor. This product contains alpha-hydroxyacids (AHA) which may increase sensitivity to the sun and lead to skin burn. Reduce sun exposure and use a sunblock during the use of this product and the week following its use.

image of tube 50ml lable



Solution contrôle  
anti-imperfections  
Control Solution  
Anti-Blemishes

clear Up

ÉTAPE  
STEP

2

50 ml / 1.7 FL.OZ.



Laboratoire  
**Dr Renaud**

**Réduit le nombre et la gravité des boutons d'acné et facilite la guérison de la peau.**

**MODE D'EMPLOI :** Matin et soir, bien nettoyer la peau au préalable à l'aide du Gel nettoyant Clear Up. Appliquer ensuite une mince couche de Solution contrôle anti-imperfections sur l'ensemble du visage et les autres zones affectées une à trois fois par jour ou selon les directives d'un praticien de soins de santé. Faire pénétrer par de légers effleurages.

Appliquer ensuite l'Hydratant anti-brillance FPS 15 Clear Up.

**MISES EN GARDE :** Pour usage externe seulement. L'emploi topique d'autres produits anti-acné utilisés simultanément ou appliqués immédiatement après l'usage de ce produit peut augmenter le dessèchement ou l'irritation de la peau. Dans ce cas, un seul produit devrait être employé, sauf indication contraire d'un praticien de soins de santé. Éviter tout contact avec les yeux; le cas échéant, rincer abondamment avec de l'eau. Cesser l'emploi si une irritation excessive de la peau apparaît ou si l'irritation s'aggrave. Si l'irritation persiste, consulter un praticien de soins de santé.

Ce produit contient des acides alpha-hydroxylés (AHA) qui peuvent augmenter la sensibilité au soleil et entraîner une brûlure de la peau. Réduire l'exposition au soleil et utiliser un écran solaire pendant l'utilisation du produit et pour la semaine suivant son utilisation.

**Reduces the number of acne pimples, blackheads and whiteheads and allows skin to heal.**

**DIRECTIONS:** Morning and evening, first cleanse the skin thoroughly with Clear Up Cleansing Gel. Then apply a thin layer of Clear Up Control Solution Anti-Blemishes to the entire face and other affected areas one to three times daily, or as directed by a doctor. Massage in with light effleurages. Then apply Clear Up Anti-Shine Moisturizer SPF 15. Because excessive drying of the skin may occur, start with one application daily, then gradually increase to two or three times daily if needed or as directed by a doctor. If bothersome dryness or peeling occurs, reduce application to once a day or every other day. **WARNINGS:** For external use only. Using other topical acne medications at the same time or immediately following use of this product may increase dryness or irritation of the skin. If this occurs, only one medication should be used unless directed by a doctor. Avoid direct contact with the eyes. If product gets into the eyes, rinse liberally with water. Discontinue use if skin irritation develops or increases. If irritation persists, consult a doctor. This product contains alpha-hydroxy-acids (AHA) which may increase sensitivity to the sun and lead to skin burn. Reduce sun exposure and use a sunblock during the use of this product and the week following its use.

LABORATOIRE DR RENAUD INC.  
Laval (Québec) Canada H7V 0A3  
ldrenaud.com Made in Canada  
U.S. Dist.: RENAUD SKIN CARE LABORATORIES  
Plattsburgh, N.Y. 12901

**INGRÉDIENT MÉDICINAL :** Acide salicylique 3,2% **DPA ACTIVE INGREDIENT:** Salicylic Acid 3.2% **w/w. INGRÉDIENTS INACTIFS/INACTIVE INGREDIENTS :** WATER/EAU • ETHOXYDIGLYCOL • GLYCOLIC ACID • METHYL GLUCETH-20 • SODIUM CITRATE • GLYCERIN • PEG-40 HYDROGENATED CASTOR OIL • SODIUM HYDROXIDE • AMYLOPECTIN • DEXTRIN • LACTIC ACID\* • XANTHAN GUM • BUTYLENE GLYCOL • ARGININE\* • CELLULOSE GUM • PEG-60 ALMOND GLYCERIDES • CAPRYLYL GLYCOL • ALLANTOIN • CITRUS AURANTIUM DULCIS (ORANGE) PEEL OIL • ALMOND PRUNUS AMYGDALUS DULCIS OIL • ROSEMARY (ROSMARINUS OFFICINALIS) OIL • SAGE (SALVIA OFFICINALIS) OIL • SPANISH LAVANDIN (LAVANDULA LATIFOLIA) OIL • COLEUS FORSKOHLEI OIL • GALANGAL (KALIPPHERIA GALANGA) EXTRACT • CHAMOMILE (ANTHEMIS NOBILIS) OIL • CARBOMER • N-ORDIHYDROGUANATEIC ACID • CLEANNOLCA OIL • ETHYLHEXYLGLYCERIN • PHENOX ETHANOL\* \*certifié biologique / certified organic



Laboratoire  
Dr Renaud

ÉTAPE  
STEP

2

15 ml / 0.5 FL. OZ.

Solution  
contrôle  
anti-  
imperfections

Control  
Solution  
Anti-  
Blemishes

# clearUp

**Réduit le nombre et la gravité des boutons d'acné et facilite la guérison de la peau. MODE D'EMPLOI :** Matin et soir, après avoir bien nettoyé la peau appliquer une mince couche de Solution contrôle sur le visage et les autres zones affectées. Faire pénétrer par de légers effleurages. **MISES EN GARDE :** Pour usage externe seulement. L'emploi topique d'autres produits anti-acné utilisés simultanément ou appliqués immédiatement après l'usage de ce produit peut augmenter le dessèchement ou l'irritation de la peau. Dans ce cas, un seul produit devrait être employé, sauf indication contraire d'un praticien de soins de santé. Éviter tout contact avec les yeux; le cas échéant, rincer abondamment avec de l'eau. Cesser l'emploi si une irritation excessive de la peau apparaît ou si l'irritation s'aggrave. Si l'irritation persiste, consulter un praticien de soins de santé. Ce produit contient des acides alpha-hydroxylés (AHA) qui peuvent augmenter la sensibilité au soleil et entraîner une brûlure de la peau. Réduire l'exposition au soleil et utiliser un écran solaire pendant l'utilisation du produit et pour la semaine suivant son utilisation. **For the treatment of acne. Reduces the number of acne pimples, blackheads and whiteheads and allows skin to heal. DIRECTIONS:** Morning and evening, cleanse the skin thoroughly and apply a thin layer of Control Solution to the face and other affected areas. Massage in with light effleurages. **WARNINGS:** For external use only. Using other topical acne medications at the same time or immediately following use of this product may increase dryness or irritation of the skin. If this occurs, only one medication should be used unless directed by a doctor. Avoid direct contact with the eyes. If product gets into the eyes, rinse liberally with water. Discontinue use if skin irritation develops or increases. If irritation persists, consult a doctor. This product contains alpha-hydroxy-acids (AHA) which may increase sensitivity to the sun and lead to skin burn. Reduce sun exposure and use a sunblock during the use of this product and the week following its use. **INGRÉDIENT MÉDICINAL :** Acide salicylique à 2% p/p. **ACTIVE INGREDIENT:** Salicylic Acid 2% w/w. **INGRÉDIENTS INACTIFS/INACTIVE INGREDIENTS:** WATER/EAU • ETHOXYDIGLYCOL • GLYCOLIC ACID • METHYL GLUCETH 20 • SODIUM CITRATE • GLYCERIN • PEG-40 HYDROGENATED CASTOR OIL • SODIUM HYDROXIDE • AMYLOPECTIN • DEXTRIN • LACTIC ACID\* • XANTHAN GUM • BUTYLENE GLYCOL • ARGinine\* • CELLULOSE GUM • PEG-60 ALMOND GLYCERIDES • CAPRYLYL GLYCOL • ALLANTOIN • CITRUS AURANTIUM DULCIS (ORANGE) PEEL OIL • ALMOND (PRUNUS AMYGDALUS DULCIS) OIL • ROSEMARY (ROSMARINUS OFFICINALIS) OIL • SAGE (SALVIA OFFICINALIS) OIL • SPANISH • LAVANDIN (LAVANDULA LATIFOLIA) OIL • COLEUS FORSKOHLII OIL • GALANGAL (KAEMPFERIA GALANGA) EXTRACT • CHAMOMILE (ANTHEMIS NOBILIS) OIL • CARBOMER • NORDIHYDROGUAIARETIC ACID • OLEANOLIC ACID • ETHYLHEXYLGLYCERIN • PHENOXYETHANOL •  
\*certifié biologique / certified organic  
LABORATOIRE DR.RENAUD INC. Laval (Québec) Canada H7V 0A3 | U.S. Dist.: RENAUD SKIN CARE LABORATORIES Plattsburgh, N.Y. 12901

image of carton 50ml label



Solution  
contrôle  
anti-  
imperfections

Control  
Solution  
Anti-  
Blemishes

ÉTAPE  
STEP

**2**

clear up

50 ml / 1.7 FL. OZ.



Laboratoire  
**Dr Renaud**

**INGRÉDIENT MÉDICINAL :**

Acide salicylique à 2% p/p.

**ACTIVE INGREDIENT :**

Salicylic Acid 2% w/w.

**INGRÉDIENTS INACTIFS /**

**INACTIVE INGREDIENTS :**

WATER/EAU •  
ETHOXYDIGLYCOL •  
GLYCOLIC ACID •  
METHYL GLUCETH 20 •  
SODIUM CITRATE •  
GLYCERIN •  
PEG-40 HYDROGENATED CASTOR OIL •  
SODIUM HYDROXIDE •  
AMYLOPECTIN •  
DEXTRIN •  
LACTIC ACID\* •  
XANTHAN GUM •  
BUTYLENE GLYCOL •  
ARGININE\* •  
CELLULOSE GUM •  
PEG-60 ALMOND GLYCERIDES •  
CAPRYLYL GLYCOL •  
ALLANTOIN •  
CITRUS AURANTIUM DULCIS (ORANGE)  
PEEL OIL •  
ALMOND (PRUNUS AMYGDALUS  
DULCIS) OIL •  
ROSEMARY (ROSMARINUS  
OFFICINALIS) OIL •  
SAGE (SALVIA OFFICINALIS)  
OIL SPANISH •  
LAVANDIN (LAVANDULA LATIFOLIA) OIL •  
COLEUS FORSKOHLII OIL •  
GALANGAL  
(KAEMPFERIA GALANGA) EXTRACT •  
CHAMOMILE (ANTHEMIS NOBILIS) OIL •  
CARBOMER •  
NORDIHYDROGUAIARETIC ACID •  
OLEANOLIC ACID •  
ETHYLHEXYLGLYCERIN •  
PHENOXYETHANOL •

\*certifié biologique / certified organic

**Réduit le nombre et la gravité  
des boutons d'acné et facilite  
la guérison de la peau.**

**MODE D'EMPLOI :** Matin et soir, bien nettoyer la peau au préalable à l'aide du Gel nettoyant Clear Up. Appliquer ensuite une mince couche de Solution contrôle anti-imperfections sur l'ensemble du visage et les autres zones affectées une à trois fois par jour ou selon les directives d'un praticien de soins de santé. Faire pénétrer par de légers effleurages. Appliquer ensuite l'Hydratant anti-brillance FPS 15 Clear Up.

**MISES EN GARDE :** Pour usage externe seulement. L'emploi topique d'autres produits anti-acné utilisés simultanément ou appliqués immédiatement après l'usage de ce produit peut augmenter le dessèchement ou l'irritation de la peau. Dans ce cas, un seul produit devrait être employé, sauf indication contraire d'un praticien de soins de santé. Éviter tout contact avec les yeux; le cas échéant, rincer abondamment avec de l'eau. Cesser l'emploi si une irritation excessive de la peau apparaît ou si l'irritation s'aggrave. Si l'irritation persiste, consulter un praticien de soins de santé. Ce produit contient des acides alpha-hydroxylés (AHA) qui peuvent augmenter la sensibilité au soleil et entraîner une brûlure de la peau. Réduire l'exposition au soleil et utiliser un écran solaire pendant l'utilisation du produit et pour la semaine suivant son utilisation.

**Reduces the number of acne pimples,  
blackheads and whiteheads  
and allows skin to heal.**

**DIRECTIONS:** Morning and evening, first cleanse the skin thoroughly with Clear Up Cleansing Gel. Then apply a thin layer of Clear Up Control Solution Anti-Blemishes to the entire face and other affected areas one to three times daily, or as directed by a doctor. Massage in with light effleurages. Then apply Clear Up Anti-Shine Moisturizer SPF 15. Because excessive drying of the skin may occur, start with one application daily, then gradually increase to two or three times daily if needed or as directed by a doctor. If bothersome dryness or peeling occurs, reduce application to once a day or every other day.

**WARNINGS:** For external use only. Using other topical acne medications at the same time or immediately following use of this product may increase dryness or irritation of the skin. If this occurs, only one medication should be used unless directed by a doctor. Avoid direct contact with the eyes. If product gets into the eyes, rinse liberally with water. Discontinue use if skin irritation develops or increases. If irritation persists, consult a doctor. This product contains alpha-hydroxy-acids (AHA) which may increase sensitivity to the sun and lead to skin burn. Reduce sun exposure and use a sunblock during the use of this product and the week following its use.

Enter section text here

Keep out of reach of children.

## CLEAR UP CONTROL SOLUTION ANTI-BLEMICHES

salicylic acid gel

### Product Information

<b>Product Type</b>	HUMAN OTC DRUG	<b>Item Code (Source)</b>	NDC:62499-392
<b>Route of Administration</b>	TOPICAL		

### Active Ingredient/Active Moiety

Ingredient Name	Basis of Strength	Strength
SALICYLIC ACID (UNII: O414PZ4LPZ) (SALICYLIC ACID - UNII:O414PZ4LPZ)	SALICYLIC ACID	2 g in 100 g

### Inactive Ingredients

Ingredient Name	Strength
WATER (UNII: 059QF0KO0R)	
DIETHYLENE GLYCOL MONOETHYL ETHER (UNII: A1A1B X02B)	
GLYCOLIC ACID (UNII: 0WT12SX38S)	
METHYL GLUCETH-20 (UNII: J3QD0LD11P)	
SODIUM CITRATE (UNII: 1Q73Q2JULR)	
GLYCERIN (UNII: PDC6A3C0OX)	
HYDROGENATED CASTOR OIL (UNII: ZF94AP8MEY)	
SODIUM HYDROXIDE (UNII: 55X04QC32I)	
AMYLOPECTIN (UNII: 4XO4QFV777)	
OLEANOLIC ACID (UNII: 6SMK8R7TGJ)	
LACTIC ACID (UNII: 33X04XA5AT)	
PHENOXYETHANOL (UNII: HIE492ZZ3T)	
XANTHAN GUM (UNII: TTV12P4NEE)	
BUTYLENE GLYCOL (UNII: 3XUS85K0RA)	
ARGININE (UNII: 94ZLA3W45F)	
CARBOXYMETHYLCELLULOSE SODIUM (UNII: K679OBS311)	
CAPRYLYL GLYCOL (UNII: 00YIU5438U)	
ALLANTOIN (UNII: 344S277G0Z)	
ORANGE OIL (UNII: AKN3KSD11B)	
ALMOND OIL (UNII: 66YXD4DKO9)	
ROSEMARY OIL (UNII: 8LGU7VM393)	
SAGE OIL (UNII: U27K0H1H2O)	
LAVANDIN OIL (UNII: 9RES347CKG)	
ETHYLHEXYLGLYCERIN (UNII: 147D247K3P)	
CHAMOMILE FLOWER OIL (UNII: 60F80Z61A9)	

### Product Characteristics

<b>Color</b>	blue (DRAK BLEU)	<b>Score</b>	
--------------	------------------	--------------	--

<b>Shape</b>		<b>Size</b>	
<b>Flavor</b>		<b>Imprint Code</b>	
<b>Contains</b>			

### Packaging

#	Item Code	Package Description	Marketing Start Date	Marketing End Date
1	NDC:62499-392-11	1 in 1 CARTON		
1	NDC:62499-392-04	50 g in 1 TUBE		
2	NDC:62499-392-12	1 in 1 KIT		
2	NDC:62499-392-06	15 g in 1 TUBE		

### Marketing Information

Marketing Category	Application Number or Monograph Citation	Marketing Start Date	Marketing End Date
OTC monograph final	part358H	06/29/2010	

**Labeler** - Laboratoire Dr. Renaud (202501565)

**Registrant** - Laboratoire Dr. Renaud (202501565)

### Establishment

Name	Address	ID/FEI	Business Operations
Laboratoire Dr. Renaud		202501565	manufacture

Revised: 6/2010

Laboratoire Dr. Renaud