

**REPAIRWEAR LASER FOCUS LINE SMOOTHING BROAD SPECTRUM SPF 15 -
VERY DRY TO DRY COMBINATION- octinoxate, octisalate, and titanium
dioxide cream
CLINIQUE LABORATORIES LLC**

**REPAIRWEAR LASER FOCUS LINE SMOOTHING CREAM BROAD SPECTRUM SPF
15 -VERY DRY TO DRY COMBINATION**

Drug Facts

Active ingredients

Octinoxate 7.5%
Octisalate 3.5%
Titanium Dioxide 1.7%

Purpose

Sunscreen

Use

helps prevent sunburn

Warnings

For external use only

Do not use on damaged or broken skin

When using this product keep out of eyes. Rinse with water to remove.

Stop use and ask a doctor if rash occurs

Keep out of reach of children. If product is swallowed, get medical help or contact a Poison Control Center right away.

Directions

For sunscreen use:

- apply liberally 15 minutes before sun exposure
- reapply at least every two hours
- use a water resistant sunscreen if swimming or sweating
- **Sun Protection Measures.**

Spending time in the sun increases your risk of skin cancer and early skin aging. To decrease this risk, regularly use a sunscreen with a Broad Spectrum SPF value of 15 or higher and other sun protection measures including:

- limit time in the sun, especially from 10 a.m.-2 p.m.
- wear long-sleeved shirts, pants, hats and sunglasses

- children under 6 months of age: ask a doctor

Inactive ingredients

water\ aqua\ eau • neopentyl glycol diheptanoate • simmondsia chinensis (jojoba) butter • glycerin • petrolatum • octyldodecyl neopentanoate • di-c12-15 alkyl fumarate • dimethicone • hydrogenated lecithin • butylene glycol • hydrogenated polyisobutene • pentaerythrityl tetraethylhexanoate • hexyldecyl stearate • polyethylene • pentylene glycol • potato starch modified • citrus reticulata (tangerine) peel extract • saccharomyces lysate extract • polygonum cuspidatum root extract • algae extract • coffea robusta seed extract • astrocaryum murumuru seed butter • padina pavonica thallus extract • betula alba (birch) bark extract • creatine • adenosine phosphate • laurdimonium hydroxypropyl hydrolyzed soy protein • linoleic acid • hydrolyzed rice extract • hydroxyproline • triticum vulgare (wheat) germ extract • hordeum vulgare (barley) extract\ extrait d'orge • sigesbeckia orientalis (st. paul's wort) extract • coleus barbatus extract • acetyl hexapeptide-8 • sodium dna • caffeine • cholesterol • ethylhexyl stearate • sorbitol • ethylhexyl palmitate • decarboxy carnosine hcl • phytosphingosine • propylene glycol dicaprato • tocopheryl acetate • peg-100 stearate • disodium nadh • caprylyl glycol • acrylates copolymer • c12-16 alcohols • polysilicone-11 • squalane • palmitic acid • trehalose • glyceryl stearate • sodium rna • dipalmitoyl hydroxyproline • proline • citric acid • potassium sorbate • aminopropyl ascorbyl phosphate • behenyl alcohol • methicone • ammonium acryloyldimethyltaurate/vp copolymer • hexylene glycol • xanthan gum • sodium hydroxide • sodium hyaluronate • aluminum hydroxide • potassium sulfate • glycine • lecithin • carbomer • disodium edta • phenoxyethanol [iln41738]

Other information

protect the product in this container from excessive heat and direct sun

PRINCIPAL DISPLAY PANEL - 50 ml Jar Carton

de-aging

C

CLINIQUE

repairwear laser focus

line smoothing cream

broad spectrum SPF 15

VERY DRY TO DRY COMBINATION

POIDS NET WT. 1.7 OZ./50 ml e

de-aging



CLINIQUE

repairwear laser focus

line smoothing cream
broad spectrum SPF 15

VERY DRY TO DRY COMBINATION

POIDS NET WT. 1.7 OZ./50 ml e

**Allergy Tested.
100% Fragrance Free.**

Silky, line-smoothing moisturizer visibly softens the look of expression lines. Peptide and amino acid technology helps boost natural collagen and elastin for a smoother, less-lined appearance. Rapidly plumps fine, dry lines. UVA/UVB protection helps shield against environmental damage. Lightweight. See enclosure.



Drug Facts

Active ingredients

Purpose

Octinoxate 7.5%

Octisalate 3.5%

Titanium Dioxide 1.7%

Sunscreen

Use

helps prevent sunburn

Warnings

For external use only

Do not use on damaged or broken skin

When using this product keep out of eyes. Rinse with water to remove.

Stop use and ask a doctor if rash occurs



clinique.com



© CLINIQUE LABORATOIRES, DIST. NEW YORK, N.Y. 10022
NEW YORK • LONDON W1K 3BQ • PARIS
MADE IN U.S.A. ZK50

1,2

VERY DRY TO DRY COMBINATION

CULTECH INC

004935

Drug Facts (continued)

Keep out of reach of children. If product is swallowed, get medical help or contact a Poison Control Center right away.

Directions

For sunscreen use:

- apply liberally 15 minutes before sun exposure
- reapply at least every two hours
- use a water resistant sunscreen if swimming or sweating
- **Sun Protection Measures.**

Spending time in the sun increases your risk of skin cancer and early skin aging. To decrease this risk, regularly use a sunscreen with a Broad Spectrum SPF value of 15 or higher and other sun protection measures including:

- limit time in the sun, especially from 10 a.m.–2 p.m.
- wear long-sleeved shirts, pants, hats and sunglasses
- children under 6 months of age: ask a doctor

Inactive ingredients

water/aqua/eau • neopentyl glycol diheptanoate • simmondsia chinensis (jojoba) butter • glycerin • petrolatum • octyldodecyl neopentanoate • di-c12-15 alkyl fumarate • dimethicone • hydrogenated lecithin • butylene glycol • hydrogenated polyisobutene • pentaerythrityl tetraethylhexanoate • ▶

Drug Facts (continued)

hexyldecyl stearate • polyethylene • pentylene glycol • potato starch modified • citrus reticulata (tangerine) peel extract • saccharomyces lysate extract • polygonum cuspidatum root extract • algae extract • coffea robusta seed extract • astrocaryum murumuru seed butter • padina pavonica thallus extract • betula alba (birch) bark extract • creatine • adenosine phosphate • laurdimonium hydroxypropyl hydrolyzed soy protein • linoleic acid • hydrolyzed rice extract • hydroxyproline • triticum vulgare (wheat) germ extract • hordeum vulgare (barley) extract/extrait d'orge • sigesbeckia orientalis (st. paul's wort) extract • coleus barbatus extract • acetyl hexapeptide-8 • sodium dna • caffeine • cholesterol • ethylhexyl stearate • sorbitol • ethylhexyl palmitate • decarboxy carnosine hcl • phytosphingosine • propylene glycol dicaprato • tocopheryl acetate • peg-100 stearate • disodium nadh • caprylyl glycol • acrylates copolymer • c12-16 alcohols • polysilicone-11 • squalane • palmitic acid • trehalose • glyceryl stearate • sodium rna • dipalmitoyl hydroxyproline • proline • citric acid • potassium sorbate • aminopropyl ascorbyl phosphate • behenyl alcohol • methicone • ammonium acryloyldimethyltaurate/vp copolymer • hexylene glycol • xanthan gum • sodium hydroxide • sodium hyaluronate • aluminum hydroxide • potassium sulfate • glycine • lecithin • carbomer • disodium edta • phenoxyethanol [in41738]

Other information

protect the product in this container from excessive heat and direct sun

ZK50-01-1111

SPF 15 -VERY DRY TO DRY COMBINATION

octinoxate, octisalate, and titanium dioxide cream

Product Information

Product Type	HUMAN OTC DRUG	Item Code (Source)	NDC:49527-049
Route of Administration	TOPICAL		

Active Ingredient/Active Moiety

Ingredient Name	Basis of Strength	Strength
OCTINOXATE (UNII: 4Y5P7MUD51) (OCTINOXATE - UNII:4Y5P7MUD51)	OCTINOXATE	0.076125 g in 100 mL
OCTISALATE (UNII: 4X49Y0596W) (OCTISALATE - UNII:4X49Y0596W)	OCTISALATE	0.03745 g in 100 mL
TITANIUM DIOXIDE (UNII: 15FIX9V2JP) (TITANIUM DIOXIDE - UNII:15FIX9V2JP)	TITANIUM DIOXIDE	0.015225 g in 100 mL

Inactive Ingredients

Ingredient Name	Strength
WATER (UNII: 059QF0KO0R)	
NEOPENTYL GLYCOL DIHEPTANOATE (UNII: 5LKW3C543X)	
JOJOBA BUTTER (UNII: XIA46H803R)	
GLYCERIN (UNII: PDC6A3C0OX)	
PETROLATUM (UNII: 4T6H12BN9U)	
OCTYLDODECYL NEOPENTANOATE (UNII: X8725R883T)	
DI-C12-15 ALKYL FUMARATE (UNII: A1CB3Z898P)	
DIMETHICONE (UNII: 92RU3N3Y1O)	
BUTYLENE GLYCOL (UNII: 3XUS85K0RA)	
PENTAERYTHRITYL TETRAETHYLHEXANOATE (UNII: XJ7052W897)	
HEXYLDECYL STEARATE (UNII: OJX2P28Y14)	
HIGH DENSITY POLYETHYLENE (UNII: UG00KM4WR7)	
PENTYLENE GLYCOL (UNII: 50C1307PZG)	
TANGERINE PEEL (UNII: JU3D414057)	
SACCHAROMYCES LYSATE (UNII: R85W246Z1C)	
REYNOUTRIA JAPONICA ROOT (UNII: 7TRV45YZF7)	
ROBUSTA COFFEE BEAN (UNII: V5032728L7)	
ASTROCARYUM MURUMURU SEED BUTTER (UNII: 12V64UPU6R)	
PADINA PAVONICA (UNII: 177U06NHZI)	
BETULA PUBESCENS BARK (UNII: 3R504894L9)	
CREATINE (UNII: MU72812GK0)	
ADENOSINE PHOSPHATE (UNII: 415SHH325A)	
LINOLEIC ACID (UNII: 9KJL21T0QJ)	
HYDROXYPROLINE (UNII: RMB44WO89X)	
WHEAT GERM (UNII: YR3G369F5A)	
BARLEY (UNII: 5PWM7YLI7R)	
ACETYL HEXAPEPTIDE-8 (UNII: L4EL31FWL)	
CAFFEINE (UNII: 3G6A5W338E)	
CHOLESTEROL (UNII: 97C5T2UQ7J)	

ETHYLHEXYL STEARATE (UNII: EG3PA2K3K5)
SORBITOL (UNII: 506T60A25R)
ETHYLHEXYL PALMITATE (UNII: 2865993309)
DECARBOXY CARNOSINE HYDROCHLORIDE (UNII: 6X7K9I5QR7)
PHYTOSPHINGOSINE (UNII: GIN46U9Q2Q)
PROPYLENE GLYCOL DICAPRATE (UNII: U783H9JHWY)
.ALPHA.-TOCOPHEROL ACETATE (UNII: 9E8X80D2L0)
PEG-100 STEARATE (UNII: YD01N1999R)
DISODIUM NICOTINAMIDE ADENINE DINUCLEOTIDE (UNII: 8295030YNC)
CAPRYLYL GLYCOL (UNII: 00YIU5438U)
C12-16 ALCOHOLS (UNII: S4827SZ E3L)
DIMETHICONE/VINYL DIMETHICONE CROSSPOLYMER (SOFT PARTICLE) (UNII: 9E4CO0W6C5)
SQUALANE (UNII: GW89575KF9)
PALMITIC ACID (UNII: 2V16EO95H1)
TREHALOSE (UNII: B8WCK70T7I)
GLYCERYL MONOSTEARATE (UNII: 230OU9XXE4)
DIPALMITOYL HYDROXYPROLINE (UNII: E6AHA53N1H)
PROLINE (UNII: 9DLQ4CIU6V)
CITRIC ACID MONOHYDRATE (UNII: 2968PHW8QP)
POTASSIUM SORBATE (UNII: 1VPU26JZZ4)
AMINOPROPYL ASCORBYL PHOSPHATE (UNII: 29002PQ83R)
DOCOSANOL (UNII: 9G1OE216XY)
AMMONIUM ACRYLOYLDIMETHYLTAUROATE/VP COPOLYMER (UNII: W59H9296ZG)
HEXYLENE GLYCOL (UNII: KEH0A3F75J)
XANTHAN GUM (UNII: TTV12P4NEE)
SODIUM HYDROXIDE (UNII: 55X04QC32I)
HYALURONATE SODIUM (UNII: YSE9PPT4TH)
ALUMINUM HYDROXIDE (UNII: 5QB0T2IUN0)
POTASSIUM SULFATE (UNII: 1K573LC5TV)
GLYCINE (UNII: TE7660XO1C)
EDETATE DISODIUM (UNII: 7FLD91C86K)
PHENOXYETHANOL (UNII: HIE492ZZ3T)

Packaging

#	Item Code	Package Description	Marketing Start Date	Marketing End Date
1	NDC:49527-049-01	1 in 1 CARTON	10/01/2015	
1		50 mL in 1 JAR; Type 0: Not a Combination Product		

Marketing Information

Marketing Category	Application Number or Monograph Citation	Marketing Start Date	Marketing End Date
OTC Monograph Drug	M020	10/01/2015	

Labeler - CLINIQUE LABORATORIES LLC (044475127)

Registrant - Estee Lauder Companies Inc. (790802086)

Establishment

Name	Address	ID/FEI	Business Operations
The Estee Lauder Inc		802599436	manufacture(49527-049) , pack(49527-049) , label(49527-049)

Revised: 10/2023

CLINIQUE LABORATORIES LLC