BITEMD EXTERNAL ANALGESIC FIRST AID ANTISEPTIC- benzocaine, camphor (synthetic), and phenol liquid United Industries Corporation

Disclaimer: Most OTC drugs are not reviewed and approved by FDA, however they may be marketed if they comply with applicable regulations and policies. FDA has not evaluated whether this product complies.

BiteMD® External Analgesic First Aid Antiseptic DRUG FACTS

Active Ingredients: Purpose:

Benzocaine 5% Analgesic, Anesthetic,

Antipruritic

Camphor 3% Topical Analgesic Phenol 1.35% First Aid Antiseptic

Uses

First aid for temporary relief of:

- Pain
- Itching
- Infection

Warnings

For external use only

When using this product

- Do not get in eyes.
- Do not apply over large areas of the body or bandage.
- In case of deep or puncture wounds, animal bites or serious burns, consult a doctor.

Stop use and ask doctor if condition worsens; or if symptoms persist for more than 7 days, clear up and occur again within a few days. Do not use longer than one week unless directed by doctor.

Keep out of reach of children. If swallowed, get medical help or contact a Poison Control Center right away. If in eyes, flush with water for 15 minutes and call a physician.

Directions

- Clean area.
- Apply to the bite area by pressing straight down repeatedly until liquid flows, then dab sparingly.
- If itching persists, apply again in 10 to 15 minutes.

• For ticks and bees, remove tick or stinger before treatment.

Other Information

Store at room temperature.

Adult and children 2 years and over

Apply to affected area 1 to 3 times daily

Children under 2 years

Consult a doctor

Inactive Ingredients

Propylene Glycol

Questions or Comments?

Call 1-800-767-9927.

Manufactured by Wisconsin Pharmacal Company, LLC Jackson, WI 53037 USA Distributed by Spectrum Division of United Industries Corporation PO Box 142642, St. Louis, MO 63114-0642

PRINCIPAL DISPLAY PANEL - 14.7 mL Bottle Label

BiteMD[®]

External Analgesic First Aid Antiseptic

from the makers of $Cutter_{\ensuremath{\mathbb{R}}}$ BRAND

INSECT BITE RELIEF

- ✓ STOPS PAIN
- ✓ RELIEVES ITCHING
- ✓ REDUCES INFECTION

Chiggers Wasps Mosquitoes Ticks
Soft Tip For
Controlled Application

Net 0.5 fl oz (14.7 mL)



External Analgesic First Aid Antiseptic







INSECT **BITE RELIEF**

- √ STOPS PAIN
- **✓** RELIEVES ITCHING
- **✓** REDUCES INFECTION









Chiggers Wasps Mosquitoes Ticks







BiteM

External Analgesic First Aid Antiseptic



BiteMD, when applied soon after an insect bite, begins to work immediately to counteract the effects of bites and stings from bees, wasps, mosquitoes, ticks, hornets, ants, fire ants, deerflies, chiggers, sand fleas and horseflies.



DRUG FACTS

Active Ingredients:	Purpose:
Benzocaine 5%	Analgesic, Anesthetic, Antipruritic
Camphor 3%	Topical Analgesic
Phenol 1.35%	First Aid Antiseptic

Uses: First aid for temporary relief of: ■ Pain ■ Itching
■ Infection

Warnings:

For external use only

Do not get in eyes.

- When using Do not apply over large areas of the body or bandage.
- this product In case of deep or puncture wounds, animal bites or serious burns, consult a doctor.

Stop use and ask doctor if condition worsens; or if symptoms persist for more than 7 days, clear up and occur again within a few days. Do not use longer than one week unless directed by doctor.

Keep out of reach of children. If swallowed, get medical help or contact a Poison Control Center right away. If in eyes, flush with water for 15 minutes and call a physician.

Clean area.

- Apply to the bite area by pressing straight down **Directions** repeatedly until liquid flows, then dab sparingly.
 - If itching persists, apply again in 10 to 15 minutes.
 - For ticks and bees, remove tick or stinger before treatment.

Other Information Adult and children

Store at room temperature.

2 years and over	Apply to affected area 1 to 3 times daily	
Children under 2 years	Consult a doctor	
Inactive Ingredients	Propylene Glycol	
Questions or Comments?	Call 1-800-767-9927.	

IMPORTANT: Read all information on this packaging and keep for future reference. This contains information not included on the stick label.

Manufactured by

Wisconsin Pharmacal Company, LLC

Jackson, WI 53037 USA Distributed by Spectrum

Division of United Industries Corporation PO Box 142642, St. Louis, MO 63114-0642

16-11359 @2014 UIC

FP0 UPC 0 71121 95614 9

BITEMD EXTERNAL ANALGESIC FIRST AID ANTISEPTIC

benzocaine, camphor (synthetic), and phenol liquid

Product Information

Product Type HUMAN OTC DRUG Item Code (Source) NDC:79364-0932

Route of Administration TOPICAL

Active Ingredient/Active Moiety

Ingredient Name	Basis of Strength	Strength	
Benzocaine (UNII: U3RSY48JW5) (Benzocaine - UNII:U3RSY48JW5)	Benzocaine	0.0524 mg in 1 mL	
CAMPHOR (SYNTHETIC) (UNII: 5TJD82A1ET) (CAMPHOR (SYNTHETIC) - UNII:5TJD82A1ET)	CAMPHOR (SYNTHETIC)	0.03144 mg in 1 mL	
Phenol (UNII: 339NCG44TV) (Phenol - UNII:339NCG44TV)	Phenol	0.01572 mg in 1 mL	

Inactive Ingredients

Ingredient Name	Strength
-----------------	----------

Propylene Glycol (UNII: 6DC9Q167V3)

Packaging

#	Item Code	Package Description	Marketing Start Date	Marketing End Date
1	NDC:79364- 0932-1	14.7 mL in 1 BOTTLE; Type 0: Not a Combination Product	01/01/2020	

Marketing Information			
Marketing Category	Application Number or Monograph Citation	Marketing Start Date	Marketing End Date
OTC monograph not final	part348	01/01/2020	

Labeler - United Industries Corporation (068527704)

Establishment					
Name	Address	ID/FEI	Business Operations		
Wisconsin Pharmacal		800873986	MANUFACTURE(79364-0932)		

Revised: 1/2023 United Industries Corporation