

CONTROLLED IODINE- iodine solution
Durvet Inc

Disclaimer: This drug has not been found by FDA to be safe and effective, and this labeling has not been approved by FDA. For further information about unapproved drugs, click here.

Controlled Iodine Spray

Controlled Iodine Spray

Antiseptic/Disinfectant

For Skin Disinfection, Superficial Wounds, Navel Cords

FOR ANIMAL USE ONLY

KEEP OUT OF REACH OF CHILDREN

INDICATIONS: In cattle, horses, swine and sheep as a topical antiseptic for use prior to surgical procedures such as castrating and docking; for ringworms and foot rot; for application to the navel of newborn animals; and for minor cuts, teat sores, bruises and abrasions.

DIRECTIONS:

Remove spray cap from 16 oz. container and refill from gallon container. Replace spray cap tightly. Hold container approximately 4 to 8 inches from the area to be sprayed. Point valve at the area to be sprayed. Pull trigger of valve and spray area once lightly. May be repeated daily, if necessary, until the area is healed.

CAUTION:

If redness, irritation or swelling persists or increases, discontinue use and consult a veterinarian. Not for use on burns or in body cavities or deep wounds.

NOTE: When used on or near the teats or udders of dairy animals, the teats and udders should be thoroughly washed before the next milking to prevent contamination of the milk.

INGREDIENTS:

Active Ingredients: Polyethoxylated nonylpenol iodine complex {provides 1.00% minimum titratable iodine}.....5.00%

Inactive Ingredients:

.....95.00%

STORAGE

CAUTION: Harmful or fatal if swallowed. Do not apply to the eyes, mucous membranes

or large areas of abraded skin. Avoid inhalation of mist.

Store at controlled room temperature between 10°-30°C (50°-86°F) Keep tightly closed, protect from light.

FOR ANIMAL USE ONLY

INDICATIONS: In cattle, horses, swine and sheep as a topical antiseptic for use prior to surgical procedures such as castrating and docking; for ringworm and foot rot; for application to the navel of newborn animals; and for minor cuts, teat sores, bruises and abrasions.

DIRECTIONS: Remove spray cap from 16 oz. container and refill from gallon container. Replace spray cap tightly. Hold container approximately 4 to 8 inches from the area to be sprayed. Point valve at the area to be sprayed. Pull trigger of valve and spray area once lightly. May be repeated daily, if necessary, until the area is healed.

CAUTION: If redness, irritation or swelling persists or increases, discontinue use and consult a veterinarian. Not for use on burns or in body cavities or deep wounds.

NOTE: When used on or near the teats or udders of dairy animals, the teats and udders should be thoroughly washed before the next milking to prevent contamination of milk.

Manufactured for: **DURVET, INC.**
Blue Springs, MO 64014 • www.durvet.com




ISS20007

NDC 30798-466-31



Controlled Iodine Spray

Antiseptic/Disinfectant



For Skin Disinfection, Superficial Wounds, Navel Cords

NET CONTENTS: 16 fl. oz. (473 mL)

KEEP OUT OF REACH OF CHILDREN

INGREDIENTS:
Active Ingredients:
 Polyethoxylated nonylphenol iodine complex (provides 1.00% minimum titratable iodine)5.00%
Inactive Ingredients:95.00%
 Purified Water and Nonionic Surfactant.

CAUTION: Harmful or fatal if swallowed. Do not apply to the eyes, mucous membranes or large areas of abraded skin. Avoid inhalation of mist.

STORAGE: Store at controlled room temperature between 10°-30°C (50°-86°F). Keep tightly closed, protect from light.

Lot No. _____
Exp. Date _____



7 45801 10331 3

CONTROLLED IODINE

iodine solution

Product Information

Product Type	OTC ANIMAL DRUG	Item Code (Source)	NDC:30798-466
Route of Administration	TOPICAL		

Active Ingredient/Active Moiety

Ingredient Name	Basis of Strength	Strength
IODINE (UNII: 9679TC07X4) (IODINE - UNII:9679TC07X4)	IODINE	0.01 mg in 1 mL

Inactive Ingredients

Ingredient Name	Strength
WATER (UNII: 059QF0KO0R)	0.99 mg in 1 mL

Packaging

#	Item Code	Package Description	Marketing Start Date	Marketing End Date
1	NDC:30798-466-31	473 mL in 1 BOTTLE		
2	NDC:30798-466-35	3785 mL in 1 JUG		

Marketing Information

Marketing Category	Application Number or Monograph Citation	Marketing Start Date	Marketing End Date
unapproved drug other		02/01/2012	

Labeler - Durvet Inc (056387798)

Establishment

Name	Address	ID/FEI	Business Operations
Centaur Inc		174239087	api manufacture, manufacture

Revised: 8/2023

Durvet Inc