

ATHLETES FOOT- butenafine hydrochloride cream
Walgreen Company

Athlete's Foot Cream

Drug Facts

Active ingredient

Butenafine hydrochloride 1%

Purpose

Antifungal

Uses

- cures most athlete's foot between the toes.
Effectiveness on the bottom or sides of foot is unknown.
- cures most jock itch and ringworm
- relieves itching, burning, cracking, and scaling which accompany these conditions

Warnings

For external use only

Do not use

- on nails or scalp
- in or near the mouth or the eyes
- for vaginal yeast infections

When using this product do not get into the eyes. If eye contact occurs, rinse thoroughly with water.

Stop use and ask a doctor if too much irritation occurs or irritation gets worse

Keep out of reach of children. If swallowed, get medical help or contact a Poison Control Center right away.

Directions

- adults and children 12 years and older:
 - use the tip of the cap to break the seal and open the tube
 - wash the affected skin with soap and water and dry completely before applying
 - **for athlete's foot between the toes:** apply to affected skin between and around the toes twice a day for 1 week (morning and night), or once a day for 4 weeks, or as directed by a doctor. Wear well-fitting, ventilated shoes. Change shoes and socks at least once daily.

Apply between and around the toes



1 week twice a day or 4 weeks once a day

- **for jock itch and ringworm:** apply once a day to affected skin for 2 weeks or as directed by a doctor.

- wash hands after each use
- children under 12 years: ask a doctor

Other information

- do not use if seal on tube is broken or not visible
- store between 20° to 25° C (68° to 77° F)

Inactive ingredients

benzyl alcohol, cetyl alcohol, glycerin, glyceryl monostearate SE, polyoxyethylene (23) cetyl ether, propylene glycol dicaprylate, purified water, sodium benzoate, stearic acid, trolamine, white petrolatum

Questions?

Call **1-866-923-4914**

**DISTRIBUTED BY: WALGREEN CO.
200 WILMOT RD., DEERFIELD, IL 60015**

PRINCIPAL DISPLAY PANEL - 30 g Tube Carton

PRESCRIPTION STRENGTH

Butenafine

Hydrochloride Cream 1%

Antifungal

Well at

Walgreens

NET WT 1 OZ (30 g)

Contains the drug:
BUTENAFINE HYDROCHLORIDE

PRESCRIPTION STRENGTH

Butenafine Hydrochloride Cream 1%

NEW



NDC 0363-2100-02

Antifungal

1 week treatment option for athlete's foot, see directions

- Relieves itching, burning & cracking

Compare to Lotrimin Ultra® active ingredient**

Clinically proven to cure most athlete's foot between the toes.

LPK-8435-0
0317-0
14

T175
B76.2
ENG19.54

PRESCRIPTION STRENGTH

Butenafine Hydrochloride Cream 1%



Antifungal

NET WT 1 OZ (30 g)

NO VARNISH/NO AQ
NO COPY/NO COLOR
THIS FLAP FOR LOT #
AND EXP DATE PRINT

ORG0217-F

DISTRIBUTED BY: WALGREEN CO.
200 WILMOT RD., DEERFIELD, IL 60015

Walgreens
100% SATISFACTION GUARANTEED
walgreens.com ©2016 Walgreen Co.
MADE IN CANADA

ITEM 906427 W00000-0000-0



**All trademarks are property of their respective owners.
This product is not affiliated with the makers/owners of Lotrimin Ultra®.

NO VARNISH ON THIS FLAP

Drug Facts	
Active ingredient Butenafine hydrochloride 1%.....An antifungal	
Purpose	
Uses	<ul style="list-style-type: none"> • treats most athlete's foot between the toes • Effectiveness on the bottom or sides of foot is unknown. • cures most foot itch and ringworm • relieves itching, burning, cracking, and scaling which accompany these conditions
Warnings For external use only	<ul style="list-style-type: none"> • Do not use <ul style="list-style-type: none"> • on nail or scalp • in or near the mouth or the eyes • for vaginal yeast infections <p>When using this product do not get into the eyes. If eye contact occurs, rinse thoroughly with water.</p> <p>Stop use and ask a doctor if too much irritation occurs or irritation gets worse</p> <p>Keep out of reach of children. If swallowed, get medical help or contact a Poison Control Center right away.</p>
Directions	<ul style="list-style-type: none"> • adults and children 12 years and older: <ul style="list-style-type: none"> • use the top of the cap to break the seal and open the tube • wash the affected skin with soap and water and dry completely before applying • for athlete's foot between the toes: apply to affected skin between and around the toes twice a day for 1 week (morning and night), or once a day for 4 weeks, or as directed by a doctor. Wear well-fitting, ventilated shoes. Change shoes and socks at least once daily. • for jock itch and ringworm: <ul style="list-style-type: none"> • apply once a day to affected skin • for 2 weeks or as directed by a doctor. • wash hands after each use • children under 12 years: ask a doctor <p>1 week (1 use a day or 4 weeks once a day)</p>
Other information	
Inactive ingredients	<ul style="list-style-type: none"> • do not use if seal on tube is broken or not visible • store between 20° to 25° C (68° to 77° F)
Questions? Call 1-866-923-4914	

Inactive ingredients benzyl alcohol, cetyl alcohol, glycerin, propylene glycol dicaprylate, purified water, sodium lauryl sulfate, polyoxyethylene (20) cetyl ether, propylene glycol dicaprylate, purified water, sodium lauryl sulfate, stearic acid, triolein, white petrolatum

children under 12 years: ask a doctor

wash hands after each use

for 2 weeks or as directed by a doctor.

apply once a day to affected skin

for jock itch and ringworm:

change shoes and socks at least once daily.

for athlete's foot between the toes: apply to affected skin between and around the toes twice a day for 1 week (morning and night), or once a day for 4 weeks, or as directed by a doctor. Wear well-fitting, ventilated shoes. Change shoes and socks at least once daily.

for 2 weeks or as directed by a doctor.

apply once a day to affected skin

wash the affected skin with soap and water and dry completely before applying

for athlete's foot between the toes: apply to affected skin between and around the toes twice a day for 1 week (morning and night), or once a day for 4 weeks, or as directed by a doctor. Wear well-fitting, ventilated shoes. Change shoes and socks at least once daily.

for 2 weeks or as directed by a doctor.

apply once a day to affected skin

wash the affected skin with soap and water and dry completely before applying

for athlete's foot between the toes: apply to affected skin between and around the toes twice a day for 1 week (morning and night), or once a day for 4 weeks, or as directed by a doctor. Wear well-fitting, ventilated shoes. Change shoes and socks at least once daily.

ATHLETES FOOT

butenafine hydrochloride cream

Product Information

Product Type	HUMAN OTC DRUG	Item Code (Source)	NDC:0363-2100
Route of Administration	TOPICAL		

Active Ingredient/Active Moiety

Ingredient Name	Basis of Strength	Strength
Butenafine Hydrochloride (UNII: R8 XA2029 ZI) (Butenafine - UNII:9 1Y494NL0 X)	Butenafine Hydrochloride	10 mg in 1 g

Inactive Ingredients

Ingredient Name	Strength
benzyl alcohol (UNII: LKG8494WBH)	
cetyl alcohol (UNII: 936JST6JCN)	
glycerin (UNII: PDC6A3C0OX)	
GLYCERYL STEARATE SE (UNII: FCZ5MH785I)	
CETETH-23 (UNII: 495CTZ441V)	
propylene glycol dicaprylate (UNII: 581437HWX2)	
WATER (UNII: 059QF0KO0R)	
sodium benzoate (UNII: OJ245FE5EU)	
stearic acid (UNII: 4ELV7Z65AP)	
trolamine (UNII: 9O3K93S3TK)	

Product Characteristics

Color	WHITE	Score	
Shape		Size	
Flavor		Imprint Code	
Contains			

Packaging

#	Item Code	Package Description	Marketing Start Date	Marketing End Date
1	NDC:0363-2100-02	1 in 1 CARTON	11/17/2017	
1		30 g in 1 TUBE; Type 0: Not a Combination Product		

Marketing Information

Marketing Category	Application Number or Monograph Citation	Marketing Start Date	Marketing End Date
ANDA	ANDA205181	11/17/2017	

Labeler - Walgreen Company (008965063)

