

GENTAMICIN SULFATE- gentamicin sulfate cream
Padagis Israel Pharmaceuticals Ltd

Gentamicin Sulfate Cream USP, 0.1%

Rx Only

For Dermatologic Use Only

Not For Ophthalmic Use

DESCRIPTION

Gentamicin Sulfate Cream USP, 0.1% is a wide spectrum antibiotic preparation for topical administration. Each gram of Gentamicin Sulfate Cream USP, 0.1% contains Gentamicin Sulfate USP equivalent to 1 mg of gentamicin base in a cream base of isopropyl myristate, propylene glycol, propylene glycol monostearate, polysorbate 40, purified water, sorbitol solution, and stearic acid, with methylparaben and butylparaben as preservatives.

CLINICAL PHARMACOLOGY

Gentamicin Sulfate is a wide spectrum antibiotic that provides highly effective topical treatment in primary and secondary bacterial infections of the skin. Gentamicin Sulfate Cream USP, 0.1% may clear infections that have not responded to other topical antibiotic agents. In primary skin infections such as impetigo contagiosa, treatment three or four times daily with Gentamicin Sulfate Cream USP, 0.1% usually clears the lesions promptly. In secondary skin infections, Gentamicin Sulfate Cream USP, 0.1% aids in the treatment of the underlying dermatosis by controlling the infection. Bacteria susceptible to the action of gentamicin sulfate include sensitive strains of *Streptococci* (group A beta-hemolytic, alpha-hemolytic), *Staphylococcus aureus* (coagulase positive, coagulase negative, and some penicillinase-producing strains), and the gram-negative bacteria, *Pseudomonas aeruginosa*, *Aerobacter aerogenes*, *Escherichia coli*, *Proteus vulgaris* and *Klebsiella pneumoniae*.

INDICATIONS AND USAGE

Primary skin infections: Impetigo contagiosa, superficial folliculitis, ecthyma, furunculosis, sycosis barbae, and pyoderma gangrenosum. Secondary skin infections: Infectious eczematoid dermatitis, pustular acne, pustular psoriasis, infected seborrheic dermatitis, infected contact dermatitis (including poison ivy), infected excoriations, and bacterial superinfections of fungal or viral infections. Please Note: Gentamicin Sulfate is a bactericidal agent that is not effective against viruses or fungi in skin infections. It is useful in the treatment of infected skin cysts and certain other skin abscesses when preceded by incision and drainage to permit adequate contact between the antibiotic and the infecting bacteria. Good results have been obtained in the treatment of infected stasis and other skin ulcers, infected superficial burns, paronychia, infected insect bites and stings, infected lacerations and abrasions, and wounds from minor surgery. Patients sensitive to neomycin can be treated with Gentamicin Sulfate, although regular

observation of patients sensitive to topical antibiotics is advisable when such patients are treated with any topical antibiotic. Gentamicin Sulfate Cream USP, 0.1% is recommended for wet, oozing primary infections, and greasy, secondary infections, such as pustular acne or infected seborrheic dermatitis. Gentamicin sulfate ointment helps retain moisture and has been useful in infection on dry eczematous or psoriatic skin. If a water-washable preparation is desired, the cream is preferable. Gentamicin Sulfate Cream USP, 0.1% has been used successfully in infants over one year of age, as well as in adults and children.

CONTRAINDICATIONS

This drug product is contraindicated in individuals with a history of sensitivity to any of its components.

PRECAUTIONS

The use of topical antibiotics occasionally allows overgrowth of nonsusceptible organisms, including fungi. If this occurs, or if irritation, sensitization, or superinfection develops, treatment with Gentamicin Sulfate should be discontinued and appropriate therapy instituted.

ADVERSE REACTIONS

In patients with dermatoses treated with Gentamicin Sulfate, irritation (erythema and pruritus) that did not usually require discontinuance of treatment has been reported in a small percentage of cases. There was no evidence of irritation or sensitization, however, in any of these patients patch-tested subsequently with Gentamicin Sulfate on normal skin. Possible photosensitization has been reported in several patients but could not be elicited in these patients by reapplication of Gentamicin Sulfate followed by exposure to ultraviolet radiation.

DOSAGE AND ADMINISTRATION

A small amount of Gentamicin Sulfate Cream USP, 0.1% should be applied gently to lesions three or four times a day. The area treated may be covered with a gauze dressing if desired. In impetigo contagiosa, the crusts should be removed before application of Gentamicin Sulfate Cream USP, 0.1% to permit maximum contact between the antibiotic and the infection. Care should be exercised to avoid further contamination of the infected skin. Infected stasis ulcers have responded well to Gentamicin Sulfate under gelatin packing.

HOW SUPPLIED

Gentamicin Sulfate Cream USP, 0.1% is available as follows:

15 g tube (NDC 45802-**056**-35)

30 g tube (NDC 45802-**056**-11)

STORAGE

Store at 20-25°C (68-77°F) [see USP Controlled Room Temperature].

Manufactured By Perrigo plc

Bronx, NY 10457

Distributed By Padagis

Allegan, MI 49010 ● www.padagis.com

Rev 01-22

1A500 RC JX2

Principal Display Panel - 15 g Cream Carton

Rx Only

NDC 45802-056-35

Gentamicin Sulfate Cream USP, 0.1%

NET WT 15 g



The following image is a placeholder representing the product identifier that is either affixed or imprinted on the drug package label during the packaging operation.

S/N [insert product's serial number]
 Lot [insert product's lot number]
 Exp [insert product's expiration date]

GENTAMICIN SULFATE				
gentamicin sulfate cream				
Product Information				
Product Type	HUMAN PRESCRIPTION DRUG	Item Code (Source)	NDC:45802-056	
Route of Administration	TOPICAL			
Active Ingredient/Active Moiety				
Ingredient Name		Basis of Strength	Strength	
GENTAMICIN SULFATE (UNII: 8X7386QRLV) (GENTAMICIN - UNII:T6Z9V48IKG)		GENTAMICIN	1 mg in 1 g	
Inactive Ingredients				
Ingredient Name				Strength
ISOPROPYL MYRISTATE (UNII: 0RE8K4LNJS)				
PROPYLENE GLYCOL (UNII: 6DC9Q167V3)				
PROPYLENE GLYCOL MONOPALMITOSTEARATE (UNII: F76354LMGR)				
POLYSORBATE 40 (UNII: STI11B5A2X)				
WATER (UNII: 059QF0KO0R)				
SORBITOL (UNII: 506T60A25R)				
STEARIC ACID (UNII: 4ELV7Z65AP)				
METHYLPARABEN (UNII: A2I8C7HI9T)				
BUTYLPARABEN (UNII: 3QPI1U3FV8)				
Packaging				
#	Item Code	Package Description	Marketing Start Date	Marketing End Date
1	NDC:45802-056-35	1 in 1 CARTON	12/05/2006	
1		15 g in 1 TUBE; Type 0: Not a Combination Product		
2	NDC:45802-056-11	1 in 1 CARTON	08/23/2006	
2		30 g in 1 TUBE; Type 0: Not a Combination Product		

Marketing Information

Marketing Category	Application Number or Monograph Citation	Marketing Start Date	Marketing End Date
ANDA	ANDA062307	08/23/2006	

Labeler - Padagis Israel Pharmaceuticals Ltd (600093611)

Revised: 1/2022

Padagis Israel Pharmaceuticals Ltd