

**NITROGEN- nitrogen gas**  
**Clinical 1 Home Medical, Inc.**

-----  
**Nitrogen**

**Nitrogen Liquid Label**

NITROGEN, REFRIGERATED LIQUID NF UN1977 NON-FLAMMABLE GAS 2

ALWAYS KEEP CONTAINER IN UPRIGHT POSITION

DO NOT CHANGE OR FORCE FIT CONNECTIONS.

RX ONLY

LTRS:

CONTENTS: \_\_\_\_\_ CU FT:

WARNING: Administration of Nitrogen may be hazardous or contraindicated. For use only by or under the supervision of a licensed practitioner who is experienced in the use and administration of nitrogen and is familiar with the indications, effects, dosages, methods, and frequency and duration of administration, and with the hazards, contraindications and side effects and the precautions to be taken.

WARNING: EXTREMELY COLD LIQUID AND GAS UNDER PRESSURE.

CAN CAUSE RAPID SUFFOCATION.

CAN CAUSE SEVERE FROSTBITE.

Store and use with adequate ventilation.

Do not get liquid in eyes, on skin or clothing.

For liquid withdraw, wear face shield and gloves.

Do not drop. Use suitable hand truck for container movement.

Container temperature should not exceed 52 degrees C ( 125 degrees F).

Close valve after each use and when empty.

Use a back flow preventive device in the piping.

Use in accordance with the Material Safety Data Sheet (MSDS).

FIRST AID: IF INHALED, remove to fresh air. If not breathing, give artificial respiration. If breathing is difficult, give oxygen.

Call a physician.

IN CASE OF FROSTBITE, obtain medical treatment immediately.

CAS: 7727-37-9

DO NOT REMOVE THIS PRODUCT LABEL



**NITROGEN,  
REFRIGERATED  
LIQUID  
NF  
UN1977**



**↑ ALWAYS KEEP CONTAINER IN UPRIGHT POSITION. ↑**

**DO NOT CHANGE OR FORCE FIT CONNECTIONS.**

**RX ONLY**

**CONTENTS:** \_\_\_\_\_ **LTRS:**   
**CU FT:**

**WARNING:** Administration of Nitrogen may be hazardous or contraindicated. For use only by or under the supervision of a licensed practitioner who is experienced in the use and administration of nitrogen and is familiar with the indications, effects, dosages, methods, and frequency and duration of administration, and with the hazards, contraindications and side effects and the precautions to be taken.

**WARNING: EXTREMELY COLD LIQUID AND GAS UNDER PRESSURE.  
CAN CAUSE RAPID SUFFOCATION.  
CAN CAUSE SEVERE FROSTBITE.**

Store and use with adequate ventilation.  
Do not get liquid in eyes, on skin or clothing.  
For liquid withdrawal, wear face shield and gloves.  
Do not drop. Use suitable hand truck for container movement.  
Container temperature should not exceed 52°C(125°F).  
Close valve after each use and when empty.  
Use a back flow preventive device in the piping.

Use in accordance with the **Material Safety Data Sheet (MSDS)**.

**FIRST AID:** IF INHALED, remove to fresh air. If not breathing, give artificial respiration. If breathing is difficult, give oxygen. Call a physician.

IN CASE OF FROSTBITE, obtain medical treatment immediately.

CAS: 7727-37-9

**DO NOT REMOVE THIS PRODUCT LABEL.**

## NITROGEN

nitrogen gas

### Product Information

Product Type	HUMAN PRESCRIPTION DRUG	Item Code (Source)	NDC:65919-002
Route of Administration	RESPIRATORY (INHALATION)		

### Active Ingredient/Active Moiety

Ingredient Name	Basis of Strength	Strength
NITROGEN (UNII: N762921K75) (NITROGEN - UNII:N762921K75)	NITROGEN	99 L in 100 L

### Packaging

#	Item Code	Package Description	Marketing Start Date	Marketing End Date
1	NDC:65919-002-01	10 L in 1 DEWAR; Type 0: Not a Combination Product	06/01/2000	

### Marketing Information

Marketing Category	Application Number or Monograph Citation	Marketing Start Date	Marketing End Date
NDA	NDA205839	06/01/2000	

**Labeler** - Clinical 1 Home Medical, Inc. (110832404)

**Registrant** - Clinical 1 Home Medical, Inc. (110832404)

## Establishment

Name	Address	ID/FEI	Business Operations
Clinical 1 Home Medical, Inc.		110832404	manufacture(65919-002)

Revised: 10/2023

Clinical 1 Home Medical, Inc.