

**DOCUSATE SODIUM- docusate sodium capsule, liquid filled
Preferred Pharmaceuticals Inc.**

Perrigo Docusate Sodium 100 mg Drug Facts

Active ingredient (in each softgel)

Docusate sodium 100 mg

Purpose

Stool softener laxative

Uses

- relieves occasional constipation (irregularity)
- generally produces bowel movement in 12 to 72 hours

Warnings

Do not use

- if you are presently taking mineral oil, unless told to do so by a doctor

Ask a doctor before use if you have

- stomach pain
- nausea
- vomiting
- noticed a sudden change in bowel habits that lasts over 2 weeks

Ask a doctor or pharmacist before use if you are

taking any other drug. Take this product two or more hours before or after other drugs. Laxatives may affect how other drugs work.

When using this product

do not exceed the maximum recommended daily dosage in a 24-hour period

Stop use and ask a doctor if

- you have rectal bleeding or fail to have a bowel movement after use of a laxative. These could be signs of a serious condition.
- you need to use a laxative for more than 1 week

If pregnant or breast-feeding,

ask a health professional before use.

Keep out of reach of children.

In case of overdose, get medical help or contact a Poison Control Center right away. (1-800-222-1222)

Directions

- Take only by mouth. Doses may be taken as a single daily dose or in divided doses.

adults and children 12 years and over	take 1 - 3 softgels daily
children 2 to under 12 years of age	take 1 softgel daily
children under 2 years	ask a doctor

Other information

- **each softgel contains:** sodium 6 mg
- very low sodium
- store at 20-25°C (68-77°F)
- **Repackaged By: Preferred Pharmaceuticals Inc.**

Inactive ingredients

D&C red no. 33, edible ink, FD&C blue no. 1, FD&C red no. 40, FD&C yellow no. 6, gelatin, glycerin, polyethylene glycol, purified water, sorbitol sorbitan solution, titanium dioxide

Questions?

1-800-719-9260

Principal Display Panel

Compare to Colace[®] active ingredient

Docusate Sodium

100 mg

Stool Softener Laxative

Gentle and Predictable

Relief of Constipation

Stimulant Free

Docosate Sodium 100mg

Generic for Colace

Active ingredient (in each softgel): Docosate Sodium 100mg.....Stool Softner

Pkg Size: Exp Date:

Lot#:

Batch#:

Ins:

Mfg: Padagis Israel Pharmaceuticals Ltd

Prod#:

Warning

Ask a doctor before use if you: have stomach pain, nausea, or vomiting, have a sudden change in bowel habits that persists over 2 weeks, are presently taking mineral oil. Stop use and ask a doctor if: you need to use a laxative longer than 1 week, you fail to have a bowel movement within 3 days, you have rectal bleeding. These could be signs of a serious condition. If pregnant or breast feeding ask a health professional before use. Keep out of reach of children. Store at 20°-25°C (68°-77°F). Softgel is oval, red and white imprinted with L486.



CAUTION: Federal law PROHIBITS transfer of this drug to any person other than the patient for whom it was prescribed

Docosate Sodium 100mg

Qty: Ins:
Lot#: Bat#:

Prod# (NDC):

Docosate Sodium 100mg

Qty: Ins:
Lot#: Bat#:

Prod# (NDC):

Docosate Sodium 100mg

Qty: Ins:
Insurance NDC:
Lot#: Bat#:

Docosate Sodium 100mg

Qty: Ins:
Lot#: Bat#:
Prod# (NDC):



Directions English

Take ___ capsule(s)
every ___ hour(s).



Instrucciones Espanol:

Toma ___ capsula(s)
cada ___ horas.

Log

Chart

Billing

Patient

DOCUSATE SODIUM

docosate sodium capsule, liquid filled

Product Information

Product Type	HUMAN OTC DRUG	Item Code (Source)	NDC:68788-8658(NDC:45802-486)
Route of Administration	ORAL		

Active Ingredient/Active Moiety

Ingredient Name	Basis of Strength	Strength
DOCUSATE SODIUM (UNII: F05Q2T2JA0) (DOCUSATE - UNII:M7P27195AG)	DOCUSATE SODIUM	100 mg

Inactive Ingredients

Ingredient Name	Strength
D&C RED NO. 33 (UNII: 9DBA0SBB0L)	
FD&C BLUE NO. 1 (UNII: H3R47K3TBD)	
FD&C RED NO. 40 (UNII: WZB9127XOA)	
FD&C YELLOW NO. 6 (UNII: H77VEI93A8)	
GELATIN, UNSPECIFIED (UNII: 2G86QN327L)	
GLYCERIN (UNII: PDC6A3C0OX)	
POLYETHYLENE GLYCOL, UNSPECIFIED (UNII: 3WJQ0SDW1A)	
WATER (UNII: 059QF0KO0R)	
SORBITAN (UNII: 6O92ICV9RU)	
SORBITOL (UNII: 506T60A25R)	
TITANIUM DIOXIDE (UNII: 15FIX9V2JP)	

Product Characteristics

Color	RED, WHITE (to off beige)	Score	no score
Shape	OVAL (softgel)	Size	13mm
Flavor		Imprint Code	L486
Contains			

Packaging

#	Item Code	Package Description	Marketing Start Date	Marketing End Date
1	NDC:68788-8658-3	30 in 1 BOTTLE; Type 0: Not a Combination Product	05/09/2024	
2	NDC:68788-8658-6	60 in 1 BOTTLE; Type 0: Not a Combination Product	05/09/2024	
3	NDC:68788-8658-9	100 in 1 BOTTLE; Type 0: Not a Combination Product	05/09/2024	

Marketing Information

Marketing Category	Application Number or Monograph Citation	Marketing Start Date	Marketing End Date
OTC Monograph Drug	part334	05/09/2024	

Labeler - Preferred Pharmaceuticals Inc. (791119022)

Registrant - Preferred Pharmaceuticals Inc. (791119022)

Establishment

Name	Address	ID/FEI	Business Operations
Preferred Pharmaceuticals Inc.		791119022	REPACK(68788-8658)

Revised: 5/2024

Preferred Pharmaceuticals Inc.