CARE SCIENCE ESSENTIAL FIRST AID- ethyl alcohol, isopropyl alcohol, bacitracin zinc, neomycin sulfate, polymyxin-b sulfate ASO LLC

Care Science Essential First Aid Kit

CONTENTS - Care Science Essential First Aid Kit

Adhesive Bandages

30 Sheer Bandages - 5/8 IN X 2 1/4 IN (15 MM X 57 MM)
20 Sheer Bandages - 3/4 IN X 3 IN (19 MM X 76 MM)
12 Butterfly Closures - 1 3/4 IN X 3/8 IN (44 MM X 9.5 MM)

Instruments

2 Wooden Finger Splints
1 First Aid Guide
1 Instant Cold Pack
1 Metal Tweezers
1 Paper Tape Roll - 1/2 IN X 5 YDS (12 MM X 4.5 M)

Topicals & Ointments

18 Alcohol Prep Pads - 1 3/16 IN X 2 5/16 IN (30 MM X 58 MM)
10 Triple Antibiotic Ointment - 1/32 OZ (0.9 G)
8 Antiseptic Wipes - 4 3/4 IN X 7 3/4 IN (120 MM X 196 MM)

Wound Dressings

4 Gauze Pads - 2 IN X 2 IN (50 MM X 50 MM) **2** Gauze Pads - 4 IN X 4 IN (101 MM x 101 MM)

Made in USA with globally sourced materials: Antiseptic Wipes, Butterfly Closures, First Aid Guide, Triple Antibiotic Ointment, Wooden Finger Splints. Made in Philippines: Adhesive Bandages

Made in China: Alcohol Prep Pads, Gauze Pads, Instant Cold Pack, Metal Tweezers, Paper Tape. Made in Mexico:Carrying Case

Alcohol Prep Pads & Triple Antibiotic Ointment

Caution:This product contains non-prescription drug products that have expiration dates. Please check before use. Keep these and all drug products out of reach of children. Tamper evident sealed packets; do not use any opened or torn packets.

Adhesive Bandages: For use on minor cuts, scrapes, & burns.

Directions:For optimal results, apply bandage to clean, dry skin. Change the dressing daily, when wet, or more often if needed. Single use.

Warning: For medical emergencies, seek professional help.

Butterfly Closures:For use on minor cuts, scrapes, & burns.

Directions:Remove backing tabs from Butterfly Closure. Apply adhesive sections on either side of the wound. Be sure to center the nonstick area over the wound. Change dressing as directed by your health care professional.

Warning: For medical emergencies, seek professional help.

Gauze Pads:For cleaning wounds.

Directions:Gently clean the wound with mild soap and water using the gauze pad and carefully dry the affected area. Discard the used pad.

Warning: In case of deep puncture wounds or serious burns, consult a physician.

Paper Tape: For securing wound covers.

Directions:Use gauze to gently clean in and around injured area with mild soap and water. Dry injured area and apply medication if necessary. Cover wound with non-stick pad or dressing. Secure the dressing with paper tape to help keep out dirt and contaminants.

Warning: In case of deep puncture wounds or serious burns, consult a physician.

Kit contents are not made with natural rubber latex.


Adhesive Bandages, Butterfly Closures, and Gauze Pads are sterile unless wrapper is opened or damaged.

Gauze pads are rayon-polyester blend.

Actual appearance of contents may vary depending on availability. We reserve the right to add, substitute, or replace items at our own discretion. At no time will the integrity of the items be less than that which is indicated on the packaging.

See inside of clear plastic case for complete drug facts & warnings for Alcohol Prep Pad, Triple Antibiotic Ointment and Antiseptic Wipes.

CARE SCIENCE (B) is an ASO brand Distributed by ASO LLC | Sarasota, FI 34240 www.asocorp.com



Active ingredient - Alcohol Prep Pads

Isopropyl Alcohol 70%

Purpose - Alcohol Prep Pads

Antiseptic

Uses - Alcohol Prep Pads

• For preparation of the skin prior to an injection

Warnings - Alcohol Prep Pads

For external use only Flammable, keep away from fire or flame

Do not use - Alcohol Prep Pads

- with electrocautery procedures
- In the eyes.

If contact occurs, flush eyes with water.

Stop use if - Alcohol Prep Pads

irritation and redness develop. If condition continues, consult your health care practitioner

Keep out of reach of children. - Alcohol Prep Pads

If swallowed get medical help or contact a Poison Control Center right away.

Directions - Alcohol Prep Pads

• wipe injection area and discard

Other information - Alcohol Prep Pads

 Store at room temperature: 59°F - 86°F (15°C - 30°C)

Inactive Ingredients - Alcohol Prep Pads

purified water

Questions or comments? - Alcohol Prep Pads

1-855-823-4545

Active ingredient - Antiseptic Wipes

Ethyl Alcohol 66.5%

Purpose - Antiseptic Wipes

Antiseptic

Uses - Antiseptic Wipes

 Antiseptic cleansing of face, hands and body to decrease bacteria on skin without soap and water

Warnings - Antiseptic Wipes

For external use only Flammable: keep away from fire or flame

Do not use - Antiseptic Wipes

in the eyes. If this happens, rinse thoroughly with water.

Stop use and ask a doctor if - Antiseptic Wipes

irritation or redness develop and persist for more than 72 hours.

Keep out of reach of children. - Antiseptic Wipes

If swallowed get medical help or contact a Poison Control Center right away.

. .

Directions - Antiseptic Wipes

- Tear open packet, remove towelette
- unfold and use as a washcloth
- supervise children under 6 years of age

Inactive ingredients - Antiseptic Wipes

aloe vera, fragrance, purified water, triethanolamine

Questions or comments? - Antiseptic Wipes

1-855-823-4545

Active ingredients (in each gram) - Triple Antibiotic Ointment

Bacitracin Zinc (400 units Bacitracin) Neomycin Sulfate 5 mg (equivalent to 3.5 mg Neomycin base) Polymyxin-B Sulfate 5000 units

Purpose - Triple Antibiotic Ointment

first aid antibiotic first aid antibiotic first aid antibiotic

Uses - Triple Antibiotic Ointment

• First aid to help prevent infection in minor cuts, scrapes and burns.

Warnings - Triple Antibiotic Ointment

For external use only

Do not use - Triple Antibiotic Ointment

in the eyes. If this happens, rinse thoroughly with water.

- internally
- over large areas of the body
- if you are allergic to any of the ingredients
- longer than 1 week unless directed by a doctor

Ask a doctor before use if you have - Triple Antibiotic Ointment

- deep or puncture wounds
- animal bites
- serious burns

Stop use and ask a doctor if - Triple Antibiotic Ointment

the condition persists or gets worse

• a rash or other allergic reaction develops

Keep out of reach of children. - Triple Antibiotic Ointment

In case of accidental ingestion, seek professional assistance or contact a Poison Control Center immediately.

Directions - Triple Antibiotic Ointment

- Clean the affected area
- Apply a small amount of this product (an amount equal to the surface area of the tip of a finger) on the area 1 to 3 times daily
- May be covered with a sterile bandage

Other information - Triple Antibiotic Ointment

- Store at room temperature (do not freeze)
- Do not use any opened or torn packets

Inactive ingredient - Triple Antibiotic Ointment

petrolatum

Questions or comments? - Triple Antibiotic Ointment

1-855-823-4545


Principal Display Panel - Care Science Essential First Aid Kit

CARE SCIENCE [®] ESSENTIAL FIRST AID

OFFICE HOME OUTDOOR SCHOOL

110 PIECES See back panel for details

Pack-&-go convenience ideal for minor cuts, scrapes, & burns



EDGE 1

RIPLE ANTIBIOTIC OINTMENT			Purpose	an injection		• in the	condition	wed get Center	scard	temperature		
Drug Facts Active ingredients (in each gram) Purpose Bacitracin Zinc (400 units Bacitracin) first aid antibiotic Neomycin Sulfate first aid antibiotic (equivalent to 3.5 mg Neomycin base) Polymyxin-B Sulfate 5000 units				in of the skin prior to	y from fire or flame	ot use • with electrocautery procedures If contact occurs, flush eyes with water.	redness develop. If ealth care practition	tch of children. If swallowed contact a Poison Control Cer	wipe injection area and discard	Store at room	nt purified water	
Uses • First aid to help prevent infection in minor cuts, scrapes and burns.	P PADS	ts	ingredient Alcohol 70%	preparation	tuse only keep away	ith electrocords, fl	tation and sult your h		•	r information 86°F (15°C - 30°C)	ingredient	
Warnings For external use only	HOL PREP	g Facts	ive ingi opyl Alcoh	For pr	rnings external u imable, ke	use • wi	use if irritation nes, consult yo	out of react of react of the or away.	ctions	er infor - 86°F (15	ctive ing	

by a doctor Ask a doctor before use if you have • deep or puncture wounds • animal bites • serious burns			Se ptic	s			less get ter	_	
Stop use and ask a doctor if the condition persists or gets worse • a rash or other allergic reaction develops			Purpose Antiseptic	face, hands skin without	r flame	ıs, rinse	172 hours. swallowed sontrol Cen	t, remove washcloth of age	a, nine
Keep out of reach of children. In case of accidental ingestion, seek professional assistance or contact a Poison Control Center immediately.				ou	om fire or	his happer	doctor if irritation for more than 72 of children. If swa act a Poison Cont	in packet, remove use as a washclot 6 years of age	Its aloe vera, triethanolamine
Directions • Clean the affected area • Apply a small amount of this product (an amount equal to the surface area of the tip of a finger) on the area 1 to 3 times daily covered with a sterile bandage	ANTISEPTIC WIPES	Facts	Active ingredient Ethyl Alcohol 66.5%	Antiseptic cleansing to decrease bacteria water	<i>WarningS</i> For external use only Flammable: keep away from fire or flame	Do not use in the eyes. If this happens, rinse thoroughly with water.	ask a ersist each o r cont	<i>Directions</i> • Tear open packet, remove welette • unfold and use as a washcloth supervise children under 6 years of age	Inactive ingredients fragrance. purified water. trie
Other information • Store at room temperature (do not freeze) • Do not use any opened or torn packets	EPTIC	Drug Fa	Active in Ethyl Alcoho	Uses • Antis and body to dec soap and water	<i>Warnings</i> For external Flammable:	ot use i ughly v	Stop use and develop and p Keep out of rr medical help o right away.	Directions towelette • • supervise chi	Inactive I

Principal Display Panel - Alcohol Prep Pads

ALCOHOL PREP PAD

1 Pad/Pouch Saturated with 70% Isopropyl Alcohol For External Use Only

DO NOT REUSE

NOT MADE WITH NATURAL RUBBER LATEX

Made in China Manufactured for Aso LLC Sarasota, Fl 34240 | www.asocorp.com DIE 40015

ALCOHOL	Drug Facts Active ingredient Purpose Isopropyl Alcohol 70% Antiseptic
PREP PAD	Uses · For preparation of the skin prior to an injection
1 Pad/Pouch Saturated with 70% Isopropyl Alcohol	Warnings For external use only Flammable, keep away from fire or flame
For External Use Only	Do not use • with electrocautery procedures • in the eyes. If contact occurs, flush eyes with water.
	Stop use if irritation and redness develop. If condition continues, consult your health care practitioner
	Keep out of reach of children. If swallowed get medical help or contact a Poison Control Center right away.
DO NOT REUSE NOT MADE WITH NATURAL RUBBER LATEX	Directions • wipe injection area and discard
Made in China	Other information • Store at room temperature: 59°F - 86°F (15°C - 30°C)
Manufactured for Aso LLC Sarasota, FI 34240 www.asocorp.com	Inactive ingredient purified water
DIE 40015	LOT: EXP:

Label

Principal Display Panel - Antiseptic Wipes

Safetec

Antiseptic Towelette

For Professional and Hospital Use Contents: 1 single-use, premoistened towelette

Manufactured by **SAFETEC OF AMERICA, Inc.** Buffalo, NY 14215 800-456-7077 www.safetec.com





Label

Principal Display Panel - Triple Antibiotic Ointment

Safetec

Triple Antibiotic Ointment

0.9 g (1/32 oz.)

Safetec of America, Inc. Buffalo, NY 14215 800-456-7077

Ø Safetec	Draver Footo (and investig
Salelec	Drug Facts (continued)
Triple Antibiotic	Warnings (continued)
Ointment	Do not use ■ internally ■ in eyes ■ over large areas of the
0.9 g (1/32 oz.)	body or on puncture wounds, animal bites or serious burns
Safetec of America, Inc.	for more than 1 week unless
Buffalo, NY 14215 800-456-7077	directed by a doctor ■ if you are allergic to any of the ingredients
Drug Facts	Stop use and ask a doctor if a rash or allergic reaction
Active Ingredient Purpose (in each gram)	develops ■ condition worsens or persists
Bacitracin Zinc (400 units Bacitracin) Neomycin sulfate (3.5 mg Neomycin)	Keep out of reach of children
Polymyxin B Sulfate First Aid	If ingested, contact a Poison Control Center right away.
(Polymyxin B 5000 units)Antibiotics	Directions Clean affected
Uses first aid to help prevent infection in minor	area apply a small amount
cuts, scrapes, and burns	1 to 3 times daily ■ may cover with a sterile bandage
Warnings For external use only	Inactive ingredients petrolatum

Label

CARE SCIENCE ESSENTIAL FIRST AID

ethyl alcohol, isopropyl alcohol, bacitracin zinc, neomycin sulfate, polymyxin-b sulfate kit

Product Information								
Product Type HUMAN OTC DRUG Item Code (Source) NDC:51142-001								
Packaging								
#	ltem Code	Package Description	on	Marketing Start Date	Marketing End Date			
1	NDC:51142-001- 01	1 in 1 CASE; Type 0: Not a Combi Product	1 CASE; Type 0: Not a Combination uct					

Quant	ity of Parts						
Part #	Pack	age Quantity		Total P	roduct Qu	antity	
Part 1	18 POUCH		6.12 g				
Part 2	8 PACKET		0.0152 L				
Part 3	10 POUCH		9 g				
Part	1 of 3						
ALCO	OHOL PREP	ΡΔD					
	prep pad swab						
Produ	ct Informatio	n					
Item Co	ode (Source)	NDC:51142-445					
Route	of Administratio	n TOPICAL					
Active	Ingredient/Ad	ctive Moiety					
		Ingredient Name			Basis Stren		Strength
	PYL ALCOHOL (UN M416302)	II: ND2M416302) (ISOPROPY	L ALCOHOL -		ISOPROPYL	ALCOHOL	70 g in 100 g
Inactiv	ve Ingredients					Churchard	.
WATED	(UNII: 059QF0KO0R)	Ingredient Name				Strengt	.n
WAILK							
Drodu	ct Characteris						
Color		white (White pad)		Score			
Shape				Size			
Flavor				Imprint Co	ode		
Contai	ns						
Packa	ging						
# Iter	n Code	Package Description	on	Marketin Da			eting End Date
1 NDC:5	51142-445- 0.34 g i Product	n 1 POUCH; Type 0: Not a C	ombination				
21	Troduct						
Mark	eting Infor	mation					
Mark							

от	C Monograph Dru	ug M003		09/24/2018	
Pa	art 2 of 3				
	NTISEPTIC	C			
Pı	roduct Infor	mation			
lte	em Code (Soui	rce)	NDC:61010-2017		
Ro	oute of Admini	istration	TOPICAL		
AC	tive Ingredi			Pacia of Church	
AL	COHOL (UNII: 3K		cohol - UNII:3K9958V90M)	Basis of Streng	5trength 665 mL in 1 L
				ALCOHOL	
In	active Ingre	dients			
		I	ngredient Name		Strength
	OE VERA LEAF (ł0X)		
	ATER (UNII: 059Q				
IR		9038933318)			
Pa	ackaging				
#	ltem Code	Pa	ckage Description	Marketing Start Date	Marketing End Date
1	NDC:61010- 2017-0	0.0019 L in 1 P Product	ACKET; Type 0: Not a Combination		
Μ	arketing	Informat	ion		
	Marketing Category	Applicat	tion Number or Monograph Citation	Marketing Start Date	Marketing End Date
от	C Monograph Dru	ug 505G(a)(3)		05/01/2017	
Pa	art 3 of 3				
TI	RIPLE AN1	ΓΙΒΙΟΤΙΟ			
			fate, polymyxin b sulfate ointm	nent	
Pı	roduct Infor	mation			

ltem	Code	(Source	e)
------	------	---------	----

NDC:61010-5600

Route of Administration

TOPICAL

Active myreule	ent/Active Moiety			
	Ingredient Name		Basis of Strength	Strength
BACITRACIN ZINC (UNII: 89Y4M234ES) (BACITRACIN - UNII:58H6RWO	52I)	BACITRACIN	400 [USP'U] in 1
NEOMYCIN SULFAT	E (UNII: 057Y626693) (NEOMYCIN - UNII:116QD7)	(297)	NEOMYCIN	3.5 mg in 1 g
POLYMYXIN B SULF JNII:J2VZ07J96K)	ATE (UNII: 19371312D4) (POLYMYXIN B -		POLYMYXIN B	5000 [USP'U] in 1 g
nactive Ingred	lients			
	Ingredient Name			Strength
PETROLATUM (UNII:	4T6H12BN9U)			
Packaging				
# Item Code	Package Description	Ма	rketing Start Date	Marketing End Date
	0.9 g in 1 POUCH; Type 0: Not a Combination Product			
Marketing I	nformation			
Marketing Category	Application Number or Monograph Citation	М	arketing Start Date	Marketing End Date
OTC Monograph Drug	M004	08/0)8/2011	
Marketing I	nformation			
		_		
Marketing	Application Number or Monograph Citation	Μ	arketing Start Date	Marketing End Date
Category				

Labeler - ASO LLC (152793493)

Revised: 8/2024

ASO LLC