

**LA ROCHE POSAY LABORATOIRE DERMATOLOGIQUE ANTHELIOS 50 MINERAL
ULTRA LIGHT BROAD SPECTRUM SPF 50 SUNSCREEN- titanium dioxide and
zinc oxide lotion
Cosmetique Active Production**

Drug Facts

Active ingredients

Titanium Dioxide 6%

Zinc Oxide 5%

Purpose

Sunscreen

Uses

- helps prevent sunburn
- if used as directed with other sun protection measures (see **Directions**), decreases the risk of skin cancer and early skin aging caused by the sun

Warnings

For external use only

Do not use

on damaged or broken skin

When using this product

keep out of eyes. Rinse with water to remove.

Stop use and ask a doctor if

rash occurs

Keep out of reach of children.

If swallowed, get medical help or contact a Poison Control Center right away.

Directions

- shake well before use

- apply generously 15 minutes before sun exposure
- reapply:
 - after 40 minutes of swimming or sweating
 - immediately after towel drying
 - at least every 2 hours
- Sun Protection Measures. Spending time in the sun increases your risk of skin cancer and early skin aging. To decrease this risk, regularly use a sunscreen with a Broad Spectrum SPF value of 15 or higher and other sun protection measures including:
 - limit time in the sun, especially from 10 a.m. - 2 p.m.
 - wear long-sleeved shirts, pants, hats and sunglasses
 - children under 6 months of age: Ask a doctor

Other information

protect the product in this container from excessive heat and direct sun

Inactive ingredients

water, dimethicone, isododecane, C12-15 alkyl benzoate, undecane, triethylhexanoin, isohexadecane, nylon-12, caprylyl methicone, butyloctyl salicylate, phenethyl benzoate, styrene/acrylates copolymer, silica, tridecane, dicaprylyl carbonate, dicaprylyl ether, talc, dimethicone/PEG-10/15 crosspolymer, aluminum stearate, pentylene glycol, PEG-9 polydimethylsiloxyethyl dimethicone, alumina, polyhydroxystearic acid, phenoxyethanol, magnesium sulfate, propylene glycol, caprylyl glycol, PEG-8 laurate, disteardimonium hectorite, triethoxycaprylylsilane diethylhexyl syringylidenemalonate, tocopherol, propylene carbonate, cassia alata leaf extract, maltodextrin, benzoic acid, PEG-9

Questions or comments?

1-888-LRP LABO 1-888-577-5226

Monday - Friday (9 a.m. - 5 p.m. EST)

Every day, dermatologists observe the severe skin damage caused by UVA and UVB ray exposure.

UVB rays mainly cause Burning

They are stopped by the epidermis. They cause tanning and are mainly responsible for sunburn. SPF or "Sun Protection Factor" is the degree of protection a sunscreen offers against UVB rays.

UVA rays mainly cause Aging or Sun Allergies

They penetrate deeper into the skin than UVB rays and can reach into the dermis. UVA rays directly contribute to skin aging (wrinkles, sagging, dark spots) and are the #1 cause of sun intolerances (allergies).

Both UVA and UVB rays have been proven to cause damage to skin cells, including DNA, and to weaken the immune system. This damage can potentially lead to the development of skin cancer.

A pioneer in sun protection research for over 15 years, La Roche-Posay, with ANTHELIOS, is trusted by dermatologists worldwide for its advanced formulations in UVA protection.

To learn more about La Roche-Posay products or to get sun safe tips, visit www.laroche-posay.us or check our Facebook: [@facebook.com/LaRochePosayUSA](https://www.facebook.com/LaRochePosayUSA).

FACE
50

SUNSCREEN

LA ROCHE-POSAY
LABORATOIRE DERMATOLOGIQUE

BROAD SPECTRUM
SPF50

ANTHELIOS 50
MINERAL

Avec de l'eau thermale de La Roche-Posay

ULTRA LIGHT SUNSCREEN FLUID
100% mineral UV filter system
Matte finish, non-whitening

Advanced Protection
with **CELL-OX SHIELD™**
UVA/UVB + ANTIOXIDANT



WATER RESISTANT (40 MINUTES)
Fragrance-free. Paraben-free
Tested on sensitive skin

1.7 FL OZ - 50 ml

ANTHELIOS 50 MINERAL sunscreen with CELL-OX SHIELD™.

A unique patent pending combination of mineral sun filters with powerful antioxidants in a fluid texture to protect your skin down to the cellular level!

Properties:

100% mineral UV filter system

- An optimized blend of titanium dioxide and zinc oxide to offer broad-spectrum protection with demonstrated effectiveness against UVA rays.

- A patent pending dispersion technology helps assure uniform protection.

Powerful antioxidant complex

- Senha Alata, a tropical leaf extract known to defend skin cells!

- Additional antioxidants to help protect skin from environmental aggressors.

Breaththrough texture

Fast absorbing, non-whitening texture. Skin feels hydrated with a matte finish. Suitable for use under make-up.

Results: If used as directed with other sun protection measures (see Directions), decreases the risk of skin cancer and early skin aging caused by the sun.

Dermatological safety:

ANTHELIOS 50 sunscreen has been rigorously formulated for optimal skin tolerance.

WATER RESISTANT (40 MINUTES)
FRAGRANCE-FREE
NON-COMEDOGENIC
ALLERGY TESTED
DERMATOLOGIST TESTED
TESTED ON SENSITIVE SKIN

upper layers of skin



Made in France

Distributed by La Roche-Posay LLC, New York, NY 10017

La Roche-Posay
Laboratoire Pharmaceutique
96270 La Roche-Posay France
TSA 1007 F 92467 ASNIERES CEDEX
www.laroche-posay.com

Drug Facts

Active ingredients	Purpose
Titanium dioxide 6%	Sunscreen
Zinc oxide 5%	Sunscreen

Uses

- helps prevent sunburn
- if used as directed with other sun protection measures (see **Directions**), decreases the risk of skin cancer and early skin aging caused by the sun

Warnings

For external use only

Do not use on damaged or broken skin

When using this product keep out of eyes. Rinse with water to remove.

Stop use and ask a doctor if rash occurs

Keep out of reach of children. If swallowed, get medical help or contact a Poison Control Center right away.

Directions

For sunscreen use:

- shake well before use
- apply generously 15 minutes before sun exposure
- reapply:
 - after 40 minutes of swimming or sweating
 - immediately after towel drying
 - at least every 2 hours
- **Sun Protection Measures.** Spending time in the sun increases your risk of skin cancer and early skin aging. To decrease this risk, regularly use a sunscreen with a Broad Spectrum SPF value of 15 or higher and other sun protection measures including:
 - limit time in the sun, especially from 10 a.m. - 2 p.m.
 - wear long-sleeved shirts, pants, hats and sunglasses
 - children under 6 months of age: Ask a doctor

Other information

- protect the product in this container from excessive heat and direct sun

Inactive ingredients


water, dimethicone, isododecane, C12-15 alkyl benzoate, undecane, triethylhexanoin, isohexadecane, nylon-12, caprylyl methicone, butyloctyl salicylate, phenethyl benzoate, styrene/acrylates copolymer, silica, tridecane, dicaprylyl carbonate, dicaprylyl ether, talc, dimethicone/PEG-10/15 crosspolymer, aluminum stearate, pentylene glycol, PEG-9 polydimethylsiloxylethyl dimethicone, alumina, polyhydroxystearic acid, phenoxyethanol, magnesium sulfate, propylene glycol, caprylyl glycol, PEG-8 laurate, disteardimonium hectorite, triethoxycaprylylsilane, diethylhexyl syringylidenemalonate, tocopherol, propylene carbonate, cassia alata leaf extract, maltodextrin, benzoic acid, PEG-9

Questions or comments?

1-888-LRP LABO 1-888-577-5226
Monday - Friday (9 a.m. - 5 p.m. EST)

858238
US Pat. Pending

Code F.I.L.: D53728/1



Every day, dermatologists observe the severe skin damage caused by UVA and UVB ray exposure.

UVB rays mainly cause **Burning**. They are stopped by the epidermis. They cause tanning and are mainly responsible for sunburn. SPF or "Sun Protection Factor" is the degree of protection a sunscreen offers against UVB rays.

UVA rays mainly cause **Aging** or **Sun Allergies**. They penetrate deeper into the skin than UVB rays and can reach into the dermis. UVA rays directly contribute to skin aging (wrinkles, sagging, dark spots) and are the #1 cause of sun intolerances (allergies).

Both **UVA** and **UVB** rays have been proven to cause damage to skin cells, including DNA, and to weaken the immune system. This damage can potentially lead to the development of **skin cancer**.

A pioneer in sun protection research for over 15 years, La Roche-Posay, with **ANTHELIOS**, is trusted by dermatologists worldwide for its advanced formulations in UVA protection.

To learn more about La Roche-Posay products or to get sun safe tips, visit www.laroche-posay.us or check our Facebook: [@facebook.com/LaRochePosayUSA](https://www.facebook.com/LaRochePosayUSA).

FACE
50
SUNSCREEN

LA ROCHE-POSAY
LABORATOIRE DERMATOLOGIQUE

BROAD SPECTRUM
SPF50

ANTHELIOS 50
MINERAL
Avec de l'eau thermale de La Roche-Posay

ULTRA LIGHT SUNSCREEN FLUID
100% mineral UV filter system
Matte finish, non-whitening

Advanced Protection
with **CELL-OX SHIELD™**
UVA/UVB + ANTIOXIDANT

SHAKE
SHAKE

WATER RESISTANT (40 MINUTES)
Fragrance-free. Paraben-free
Tested on sensitive skin

1.7 FL OZ - 50 ml

ANTHELIOS 50 MINERAL sunscreen with CELL-OX SHIELD™.

A unique patent pending combination of mineral sun filters with powerful antioxidants in a fluid texture to protect your skin down to the cellular level!

Properties:

100% mineral UV filter system
- An optimized blend of titanium dioxide and zinc oxide to offer broad-spectrum protection with demonstrated effectiveness against UVA rays.
- A patent pending dispersion technology helps assure uniform protection.

Powerful antioxidant complex
- Senha Alata, a tropical leaf extract known to defend skin cells!
- Additional antioxidants to help protect skin from environmental aggressors.

Breakthrough texture
Fast absorbing, non-whitening texture. Skin feels hydrated with a matte finish. Suitable for use under make-up.

Results: If used as directed with other sun protection measures (see **Directions**), decreases the risk of skin cancer and early skin aging caused by the sun.

Dermatological safety: **ANTHELIOS 50** sunscreen has been rigorously formulated for optimal skin tolerance.

WATER RESISTANT (40 MINUTES)
FRAGRANCE-FREE
NON-COMEDOGENIC
ALLERGY TESTED
DERMATOLOGIST TESTED
TESTED ON SENSITIVE SKIN

upper layers of skin

Made in France

Distributed by La Roche-Posay LLC, New York, NY 10017

La Roche-Posay
Laboratoire Pharmaceutique
96270 La Roche-Posay France
TSA 10007 F 92467 ASNIERES CERDEX
www.laroche-posay.com

Drug Facts

Active ingredients	Purpose
Titanium dioxide 6%	Sunscreen
Zinc oxide 5%	Sunscreen

Uses

- helps prevent sunburn
- if used as directed with other sun protection measures (see **Directions**), decreases the risk of skin cancer and early skin aging caused by the sun

Warnings
For external use only

Do not use on damaged or broken skin

When using this product keep out of eyes. Rinse with water to remove.

Stop use and ask a doctor if rash occurs

Keep out of reach of children. If swallowed, get medical help or contact a Poison Control Center right away.

Directions

For sunscreen use:

- shake well before use
- apply generously 15 minutes before sun exposure
- reapply:
 - after 40 minutes of swimming or sweating
 - immediately after towel drying
 - at least every 2 hours
- **Sun Protection Measures.** Spending time in the sun increases your risk of skin cancer and early skin aging. To decrease this risk, regularly use a sunscreen with a Broad Spectrum SPF value of 15 or higher and other sun protection measures including:
 - limit time in the sun, especially from 10 a.m. - 2 p.m.
 - wear long-sleeved shirts, pants, hats and sunglasses
 - children under 6 months of age: Ask a doctor

Other information

- protect the product in this container from excessive heat and direct sun

Inactive ingredients

water, dimethicone, isododecane, C12-15 alkyl benzoate, undecane, triethylhexanoin, isohexadecane, nylon-12, caprylyl methicone, butyloctyl salicylate, phenethyl benzoate, styrene/acrylates copolymer, silica, tridecane, dicaprylyl carbonate, dicaprylyl ether, talc, dimethicone/PEG-10/15 crosspolymer, aluminum stearate, pentylene glycol, PEG-9 polydimethylsiloxylethyl dimethicone, alumina, polyhydroxystearic acid, phenoxyethanol, magnesium sulfate, propylene glycol, caprylyl glycol, PEG-8 laurate, disteardimonium hectorite, triethoxycaprylylsilane, diethylhexyl syringylidene malonate, tocopherol, propylene carbonate, cassia alata leaf extract, maltodextrin, benzoic acid, PEG-9

Questions or comments?
1-888-LRP LABO 1-888-577-5226
Monday - Friday (9 a.m. - 5 p.m. EST)

858238 Code F.I.L.: D53728/1
US Pat. Pending

LA ROCHE POSAY LABORATOIRE DERMATOLOGIQUE ANTHELIOS 50 MINERAL ULTRA LIGHT BROAD SPECTRUM SPF 50 SUNSCREEN

titanium dioxide and zinc oxide lotion

Product Information

Product Type	HUMAN OTC DRUG	Item Code (Source)	NDC:69625-908
Route of Administration	TOPICAL		

Active Ingredient/Active Moiety

Ingredient Name	Basis of Strength	Strength
Titanium dioxide (UNII: 15FIX9V2JP) (Titanium dioxide - UNII:15FIX9V2JP)	Titanium dioxide	60 mg in 1 mL
Zinc oxide (UNII: SOI2LOH54Z) (Zinc oxide - UNII:SOI2LOH54Z)	Zinc oxide	50 mg in 1 mL

Inactive Ingredients

Ingredient Name	Strength
WATER (UNII: 059QF0KO0R)	
DIMETHICONE (UNII: 92RU3N3Y1O)	
ISODODECANE (UNII: A8289P68Y2)	
ALKYL (C12-15) BENZOATE (UNII: A9EJ3J61HQ)	
UNDECANE (UNII: JVOQT00NUE)	
TRIETHYLHEXANOIN (UNII: 7K3W1BIU6K)	
ISOHEXADECANE (UNII: 918X1OUF1E)	
NYLON-12 (UNII: 446U8J075B)	
CAPRYLYL TRISILOXANE (UNII: Q95M2P1KJL)	
BUTYLOCTYL SALICYLATE (UNII: 2EH13UN8D3)	
PHENETHYL BENZOATE (UNII: 0C143929GK)	
STYRENE/ACRYLAMIDE COPOLYMER (MW 500000) (UNII: 5Z4DPO246A)	
SILICON DIOXIDE (UNII: ETJ7Z6XBU4)	
TRIDECANE (UNII: A3LZF0L939)	
DICAPRYLYL CARBONATE (UNII: 609A3V1SUA)	
DICAPRYLYL ETHER (UNII: 77JZM5516Z)	
TALC (UNII: 7SEV7J4R1U)	
ALUMINUM STEARATE (UNII: U6XF9NP8HM)	
PENTYLENE GLYCOL (UNII: 50C1307PZG)	
PEG-9 POLYDIMETHYLSILOXYETHYL DIMETHICONE (UNII: TYP81E471F)	
ALUMINUM OXIDE (UNII: LMI26O6933)	
POLYHYDROXYSTEARIC ACID (2300 MW) (UNII: YXH47AOU0F)	
PHENOXYETHANOL (UNII: HIE492ZZ3T)	
MAGNESIUM SULFATE, UNSPECIFIED FORM (UNII: DE08037SAB)	
PROPYLENE GLYCOL (UNII: 6DC9Q167V3)	
CAPRYLYL GLYCOL (UNII: 00YIU5438U)	
PEG-8 LAURATE (UNII: 762O8IWA10)	
DISTEARDIMONIUM HECTORITE (UNII: X687XDK09L)	
TOCOPHEROL (UNII: ROZB2556P8)	
PROPYLENE CARBONATE (UNII: 8D08K3S51E)	
MALTODEXTRIN (UNII: 7CVR7L4A2D)	
BENZOIC ACID (UNII: 8SKN0B0MIM)	
POLYETHYLENE GLYCOL 450 (UNII: 5IRA46LB71)	

Packaging

#	Item Code	Package Description	Marketing Start Date	Marketing End Date
1	NDC:69625-908-01	1 in 1 CARTON	07/01/2011	
1		50 mL in 1 BOTTLE, PLASTIC; Type 0: Not a Combination Product		
2	NDC:69625-	1 in 1 CARTON	07/01/2011	07/01/2011

1	908-02	1 in 1 CARTON	07/01/2011	07/01/2011
2		3 mL in 1 TUBE; Type 0: Not a Combination Product		
3	NDC:69625-908-03	1 in 1 CARTON	12/02/2019	
3		5 mL in 1 TUBE; Type 0: Not a Combination Product		

Marketing Information

Marketing Category	Application Number or Monograph Citation	Marketing Start Date	Marketing End Date
OTC Monograph Drug	M020	07/01/2011	

Labeler - Cosmetique Active Production (282658798)

Establishment

Name	Address	ID/FEI	Business Operations
Cosmetique Active Production		282658798	manufacture(69625-908) , pack(69625-908)

Establishment

Name	Address	ID/FEI	Business Operations
Interspray		364829903	pack(69625-908)

Revised: 12/2023

Cosmetique Active Production