

BUTENAFINE HYDROCHLORIDE- butenafine hydrochloride cream
MEIJER DISTRIBUTION INC

Butenafine Hydrochloride

Drug Facts

Active ingredient

Butenafine hydrochloride 1%

Purpose

Antifungal

Uses

- cures most athlete's foot between the toes. Effectiveness on the bottom or sides of foot is unknown.
- cures most jock itch and ringworm
- relieves itching, burning, cracking, and scaling which accompany these conditions

Warnings

For external use only

Do not use

- on nails or scalp
- in or near the mouth or the eyes
- for vaginal yeast infections

When using this product do not get into the eyes. If eye contact occurs, rinse thoroughly with water.

Stop use and ask a doctor if too much irritation occurs or irritation gets worse

Keep out of reach of children. If swallowed, get medical help or contact a Poison Control Center right away.

Directions

- adults and children 12 years and older:
 - use the tip of the cap to break the seal and open the tube
 - wash the affected skin with soap and water and dry completely before applying
 - **for athlete's foot between the toes:** apply to affected skin between and around the toes twice a day for 1 week (morning and night), or once a day for 4 weeks, or as directed by a doctor. Wear well-fitting, ventilated shoes. Change shoes and socks at least once daily.

Apply between and around the toes



1 week twice a day or 4 weeks once a day

- **for jock itch and ringworm:** apply once a day to affected skin for 2 weeks or as directed by a doctor.
- wash hands after each use
- children under 12 years: ask a doctor

Other information

- do not use if seal on tube is broken or not visible
- store between 20° to 25° C (68° to 77° F)

Inactive ingredients

benzyl alcohol, cetyl alcohol, glycerin, glyceryl monostearate SE, polyoxyethylene (23) cetyl ether, propylene glycol dicaprylate, purified water, sodium benzoate, stearic acid, trolamine, white petrolatum

Questions?

Call **1-866-923-4914**

**DIST. BY MEIJER DISTRIBUTION, INC.
GRAND RAPIDS, MI 49544**

PRINCIPAL DISPLAY PANEL - 30 g Tube Carton

meijer ®

PRESCRIPTION STRENGTH

Antifungal Cream

BUTENAFINE HYDROCHLORIDE CREAM 1% | ANTIFUNGAL

Clinically Proven to Cure Most Athlete's Foot between the Toes

Contains the Drug:

Butenafine

Hydrochloride

NET WT 30 g (1 oz)

meijer.

PRESCRIPTION STRENGTH

Antifungal Cream

BUTENAFINE HYDROCHLORIDE CREAM 1% | ANTIFUNGAL

- Clinically Proven to Cure Most Athlete's Foot between the Toes
- Relieves Itching, Burning and Cracking

NDC 79481-0086-1

COMPARE TO
LOTRIMIN ULTRA®
ACTIVE INGREDIENT*

1 WEEK
Treatment Option
for Athlete's Foot.
See Directions.

5240777
0723
43

T-175
B76.2
ENG19.54

meijer.

PRESCRIPTION STRENGTH

Antifungal Cream

BUTENAFINE HYDROCHLORIDE CREAM 1% | ANTIFUNGAL

Clinically Proven to Cure Most Athlete's Foot between the Toes

Contains the Drug:
Butenafine
Hydrochloride

NET WT 30 g (1 oz)

meijer.
PRESCRIPTION STRENGTH
Antifungal Cream
BUTENAFINE HYDROCHLORIDE
CREAM 1% | ANTIFUNGAL



DIST. BY MEIJER DISTRIBUTION, INC.
GRAND RAPIDS, MI 49544
www.meijer.com
Made in Canada

PID 465517



All trademarks are property of their respective owners or Lotrimin Ultra®.

NO VARNISH
ON THIS FLAP

NO VARNISH
ON THIS FLAP

Drug Facts

Active ingredient
Butenafine hydrochloride 1%...
Purpose
Antifungal

Uses
• cures most athlete's foot between the toes.
• Effectiveness on the bottom or sides of foot is unknown.
• cures most jock itch and ringworm.
• relieves itching, burning, cracking, and scaling which accompany these conditions.

Warnings
For external use only
Do not use
• on nails or scalp
• in or near the mouth or the eyes
• for vaginal yeast infections
When using this product do not get into the eyes. If eye contact occurs, rinse thoroughly with water.
Stop use and ask a doctor if too much irritation occurs or if irritation gets worse.
Keep out of reach of children. If swallowed, get medical help or contact a Poison Control Center right away.

Other information
• do not use if seal on tube is broken or not visible
• store between 20° to 25° C (68° to 77° F)
Inactive ingredients benzyl alcohol, cetyl alcohol, glycerin, glyceryl monostearate SE, polyoxyethylene (29) glycol ether, propylene glycol diacrylate, purified water, sodium benzoate, stearic acid, tolanine, white petrolatum

Directions
• adults and children 12 years and older:
• use the tip of the cap to break the seal and open the tube
• wash the affected skin with soap and water and dry completely before applying
• for athlete's foot between the toes: apply to affected skin between and around the toes twice a day for 1 week (morning and night), once a day for 4 weeks, or as directed by a doctor. Wear well-fitting, ventilated shoes.
• for jock itch and ringworm: Apply between and around the toes. Change shoes and socks at least once daily.
• for foot itching and redness: Apply between and around the toes once a day for 2 weeks or as directed by a doctor.
• wash hands after each use
• children under 12 years: ask a doctor

Drug Facts (continued)

Questions? Call 1-866-923-4914

BUTENAFINE HYDROCHLORIDE

butenafine hydrochloride cream

Product Information

Product Type	HUMAN OTC DRUG	Item Code (Source)	NDC:79481-0086
Route of Administration	TOPICAL		

Active Ingredient/Active Moiety

Ingredient Name	Basis of Strength	Strength
BUTENAFINE HYDROCHLORIDE (UNII: R8XA2029ZI) (BUTENAFINE - UNII:91Y494NL0X)	BUTENAFINE HYDROCHLORIDE	10 mg in 1 g

Inactive Ingredients

Ingredient Name	Strength
BENZYL ALCOHOL (UNII: LKG8494WBH)	
CETYL ALCOHOL (UNII: 936JST6JCN)	
GLYCERIN (UNII: PDC6A3C0OX)	
GLYCERYL STEARATE SE (UNII: FCZ5MH785I)	
CETETH-23 (UNII: 495CTZ441V)	
PROPYLENE GLYCOL DICAPRYLATE (UNII: 581437HWX2)	
WATER (UNII: 059QF0KO0R)	
SODIUM BENZOATE (UNII: OJ245FE5EU)	
STEARIC ACID (UNII: 4ELV7Z65AP)	
TROLAMINE (UNII: 9O3K93S3TK)	
PETROLATUM (UNII: 4T6H12BN9U)	

Packaging

#	Item Code	Package Description	Marketing Start Date	Marketing End Date
1	NDC:79481-0086-1	1 in 1 CARTON	11/30/2023	
1		30 g in 1 TUBE; Type 0: Not a Combination Product		

Marketing Information

Marketing Category	Application Number or Monograph Citation	Marketing Start Date	Marketing End Date
ANDA	ANDA205181	11/30/2023	

Labeler - MEIJER DISTRIBUTION INC (006959555)

