

**BENZOYL PEROXIDE- benzoyl peroxide suspension**  
**Bryant Ranch Prepack**

-----  
**Perrigo Benzoyl Peroxide 10% Drug Facts**

**Active ingredient**

Benzoyl peroxide 10%

**Purpose**

Acne medication

**Use**

for the treatment of acne

**Warnings**

**For external use only**

**Do not use**

if you

- have very sensitive skin
- are sensitive to benzoyl peroxide

**When using this product**

- skin irritation and dryness is more likely to occur if you use another topical acne medication at the same time. If irritation occurs, only use one topical acne medication at a time.
- avoid unnecessary sun exposure and use a sunscreen
- avoid contact with the eyes, lips, and mouth
- avoid contact with hair and dyed fabrics, which may be bleached by this product
- skin irritation may occur, characterized by redness, burning, itching, peeling, or possibly swelling. Irritation may be reduced by using the product less frequently or in a lower concentration.

**Stop use and ask a doctor if**

- irritation becomes severe

**Keep out of reach of children.**

If swallowed, get medical help or contact a Poison Control Center right away. (1-800-222-1222)

## **Directions**

- shake well
- Sensitivity Test for a New User. Apply product sparingly to one or two small affected areas during the first 3 days. If no discomfort occurs, follow the directions stated below.
- wet area to be cleansed
- apply acne wash and gently massage area for 1-2 minutes
- rinse thoroughly and pat dry
- because excessive drying of the skin may occur, start with one application daily, then gradually increase to two or three times daily if needed or as directed by a doctor
- if bothersome dryness or peeling occurs, reduce application to once a day or every other day
- if going outside, apply sunscreen after using this product. If irritation or sensitivity develops, stop use of both products and ask a doctor.

## **Inactive ingredients**

carbomer homopolymer, citric acid\*, edetate disodium, glycerin, imidurea, lauryl methacrylate/glycol dimethacrylate crosspolymer, purified water, sodium C14-16 olefin sulfonate, sodium hydroxide \*may contain this ingredient

## **Questions or comments?**

**1-800-719-9260**

## **HOW SUPPLIED**

Benzoyl Peroxide 10% Wash

- NDC 72162-2337-2: 142 g in a BOTTLE

Repackaged/Relabeled by:  
Bryant Ranch Prepack, Inc.  
Burbank, CA 91504

**Benzoyl Peroxide 10% Wash**



SN Lot  
 Exp Lot  
 10/31/2025  
 1234567890  
 00363629106424  
 LOT123

Drug Facts	
<b>Active ingredient</b> Benzoyl peroxide 10%	<b>Purpose</b> Acne medication
<b>Uses</b> for the treatment of acne	
<b>Warnings</b> For external use only. Do not use if you have very sensitive skin or are sensitive to benzoyl peroxide. When using this product skin irritation and dryness is more likely to occur if you use another topical acne medication at the same time. If irritation occurs, only use one topical acne medication at a time. Avoid unnecessary sun exposure and use a sunscreen. Avoid contact with the eyes, lips, and mouth. Avoid contact with hair and dyed fabrics, which may be bleached by this product. Skin irritation may occur, characterized by redness, burning, itching, peeling, or possibly swelling. Irritation may be reduced by using the product less frequently or in a lower concentration. Stop use and ask a doctor if irritation becomes severe. Keep out of reach of children. If swallowed, get medical help or contact a Poison Control Center right away. (1-800-222-1222)	
<b>Other Information</b> Store at 20-25°C (68-77°F)	
<b>Directions</b> Shake well. Sensitivity Test for a New User. Apply product sparingly to one or two small affected areas during the first 3 days. If no discomfort occurs, follow the directions stated below. Wet area to be cleansed. Apply acne wash and gently massage area for 1-2 minutes. Rinse thoroughly and pat dry. Because excessive drying of the skin may occur, start with one application daily, then gradually increase to two or three times daily if needed or as directed by a doctor. If bothersome dryness or peeling occurs, reduce application to once a day or every other day. If going outside, apply sunscreen after using this product. If irritation or sensitivity develops, stop use of both products and ask a doctor.	
<b>Inactive Ingredients</b> carbomer homopolymer, citric acid, edetate disodium, glycerin, imidurea, lauryl methacrylate/glycol dimethacrylate crosspolymer, purified water, sodium C14-16 olefin sulfonate, sodium hydroxide. *may contain this ingredient.	

NDC 72162-2337-2

**Benzoyl Peroxide  
 Acne  
 Medication  
 Wash**

**10%**

NET WT 5 OZ (142 g)



Relabeled by:  
 Bryant Ranch Prepack, Inc.  
 Burbank, CA 91504 USA

7216223372



**BENZOYL PEROXIDE**

benzoyl peroxide suspension

**Product Information**

<b>Product Type</b>	HUMAN OTC DRUG	<b>Item Code (Source)</b>	NDC:72162-2337(NDC:45802-318)
<b>Route of Administration</b>	TOPICAL		

**Active Ingredient/Active Moiety**

Ingredient Name	Basis of Strength	Strength
<b>BENZOYL PEROXIDE</b> (UNII: W9WZ N9A0GM) (BENZOYL PEROXIDE - UNII:W9WZ N9A0GM)	BENZOYL PEROXIDE	10 g in 100 g

**Inactive Ingredients**

Ingredient Name	Strength
<b>CITRIC ACID MONOHYDRATE</b> (UNII: 2968PHW8QP)	
<b>EDETATE DISODIUM</b> (UNII: 7FLD91C86K)	
<b>GLYCERIN</b> (UNII: PDC6A3C0OX)	
<b>IMIDUREA</b> (UNII: M629807ATL)	
<b>LAURYL METHACRYLATE/GLYCOL DIMETHACRYLATE CROSSPOLYMER</b> (UNII: EX0F4CZ66H)	
<b>WATER</b> (UNII: 059QF0KO0R)	
<b>SODIUM C14-16 OLEFIN SULFONATE</b> (UNII: O9W3D3YF5U)	
<b>SODIUM HYDROXIDE</b> (UNII: 55X04QC32I)	

**Packaging**

#	Item Code	Package Description	Marketing Start Date	Marketing End Date
1	NDC:72162-2337-2	142 g in 1 BOTTLE; Type 0: Not a Combination Product	06/18/2024	

## Marketing Information

Marketing Category	Application Number or Monograph Citation	Marketing Start Date	Marketing End Date
OTC Monograph Drug	M006	02/20/2013	

**Labeler** - Bryant Ranch Prepack (171714327)

**Registrant** - Bryant Ranch Prepack (171714327)

## Establishment

Name	Address	ID/FEI	Business Operations
Bryant Ranch Prepack		171714327	REPACK(72162-2337) , RELABEL(72162-2337)

Revised: 6/2024

Bryant Ranch Prepack