

**CARTERS LITTLE PILLS SODIUM-FREE- bisacodyl tablet, delayed release  
Church & Dwight Co., Inc.**

*Disclaimer: Most OTC drugs are not reviewed and approved by FDA, however they may be marketed if they comply with applicable regulations and policies. FDA has not evaluated whether this product complies.*

-----

**Active ingredient (in each tablet)**

Bisacodyl USP, 5 mg

**Purpose**

Stimulant laxative

**Uses**

- for relief of occasional constipation (irregularity)
- this product generally produces a bowel movement in 6 to 12 hours

**Warnings**

Do not use

- in children under 6 years of age
- if you can't swallow without chewing
- for a period longer than 1 week, unless directed by a doctor

**Ask a doctor before use if you have**

- stomach pain, nausea, or vomiting
- a sudden change in bowel habits that persists over 2 weeks

**When using this product**

- do not use within 1 hour after taking an antacid or milk
- do not chew or crush tablets
- you may have stomach discomfort, faintness and cramps

**Stop use and ask a doctor if**

- you need to use a laxative for more than 1 week
- you fail to have a bowel movement or have rectal bleeding. These could be signs of a serious condition.

**Keep out of reach of children.**

**If pregnant or breast-feeding**, ask a health professional before use.

**Keep out of reach of children.** In case of overdose, get medical help or contact a poison Control Center right away.

## **Directions**

Follow dosage below or use a directed by a doctor

adults and children 12 years of age and over (usually 2) in a single daily dose	1 to 3 tablets
children 6 to under 12 years of age daily dose	1 tablet in a single
children under 6 years of age	consult a doctor

## **Other information**

- avoid excessive humidity
- store at temperatures not above 86 degrees F (30 C)

Questions or Comments: 1-800-926-5222 M-F from 9-5 ET

## **Inactive ingredients**

Croscarmellose Sodium, Hydroxypropyl Methylcellulose, Lactose, Magnesium Stearate, Methacrylic Acid Copolymer, Microcrystalline Cellulose, Talc, Triacetin, Triethyl Citrate, Zea mays (Corn) Starch

## **Principal Display**

Overnight Relief Guaranteed

CARTERS

LITTLE

PILLS

Carter's

BISACODYL DELAYED-RELEASED TABLETS

STIMULANT LAXATIVE

Sodium-Free

ENTERIC COATED 25 TABLETS



**Product Information**

<b>Product Type</b>	HUMAN OTC DRUG	<b>Item Code (Source)</b>	NDC:10237-906
<b>Route of Administration</b>	ORAL		

**Active Ingredient/Active Moiety**

<b>Ingredient Name</b>	<b>Basis of Strength</b>	<b>Strength</b>
<b>BISACODYL</b> (UNII: 10X0709Y6I) (DEACETYLBISACODYL - UNII:R09078E41Y)	BISACODYL	5 mg

**Inactive Ingredients**

<b>Ingredient Name</b>	<b>Strength</b>
<b>CROSCARMELOSE SODIUM</b> (UNII: M28OL1HH48)	
<b>HYPROMELLOSE 2208 (100 MPA.S)</b> (UNII: B1QE5P712K)	
<b>LACTOSE</b> (UNII: J2B2A4N98G)	
<b>MAGNESIUM STEARATE</b> (UNII: 70097M6I30)	
<b>METHACRYLIC ACID - METHYL METHACRYLATE COPOLYMER (1:1)</b> (UNII: 74G4R6TH13)	
<b>CELLULOSE, MICROCRYSTALLINE</b> (UNII: OP1R32D61U)	
<b>STARCH, CORN</b> (UNII: O8232NY3SJ)	
<b>TALC</b> (UNII: 7SEV7J4R1U)	
<b>TRIETHYL CITRATE</b> (UNII: 8Z96QXD6UM)	

**Product Characteristics**

<b>Color</b>	white	<b>Score</b>	no score
<b>Shape</b>	ROUND	<b>Size</b>	6mm
<b>Flavor</b>		<b>Imprint Code</b>	C;5
<b>Contains</b>			

**Packaging**

#	Item Code	Package Description	Marketing Start Date	Marketing End Date
1	NDC:10237-906-25	1 in 1 CARTON	06/01/2011	11/14/2018
1		25 in 1 BLISTER PACK; Type 0: Not a Combination Product		
2	NDC:10237-906-75	3 in 1 CARTON	06/01/2011	11/14/2018
2		25 in 1 BLISTER PACK; Type 0: Not a Combination Product		

**Marketing Information**

<b>Marketing Category</b>	<b>Application Number or Monograph Citation</b>	<b>Marketing Start Date</b>	<b>Marketing End Date</b>
OTC monograph not final	part334	06/01/2011	

**Labeler** - Church & Dwight Co., Inc. (001211952)

**Establishment**

<b>Name</b>	<b>Address</b>	<b>ID/FEI</b>	<b>Business Operations</b>
Church & Dwight Canada Corp.		253933600	manufacture(10237-906)

Revised: 1/2023

Church & Dwight Co., Inc.