

ALLERGY RELIEF- cetirizine hydrochloride tablet, coated
CHAIN DRUG MARKETING ASSOCIATION INC.

QCH - 1194A - 2019-1007

Cetirizine Hydrochloride Tablets

Drug Facts

Active ingredient (in each tablet)

Cetirizine HCl 10 mg

Purpose

Antihistamine

Uses

temporarily relieves these symptoms due to hay fever or other upper respiratory allergies:

- runny nose
- sneezing
- itchy, watery eyes
- itching of the nose or throat

Do not use

if you have ever had an allergic reaction to this product or any of its ingredients or to an antihistamine containing hydroxyzine.

Ask a doctor before use if you have

liver or kidney disease. Your doctor should determine if you need a different dose.

Ask a doctor or pharmacist before use if you are

taking tranquilizers or sedatives.

WHEN USING THIS PRODUCT

- drowsiness may occur
- avoid alcoholic drinks
- alcohol, sedatives, and tranquilizers may increase drowsiness
- be careful when driving a motor vehicle or operating machinery

Stop use and ask a doctor if

an allergic reaction to this product occurs. Seek medical help right away.

If pregnant or breast-feeding:

- if breast-feeding: not recommended

- if pregnant: ask a health professional before use.

Keep out of reach of children.

In case of overdose, get medical help or contact a Poison Control Center right away (1-800-222-1222).

DIRECTIONS

adults and children 6 years and over	one 10 mg tablet once daily; do not take more than one 10 mg tablet in 24 hours. A 5 mg product may be appropriate for less severe symptoms.
adults 65 years and over	ask a doctor
children under 6 years of age	ask a doctor
consumers with liver or kidney disease	ask a doctor

Other information

- store between 20 to 25°C (68 to 77°F)
- retain carton for complete product information and warnings

Inactive ingredients

colloidal silicon dioxide, croscarmellose sodium, hypromellose, lactose monohydrate, magnesium stearate, microcrystalline cellulose, polyethylene glycol, titanium dioxide.

Questions or comments?

1-844-705-4384

PRINCIPAL DISPLAY PANEL

Quality Choice®

NDC 63868-665-30

*Compare to the Active Ingredient in ZYRTEC® Allergy

24 Hour

Original Prescription Strength

Allergy Relief

Cetirizine Hydrochloride Tablets 10 mg | Antihistamine

Indoor & Outdoor Allergies

Relief of:

Sneezing

Runny Nose

Itchy, Watery Eyes

Itchy Throat or Nose

30 Tablets

nc

<p>Drug Facts</p> <p>Active ingredient (in each tablet) Cetirizine HCl 10 mg</p> <p>Purpose Antihistamine</p> <p>Uses Temporarily relieves these symptoms due to hay fever or other upper respiratory allergies: <ul style="list-style-type: none"> ■ runny nose ■ sneezing ■ itchy, watery eyes ■ itching of the nose or throat </p> <p>Warnings Do not use if you have ever had an allergic reaction to this product or any of its ingredients or to an antihistamine containing hydroxyzine.</p> <p>Ask a doctor before use if you have liver or kidney disease. Your doctor should determine if you need a different dose.</p> <p>Ask a doctor or pharmacist before use if you are taking tranquilizers or sedatives.</p> <p>When using this product</p> <ul style="list-style-type: none"> ■ drowsiness may occur ■ alcohol, sedatives, and tranquilizers may increase drowsiness ■ be careful when driving a motor vehicle or operating machinery <p>Stop use and ask a doctor if an allergic reaction to this product occurs. Seek medical help right away.</p> <p>If pregnant or breast-feeding:</p> <ul style="list-style-type: none"> ■ if breast-feeding, not recommended ■ if pregnant: ask a health professional before use. 	<p>Drug Facts (continued)</p> <p>Keep out of reach of children. In case of overdose, get medical help or contact a Poison Control Center right away (1-800-222-1222).</p> <p>Directions</p> <table style="width: 100%; border-collapse: collapse;"> <tr> <td style="width: 30%;">adults and children 6 years and over</td> <td>one 10 mg tablet once daily, do not take more than one 10 mg tablet in 24 hours. A 5 mg product may be appropriate for less severe symptoms.</td> </tr> <tr> <td>adults 65 years and over</td> <td>ask a doctor</td> </tr> <tr> <td>children under 6 years of age</td> <td>ask a doctor</td> </tr> <tr> <td>consumers with liver or kidney disease</td> <td>ask a doctor</td> </tr> </table> <p>Other information</p> <ul style="list-style-type: none"> ■ store between 20-25°C (68-77°F) ■ retain carton for complete product information and warnings <p>Inactive ingredients colloidal silicon dioxide, croscarmellose sodium, hypromellose, lactose monohydrate, magnesium stearate, microcrystalline cellulose, polyethylene glycol, titanium dioxide</p> <p>Questions or comments? 1-844-705-4384</p>	adults and children 6 years and over	one 10 mg tablet once daily, do not take more than one 10 mg tablet in 24 hours. A 5 mg product may be appropriate for less severe symptoms.	adults 65 years and over	ask a doctor	children under 6 years of age	ask a doctor	consumers with liver or kidney disease	ask a doctor
adults and children 6 years and over	one 10 mg tablet once daily, do not take more than one 10 mg tablet in 24 hours. A 5 mg product may be appropriate for less severe symptoms.								
adults 65 years and over	ask a doctor								
children under 6 years of age	ask a doctor								
consumers with liver or kidney disease	ask a doctor								

nc

nc

F1194A020CH_R0

*This product is not manufactured or distributed by McNeil Consumer Healthcare, distributor of Zyrtec® Allergy.

Distributed by C.D.M.A., Inc.®
43157 W 9 Mile Rd
Novi, MI 48375
www.qualitychoice.com
Questions: 248-449-9300
Made in India

DO NOT USE IF IMPRINTED SEAL UNDER CAP IS BROKEN OR MISSING

SATISFACTION 100% GUARANTEED

6 35515 99684 7

INK AND COATING FREE FOR LOT AND

ALLERGY RELIEF

cetirizine hydrochloride tablet, coated

Product Information

Product Type	HUMAN OTC DRUG	Item Code (Source)	NDC:63868-665
Route of Administration	ORAL		

Active Ingredient/Active Moiety

Ingredient Name	Basis of Strength	Strength
CETIRIZINE HYDROCHLORIDE (UNII: 64O047KTOA) (CETIRIZINE - UNII:YO7261ME24)	CETIRIZINE HYDROCHLORIDE	10 mg

Inactive Ingredients

Ingredient Name	Strength
LACTOSE MONOHYDRATE (UNII: EWQ57Q815X)	
CROSCARMELLOSE SODIUM (UNII: M28OL1HH48)	
SILICON DIOXIDE (UNII: ETJ7Z6XBU4)	
MAGNESIUM STEARATE (UNII: 70097M6I30)	
CELLULOSE, MICROCRYSTALLINE (UNII: OP1R32D6IU)	

HYPROMELLOSE, UNSPECIFIED (UNII: 3NXW29V3WO)

TITANIUM DIOXIDE (UNII: 15FIX9V2JP)

POLYETHYLENE GLYCOL, UNSPECIFIED (UNII: 3WJQ0SDW1A)

Product Characteristics

Color	white (white to off white)	Score	2 pieces
Shape	RECTANGLE (rounded off rectangular)	Size	9mm
Flavor		Imprint Code	G;4
Contains			

Packaging

#	Item Code	Package Description	Marketing Start Date	Marketing End Date
1	NDC:63868-665-14	1 in 1 CARTON	09/01/2018	
1		14 in 1 BOTTLE, PLASTIC; Type 0: Not a Combination Product		
2	NDC:63868-665-30	1 in 1 CARTON	09/01/2018	
2		30 in 1 BOTTLE, PLASTIC; Type 0: Not a Combination Product		
3	NDC:63868-665-90	1 in 1 CARTON	09/01/2018	
3		90 in 1 BOTTLE, PLASTIC; Type 0: Not a Combination Product		

Marketing Information

Marketing Category	Application Number or Monograph Citation	Marketing Start Date	Marketing End Date
ANDA	ANDA209274	09/01/2018	

Labeler - CHAIN DRUG MARKETING ASSOCIATION INC. (011920774)

Revised: 10/2019

CHAIN DRUG MARKETING ASSOCIATION INC.