MOTION SICKNESS RELIEF- dimenhydrinate tablet Rite Aid Corporation

Rite Aid 44-198

Active ingredient (in each tablet)

Dimenhydrinate 50 mg

Purpose

Antiemetic

Uses

for prevention and treatment of these symptoms associated with motion sickness:

- nausea
- vomiting
- dizziness

Warnings

Do not use

for children under 2 years of age unless directed by a doctor.

Ask a doctor before use if you have

- a breathing problem such as emphysema or chronic bronchitis
- glaucoma
- difficulty in urination due to enlargement of the prostate gland

Ask a doctor or pharmacist before use if you are

taking sedatives or tranquilizers.

When using this product

- alcohol, sedatives, and tranquilizers may increase drowsiness
- marked drowsiness may occur
- use caution when driving a motor vehicle or operating machinery
- avoid alcoholic beverages

If pregnant or breast-feeding,

ask a health professional before use.

Keep out of reach of children.

In case of overdose, get medical help or contact a Poison Control Center right away.

Directions

 to prevent motion sickness, the first dose should be taken one-half to one hour before starting activity

| adults and children 12 years and over | 1 to 2 tablets every 4-6 hours; do not exceed 8 tablets in 24 hours, or as directed by a doctor |
|--|---|
| children 6 to under 12 years | ¹ / ₂ to 1 tablet every 6-8 hours; do not exceed 3 tablets in 24 hours, or as directed by a doctor |
| children 2 to under 6 years | ¹ / ₂ tablet every 6-8 hours; do not exceed 1 ¹ / ₂ tablets in 24 hours, or as directed by a doctor |

Other information

- each tablet contains: calcium 35 mg
- TAMPER EVIDENT: DO NOT USE IF OUTER PACKAGE IS OPENED OR BLISTER IS TORN OR BROKEN
- store at 25°C (77°F); excursions permitted between 15°-30°C (59°-86°F)
- protect from moisture
- see end flap for expiration date and lot number

Inactive ingredients

croscarmellose sodium, dibasic calcium phosphate dihydrate, magnesium stearate, microcrystalline cellulose, silicon dioxide, stearic acid

Questions or comments?

1-800-426-9391

Principal Display Panel

NDC 11822-0198-7

Compare to the active ingredient in **Dramamine® Original Formula***

MOTION SICKNESS

RELIEF DIMENHYDRINATE 50 mg

ANTIEMETIC PREVENTS MOTION SICKNESS

Prevents nausea, vomiting & dizziness

For children & adults

ACTUAL SIZE

36 TABLETS

TAMPER EVIDENT: DO NOT USE IF PACKAGE IS OPENED OR IF BLISTER UNIT IS TORN, BROKEN OR SHOWS ANY SIGNS OF TAMPERING

* This product is not manufactured or distributed by Medtech Products Inc., owner of the registered trademark Dramamine® Original Formula. 50844 REV0518G19807

DISTRIBUTED BY: RITE AID,

200 NEWBERRY COMMONS ETTERS, PA 17319 www.riteaid.com

SATISFACTION GUARANTEE

If you're not satisfied, we'll happily refund your money.



Rite Aid 44-198

MOTION SICKNESS RELIEF dimenhydrinate tablet Product Information Product Type HUMAN OTC DRUG Item Code (Source) NDC:11822-0198

| n | ORAL | |
|---|------|--|
| | | |

| | ient/Activ | <i>ve Moiety</i> | | | | | | |
|--|--|---|---------|----------------------------------|---------------------------|-------------------|----------|-----------------|
| Ingredient Name | | | | | | asis of rength | Strength | |
| DIMENHYDRINATE (UNII: JB937PER5C) (DIPHENHYDRAMINE - UNII:8GT CHLOROTHEOPHYLLINE - UNII:GE2UA340FM) | | | | | | | 50 mg | |
| Inactive Ingredients | | | | | | | | |
| | | Ingre | edient | Name | | | S | trength |
| CROSCARMELLOS | SE SODIUM (| UNII: M28OL1 | HH48) | | | | | |
| DIBASIC CALCIUN | 1 PHOSPHAT | E DIHYDRAT | E (UNII | : O7TSZ97GEP) | | | | |
| MAGNESIUM STE | | | | | | | | |
| MICROCRYSTALL | | | 1R32D6 | 51U) | | | | |
| SILICON DIOXIDE | | | | | | | | |
| STEARIC ACID (UI | NII: 4ELV/265 | AP) | | | | | | |
| | | | | | | | | |
| Product Char | acteristic | S | | | | | | |
| Color | 1 | white | | Score | | | 2 pieces | |
| Shape | ſ | ROUND | : | Size | | | 9mm | |
| Flavor | | | 1 | Imprint Code | | | 44;198 | |
| Contains | | | | | | | | |
| | | | | | | | | |
| | | | | | | | | |
| | | | | | | | | |
| Packaging | | | | | | | | |
| Packaging # Item Code | | Package D | escrip | otion | Marketing St Date | art | | ting End ate |
| | 2 in 1 CART | - | escrip | otion | | art | | |
| # Item Code 1 NDC:11822- 0198-2 1 | 2 in 1 CART | ON | | otion It a Combination | Date | art | | - |
| # Item Code 1 NDC:11822- 0198-2 | 2 in 1 CART 6 in 1 BLIST Product 6 in 1 CART | ON TER PACK; Typ ON | e 0: No | t a Combination | Date | art | | _ |
| 1 NDC:11822- 0198-2 1 NDC:11822- 1 NDC:11822- | 2 in 1 CART 6 in 1 BLIST Product 6 in 1 CART | ON TER PACK; Typ ON | e 0: No | | Date 12/01/1992 | art | | - |
| # Item Code 1 NDC:11822- 0198-2 1 2 NDC:11822- 0198-7 | 2 in 1 CART 6 in 1 BLIST Product 6 in 1 CART 6 in 1 BLIST | ON TER PACK; Typ ON | e 0: No | t a Combination | Date 12/01/1992 | art | | - |
| # Item Code 1 NDC:11822- 0198-2 1 2 NDC:11822- 0198-7 | 2 in 1 CART 6 in 1 BLIST Product 6 in 1 CART 6 in 1 BLIST Product | ON ER PACK; Typ ON ER PACK; Typ | e 0: No | t a Combination | Date 12/01/1992 | art | | - |
| # Item Code 1 NDC:11822- 0198-2 2 NDC:11822- 0198-7 2 NDC:11822- 0198-7 | 2 in 1 CART 6 in 1 BLIST Product 6 in 1 CART 6 in 1 BLIST Product | ON ER PACK; Typ ON ER PACK; Typ Ation cation Num | e 0: No | t a Combination | Date 12/01/1992 | | Marke | - |

Labeler - Rite Aid Corporation (014578892)

Establishment

| Name | | Address | ID/FEI | Business Operations |
|---------------------------------|---------|---------------------|-----------|---|
| LNK International, Inc. | | | 038154464 | pack(11822-0198) |
| | | | | |
| Establishment | | | | |
| | | | | |
| Name | Address | ID/FEI | | Business Operations |
| Name LNK International, Inc. | Address | ID/FEI 832867837 | | Business Operations 1822-0198) , pack(11822-0198) |
| | Address | | | • |

| Name | Address | ID/FEI | Business Operations |
|-------------------------|---------|-----------|----------------------------|
| LNK International, Inc. | | 117025878 | manufacture(11822-0198) |

Revised: 1/2024

Rite Aid Corporation