

**OXYGEN- oxygen gas**  
**Support Medical Systems, Inc.**

-----  
**Oxygen**

**Oxygen Label**

**OXYGEN, COMPRESSED USP      UN1072      OXYGEN 2**

**DANGER:** MAY CAUSE OR INTENSIFY FIRE; OXIDIZER, CONTAINS GAS UNDER PRESSURE; MAY EXPLODE IF HEATED.

Do not handle until all safety precautions have been read and understood. Keep and store away from clothing and other combustible material. Keep valves and fittings free from grease and oil. Use and store only outdoors or in a well-ventilated place. In case of fire: Stop leak if safe to do so. Use a back flow preventive device in the piping. Use only with equipment of compatible materials of construction and rated for cylinder pressure. Use only with equipment cleaned for oxygen service. Open valve slowly. Close valve after each use and when empty. Protect from sunlight when ambient temperature exceeds 52° C (125° F). Read and follow the Safety Data Sheet (SDS) before use.

DO NOT REMOVE THIS PRODUCT LABEL

**WARNING:** For emergency use only when administered by properly trained personnel for oxygen deficiency and resuscitation. For all other medical applications. **Rx only.** Uninterrupted use of high concentrations of oxygen over a long duration without monitoring its effect on oxygen content of arterial blood, may be harmful. Do not attempt to use on patients who have stopped breathing unless used in conjunction with resuscitative equipment. Produced by Air Liquefaction. © Applied Home Healthcare Equipment 2014

CAS 7782-44-7

Contents	Size
113 Liters	__M4
165 Liters	__M6
255 Liters	__C
425 Liters	__D
680 Liters	__E
7080 Liters	__H
__ Liters	__ Other

**Support Medical Systems**

593 Airport Road

Fall River, MA 02720

866-678-6300

# OXYGEN, COMPRESSED USP

UN 1072

**DANGER:**

MAY CAUSE OR INTENSIFY FIRE; OXIDIZER,  
CONTAINS GAS UNDER PRESSURE;  
MAY EXPLODE IF HEATED.



Do not handle until all safety precautions have been read and understood. Keep and store away from clothing and other combustible materials. Keep valves and fittings free from grease and oil. Use and store only outdoors or in a well-ventilated place. In case of fire: Stop leak if safe to do so. Use a back flow preventive device in the piping. Use only with equipment of compatible materials of construction and rated for cylinder pressure. Use only with equipment cleaned for oxygen service. Open valve slowly. Close valve after each use and when empty. Protect from sunlight when ambient temperature exceeds 52 °C (125 °F). Read and follow the Safety Data Sheet (SDS) before use.

DO NOT REMOVE THIS PRODUCT LABEL.

**WARNING:** For emergency use only when administered by properly trained personnel for oxygen deficiency and resuscitation. For all other medical applications, **Rx only.** Uninterrupted use of high concentrations of oxygen over a long duration, without monitoring its effect on oxygen content of arterial blood, may be harmful. Do not attempt to use on patients who have stopped breathing unless used in conjunction with resuscitative equipment. Produced by Air Liquide, Inc. © 2014

CAS NO: 7782-44-7

Contents	Size
113 Liters	<input type="checkbox"/> M4
165 Liters	<input type="checkbox"/> M6
255 Liters	<input type="checkbox"/> C
425 Liters	<input type="checkbox"/> D
680 Liters	<input type="checkbox"/> E
7080 Liters	<input type="checkbox"/> H
____ Liters	<input type="checkbox"/> Other

**Support Medical Systems**  
593 Airport Road  
Fall River, MA 02720  
866-678-6300

## Refrigerated Oxygen

### OXYGEN, REFRIGERATED LIQUID USP

UN1073 OXYGEN 2

CONTENTS: \_\_\_\_\_ LITERS.

CAS NO: 7782-44-7

#### DANGER:

MAY CAUSE OR INTENSIFY FIRE; OXIDIZER CONTAINS REFRIGERATED GAS; MAY CAUSE CRYOGENIC BURNS OR INJURY, COMBUSTIBLES IN CONTACT WITH LIQUID OXYGEN MAY EXPLODE ON IGNITION OR IMPACT.

Do not handle until all safety precautions have been read and understood. Keep and store away from clothing and other combustible materials. Keep valves and fittings free from grease and oil. Use and store only outdoors or in a well-ventilated place. Wear cold insulating gloves, face shield, and eye protection. In case of fire: Stop leak if safe to do so. Use a back flow preventive device in the piping. Use only the equipment of compatible materials equipment cleaned for oxygen service. DO NOT change or force fit connections. Avoid spills. Do not walk on or roll equipment over spills. Close valve after each use and when empty. Always keep container in upright position. Read and follow the Safety Data Sheet (SDS) before use.

#### FIRST AID:

**IF ON SKIN:** Thaw affected parts with lukewarm water. Do not rub affected area. Get immediate medical advice/attention.

#### DO NOT REMOVE THIS PRODUCT LABEL.

**WARNING:** For emergency use only when administered by properly trained personnel for oxygen deficiency and resuscitation. For all other medical applications, **Rx only**. Uninterrupted use of high concentrations of oxygen over a long duration, without monitoring its effect on oxygen content of arterial blood, may be harmful. Do not attempt to use on patients who have stopped breathing unless used in conjunction of resuscitative equipment. Use a back flow preventive device in the piping. Cylinder temperature should not exceed 52°C (125°F). **PRODUCED BY AIR LIQUEFACTION**

#### Support Medical Systems

593 Airport Road

Fall River, MA 02720

866-678-6300

**OXYGEN,  
REFRIGERATED**



# LIQUID USP

UN 1073



**CONTENTS:** \_\_\_\_\_ **LITERS**

CAS NO: 7782-44-7



## **DANGER:**

MAY CAUSE OR INTENSIFY FIRE; OXIDIZER. CONTAINS REFRIGERATED GAS; MAY CAUSE CRYOGENIC BURNS OR INJURY. COMBUSTIBLES IN CONTACT WITH LIQUID OXYGEN MAY EXPLODE ON IGNITION OR IMPACT.

Do not handle until all safety precautions have been read and understood. Keep and store away from clothing and other combustible materials. Keep valves and fittings free from grease and oil. Use and store only outdoors or in a well-ventilated place. Wear cold insulating gloves, face shield, and eye protection. In case of fire: Stop leak if safe to do so. Use a back flow preventive device in the piping. Use only with equipment of compatible materials of construction and rated for cylinder pressure. Use only with equipment cleaned for oxygen service. DO NOT change or force fit connections. Avoid spills. Do not walk on or roll equipment over spills. Close valve after each use and when empty. Always keep container in upright position. Read and follow the Safety Data Sheet (SDS) before use.

## **FIRST AID:**

**IF ON SKIN:** Thaw frosted parts with lukewarm water. Do not rub affected area. Get immediate medical advice/attention.

DO NOT REMOVE THIS PRODUCT LABEL.

Warning: For emergency use only when administered by properly trained personnel for oxygen deficiency and resuscitation. For all other medical applications, **Rx only**. Uninterrupted use of high concentrations of oxygen over a long duration with supplemental heat

or oxygen over a long duration, without monitoring its effect on oxygen content of arterial blood, may be harmful. Do not attempt to use on patients who have stopped breathing unless used in conjunction with resuscitative equipment. Produced by Air Liquefaction.

©Applied Home Healthcare Equipment 2014

## Support Medical Systems

593 Air Port Road  
Fall River, MA 02720  
866-678-6300

### OXYGEN

oxygen gas

#### Product Information

<b>Product Type</b>	HUMAN PRESCRIPTION DRUG	<b>Item Code (Source)</b>	NDC:76091-002
<b>Route of Administration</b>	RESPIRATORY (INHALATION)		

#### Active Ingredient/Active Moiety

Ingredient Name	Basis of Strength	Strength
<b>OXYGEN</b> (UNII: S88TT14065) (OXYGEN - UNII:S88TT14065)	OXYGEN	99 L in 100 L

#### Packaging

#	Item Code	Package Description	Marketing Start Date	Marketing End Date
1	NDC:76091-002-01	420 L in 1 CYLINDER; Type 0: Not a Combination Product	01/01/2019	
2	NDC:76091-002-02	690 L in 1 CYLINDER; Type 0: Not a Combination Product	01/01/2019	
3	NDC:76091-002-03	3160 L in 1 CYLINDER; Type 0: Not a Combination Product	01/01/2019	
4	NDC:76091-002-04	3470 L in 1 CYLINDER; Type 0: Not a Combination Product	01/01/2019	
5	NDC:76091-002-05	6270 L in 1 CYLINDER; Type 0: Not a Combination Product	01/01/2019	
6	NDC:76091-002-06	6900 L in 1 CYLINDER; Type 0: Not a Combination Product	01/01/2019	

## Marketing Information

Marketing Category	Application Number or Monograph Citation	Marketing Start Date	Marketing End Date
NDA	NDA206023	01/01/2019	

**Labeler** - Support Medical Systems, Inc. (126295836)

## Establishment

Name	Address	ID/FEI	Business Operations
Support Medical Systems, Inc		126295836	manufacture(76091-002)

Revised: 11/2023

Support Medical Systems, Inc.