

NU SKIN AGELOC ME DAY T1 BROAD SPECTRUM SPF 25- homosalate, octinoxate, avobenzone, and octocrylene lotion

NSE Products, Inc.

Disclaimer: Most OTC drugs are not reviewed and approved by FDA, however they may be marketed if they comply with applicable regulations and policies. FDA has not evaluated whether this product complies.

Nu Skin® ageLOC Me™ Day T1 Broad Spectrum SPF 25

Drug Facts

Active Ingredient

Homosalate (4.0%),
Octinoxate (3.5%),
Avobenzone (3.0%),
Octocrylene (2.79%)

Purpose

Sunscreen

Uses

- Helps prevent sunburn.
- If used as directed with other sun protection measures (see ***Directions***), decreases the risk of skin cancer and early skin aging caused by the sun.

Warnings

- **For external use only.**
- **Do not use** on damaged or broken skin
- **Stop use and ask a doctor if** rash occurs
- **When using this product** keep out of eyes. Rinse with water to remove.
- **Keep out of reach of children.** If product is swallowed, get medical help or contact a Poison Control Center right away.

Directions

- After applying serum and allowing it to dry, apply moisturizer in an upward, outward motion to the face and neck. If layering additional products, allow each to dry completely before applying the next.
- **Sunprotection Measures.** Spending time in the sun increases your risk of skin cancer and early skin aging. To decrease this risk, regularly use a sunscreen with a Broad Spectrum SPF of 15 or higher and other sun protection measures including: Limit time in the sun, especially from 10 a.m.–2p.m. Wear long-sleeved shirts, pants, hats, and sunglasses.
- Apply liberally 15 minutes before sun exposure
- Use a water resistant sunscreen if swimming or sweating
- Reapply at least every 2 hours
- Children under 6 months: Ask a doctor

Inactive Ingredients

Water (Aqua), Butylene Glycol, Caprylyl Methicone, Nylon-6/12, Octyldodecyl Neopentanoate, Glycerin, Oryza Sativa (Rice) Extract, Paeonia Lactiflora Extract, Tocopherol, Epilobium Angustifolium Flower/Leaf/Stem Extract, Camellia Sinensis Leaf Extract, Hydrogenated Phosphatidylcholine, 4-t-Butylcyclohexanol, Hydroxyacetophenone, Narcissus Tazetta Bulb Extract, 7-Dehydrocholesterol, Schizandra Chinensis Fruit Extract, Pentylene Glycol, Hydroxyethyl Acrylate/Sodium Acryloyldimethyl Taurate Copolymer, Allantoin, Polyisobutene, Methoxy PEG/PPG-25/4 Dimethicone, Caprylic/Capric Triglyceride, PEG-7 Trimethylolpropane Coconut Ether, Sorbitan Isostearate, Bis-PEG/PPG-20/5 PEG/PPG-20/5 Dimethicone, Hydroxyphenyl Propamidobenzoic Acid, Zea Mays (Corn) Oil, Xanthan Gum, Disodium EDTA, Aminomethyl Propanol, Fragrance (Parfum), Chlorphenesin.

Other Information

- Protect this product from excessive heat and direct sun.

Questions?

1-888-742-7626

PRINCIPAL DISPLAY PANEL - 28 ml Cartridge Carton

NU SKIN®

ageLOC me™ DAY T1 BROAD SPECTRUM SPF 25

28 ml e (0.95 fl. oz.)

ageLOC Me™ DAY T1
BROADSPECTRUM SPF 25

Drug Facts

Active Ingredient	Purpose
Homosalate (4.0%), Ocinloxate (3.5%), Avobenzone (3.0%), Octocrylene (2.79%)	Sunscreen

Uses ■ Helps prevent sunburn. ■ If used as directed with other sun protection measures (see *Directions*), decreases the risk of skin cancer and early skin aging caused by the sun.

Warnings ■ **For external use only.**
■ Do not use on damaged or broken skin.
■ Stop use and ask a doctor if rash occurs.
■ When using this product keep out of eyes. Rinse with water to remove. ■ Keep out of reach of children. If product is swallowed, get medical help or contact a Poison Control Center right away.

Directions ■ After applying serum and allowing it to dry, apply moisturizer in an upward, outward motion to the face and neck. If layering additional products, allow each to dry completely before applying the next.
■ **Sun Protection Measures.** Spending time in the sun increases your risk of skin cancer and early skin aging. To decrease this risk, regularly use a sunscreen with a Broad Spectrum SPF of 15 or higher and other sun protection measures including: Limit time in the sun, especially from 10 a.m. – 2 p.m. Wear long-sleeved shirts, pants, hats, and sunglasses.
■ Apply liberally 15 minutes before sun exposure. ■ Use a water resistant sunscreen if swimming or sweating. ■ Reapply at least every 2 hours. ■ Children under 6 months: Ask a doctor.

Inactive Ingredients Water (Aqua), Butylene Glycol, Caprylyl Methicone, Nylon-6/12, Octyldodecyl Neopentanoate, Glycerin, Oryza Sativa (Rice) Extract, Paeonia Lactiflora Extract, Tocophyl

QUALITY
SOLD EXCLUSIVELY BY NU SKIN ENTERPRISES
AUTHORIZED DISTRIBUTORS
MADE IN THE U.S.A. NSE PRODUCTS, INC.,
75 W. CENTER, PROVO, UT 84601
©2015, 16 NSE PRODUCTS, INC.
01001616 94505224/2



Drug Facts (continued)

erol, Epilobium Angustifolium Flower/Leaf Stem Extract, Camellia Sinesis Leaf Extract, Hydrogenated Phosphatidylcholine, 4-4-Butylcyclohexanol, Hydroxyacetophenone, Narcissus, Tazetta Bulb Extract, 7-Dehydrocholesterol, Schizandra Chinensis Fruit Extract, Pentylene Glycol, Hydroxyethyl Acrylate/Sodium Acryloyldimethyl Taurate Copolymer, Allantoin, Polyisobutene, Methoxy PEG/PPG-25/4 Dimethicone, Caprylyl/Capric Triglyceride, PEG-7 Trimethylolpropane Coconut Ether, Sorbitan Isooleate, Bis-PEG/PPG-20/5 PEG/PPG-20/5 Dimethicone, Hydroxyphenyl Propamidobenzoic Acid, Zea Mays (Corn) Oil, Xanthan Gum, Disodium EDTA, Anisomethyl Propand, Fragrance (Parfum), Chlorophesin.

Other Information

■ Protect this product from excessive heat and direct sun.

Questions?

1-888-742-7626

Safety-Allergy-Dermatologist-Tested



ageLOC me™ DAY T1 BROAD SPECTRUM SPF 25

28 ml e (0.95 fl. oz.)

ageLOC Me™ Day Moisturizer targets the sources and visible signs of aging while providing hydration to strengthen and maintain the skin's natural moisture barrier—helping to protect throughout the day.



NU SKIN AGELOC ME DAY T1 BROAD SPECTRUM SPF 25

homosalate, octinoxate, avobenzene, and octocrylene lotion

Product Information

Product Type	HUMAN OTC DRUG	Item Code (Source)	NDC:62839-1616
Route of Administration	TOPICAL		

Active Ingredient/Active Moiety

Ingredient Name	Basis of Strength	Strength
Homosalate (UNII: V06SV4M95S) (Homosalate - UNII:V06SV4M95S)	Homosalate	40 mg in 1 mL
Octinoxate (UNII: 4Y5P7MUD51) (Octinoxate - UNII:4Y5P7MUD51)	Octinoxate	35 mg in 1 mL
Avobenzene (UNII: G63QQF2NOX) (Avobenzene - UNII:G63QQF2NOX)	Avobenzene	30 mg in 1 mL
Octocrylene (UNII: 5A68WGF6WM) (Octocrylene - UNII:5A68WGF6WM)	Octocrylene	27.9 mg in 1 mL

Inactive Ingredients

Ingredient Name	Strength
Water (UNII: 059QF0K00R)	
Butylene Glycol (UNII: 3XUS85K0RA)	
Octyldodecyl Neopentanoate (UNII: X8725R883T)	
Caprylyl Trisiloxane (UNII: Q95M2P1KJL)	
Pentylene Glycol (UNII: 50C1307PZG)	
Glycerin (UNII: PDC6A3C0OX)	
Medium-Chain Triglycerides (UNII: C9H2L21V7U)	
Rice Germ (UNII: 7N2B70SFEZ)	
Xanthan Gum (UNII: TTV12P4NEE)	
4-Tert-Butylcyclohexanol (UNII: K0H1405S9C)	
Chlorphenesin (UNII: I670DAL4SZ)	
Allantoin (UNII: 344S277G0Z)	
Edetate Disodium (UNII: 7FLD91C86K)	
Epilobium Angustifolium Flowering Top (UNII: 08H094218D)	
Green Tea Leaf (UNII: W2ZU1RY8B0)	
Sorbitan Isostearate (UNII: 01S2G2C1E4)	
Hydroxyphenyl Propamidobenzoic Acid (UNII: 25KRT26H77)	
Schisandra Chinensis Fruit (UNII: ABS794681C)	
Corn Oil (UNII: 8470G57WFM)	
Narcissus Tazetta Bulb (UNII: K17762966S)	
7-Dehydrocholesterol (UNII: BK1IU07GKF)	
Aminomethylpropanol (UNII: LU49E6626Q)	
Tocopherol (UNII: R0ZB2556P8)	

Packaging

#	Item Code	Package Description	Marketing Start Date	Marketing End Date
1	NDC:62839-1616-1	1 in 1 CARTON	05/01/2016	
1		28 mL in 1 CARTRIDGE; Type 0: Not a Combination Product		

Marketing Information

Marketing Category	Application Number or Monograph Citation	Marketing Start Date	Marketing End Date
OTC MONOGRAPH FINAL	part352	05/01/2016	

Labeler - NSE Products, Inc. (803486393)

Revised: 12/2019

NSE Products, Inc.