

**RAPID RELEASE ACETAMINOPHEN EXTRA STRENGTH- acetaminophen tablet,  
coated  
COSTCO WHOLESALE CORPORATION**

-----  
**Kirkland 44-519 Delisted**

***Active ingredient (in each gelcap)***

Acetaminophen 500 mg

***Purpose***

Pain reliever/fever reducer

***Uses***

- temporarily relieves minor aches and pains due to:
  - headache
  - the common cold
  - backache
  - minor pain of arthritis
  - toothache
  - muscular aches
  - premenstrual and menstrual cramps
- temporarily reduces fever

***Warnings***

**Liver warning:** This product contains acetaminophen. Severe liver damage may occur if you take

- more than 4,000 mg of acetaminophen in 24 hours
- with other drugs containing acetaminophen
- 3 or more alcoholic drinks every day while using this product

**Allergy alert:** Acetaminophen may cause severe skin reactions. Symptoms may include:

- blisters
- rash
- skin reddening

If a skin reaction occurs, stop use and seek medical help right away.

***Do not use***

- if you are allergic to acetaminophen or any of the inactive ingredients in this product
- with any other drug containing acetaminophen (prescription or nonprescription). If you are not sure whether a drug contains acetaminophen, ask a doctor or pharmacist.

**Ask a doctor before use if you have**

liver disease.

**Ask a doctor or pharmacist before use if you are**

taking the blood thinning drug warfarin.

**Stop use and ask a doctor if**

- new symptoms occur
- pain gets worse or lasts more than 10 days
- fever gets worse or lasts more than 3 days
- redness or swelling is present

These could be signs of a serious condition

**If pregnant or breast-feeding,**

ask a health professional before use.

**Keep out of reach of children.**

In case of accidental overdose, get medical help or contact a Poison Control Center (1-800-222-1222) right away. Prompt medical attention is critical for adults as well as for children even if you do not notice any signs or symptoms.

***Directions***

- **do not take more than directed**
- adults and children 12 years and over
  - take 2 gels every 6 hours while symptoms last
  - do not take more than 6 gels in 24 hours, unless directed by a doctor
  - do not take for more than 10 days unless directed by a doctor
- children under 12 years: ask a doctor

***Other information***

- store at 25°C (77°F); excursions permitted between 15°-30°C (59°-86°F)
- use by expiration date on package
- avoid high humidity

***Inactive ingredients***

croscarmellose sodium, D&C red #33, FD&C blue #1, FD&C red #40, gelatin, hydroxypropyl cellulose, hypromellose, iron oxide black, iron oxide red, iron oxide yellow, polyethylene glycol, povidone, pregelatinized starch, propylene glycol, shellac glaze, stearic acid, titanium dioxide

**Primary Display Panel**

**KIRKLAND**  
*Signature™*

**COMPARE TO**  
**EXTRA STRENGTH TYLENOL®**  
**RAPID RELEASE** *active ingredient\**

NDC 63981-519-05  
**ITM. / ART. 355476**

EXTRA STRENGTH  
**RAPID RELEASE**  
**ACETAMINOPHEN**  
*Pain Reliever/Fever Reducer*

*Temporarily Relieves:*

- ✓ *Headache*
- ✓ *Minor Pain of Arthritis*
- ✓ *Muscular Aches*
- ✓ *Backaches*

*Actual  
Size*

**400**  
*Rapid Release*  
*Gelcaps*  
*500 mg EACH*

**TAMPER EVIDENT: DO NOT USE IF IMPRINTED  
SAFETY SEAL UNDER CAP IS BROKEN OR MISSING**

\*This product is not manufactured or distributed by Johnson & Johnson Corporation, owner of the registered trademark Extra Strength Tylenol® Rapid Release.

**This product does not contain gluten.**

Manufactured by: LNK INTERNATIONAL, INC.  
60 Arkay Drive, Hauppauge, NY 11788 USA 1-800-426-9391  
For: Costco Wholesale Corporation, P.O. Box 34535  
Seattle, WA 98124-1535 USA 1-800-774-2678  
www.costco.com 17V0219a

50844      REV0417P51905

**Drug Facts (continued)**

**Stop use and ask a doctor if**

- pain gets worse or lasts more than 10 days
- fever gets worse or lasts more than 3 days
- These could be signs of a serious condition.

**Directions**

- do not take more than directed
- adults and children 12 years and over
- take 2 gelscaps every 6 hours while symptoms last
- do not take more than 6 gelscaps in 24 hours, unless directed by a doctor
- do not take for more than 10 days unless directed by a doctor
- children under 12 years: ask a doctor

**Other information**

- store at 25°C (77°F); excursions permitted between 15°-30°C (59°-86°F)
- use by expiration date on package
- avoid high humidity

**Inactive ingredients** croscarmellose sodium, D&C red #33, FD&C blue #1, FD&C red #40, gelatin, hydroxypropyl cellulose, hypromellose, iron oxide black, iron oxide red, iron oxide yellow, polyethylene glycol, povidone, pregelatinized starch, propylene glycol, shellac glaze, stearic acid, titanium dioxide

Manufactured by LKX INTERNATIONAL, INC.  
60 Arkey Drive, Hauppauge, NY 11788 USA 1-800-426-0391  
For Costco Wholesale Corporation, P.O. Box 34535  
Seattle, WA 98124-1535 USA 1-800-774-2678  
www.costco.com 1792019a

50844 REV0417P51905



**KIRKLAND Signature**

COMPARE TO EXTRA STRENGTH TYLENOL® RAPID RELEASE active ingredient\*

EXTRA STRENGTH RAPID RELEASE ACETAMINOPHEN

Pain Reliever/Fever Reducer

Temporarily Relieves:

- ✓ Headache
- ✓ Minor Pain of Arthritis
- ✓ Muscular Aches
- ✓ Backaches

400 Rapid Release Gelscaps 500 mg EACH

Actual Size

**Drug Facts**

TAMPER EVIDENT: DO NOT USE IF IMPRINTED SAFETY SEAL UNDER CAP IS BROKEN OR MISSING

**Active ingredient (in each gelscap)**

Acetaminophen 500 mg ..... Pain reliever/fever reducer

**Purpose**

**Uses**

- temporarily relieves minor aches and pains due to:
- backache ■ the common cold ■ muscular aches ■ headache
- toothache ■ minor pain of arthritis ■ premenstrual and menstrual cramps
- temporarily reduces fever

**Warnings**

Liver warning: This product contains acetaminophen. Severe liver damage may occur if you take

- more than 4,000 mg of acetaminophen in 24 hours
- with other drugs containing acetaminophen
- 3 or more alcoholic drinks every day while using this product

Allergy alert: Acetaminophen may cause severe skin reactions. Symptoms may include: ■ skin reddening ■ blisters ■ rash

If a skin reaction occurs, stop use and seek medical help right away.

**Do not use**

- if you are allergic to acetaminophen or any of the inactive ingredients in this product
- with any other drug containing acetaminophen (prescription or nonprescription). If you are not sure whether a drug contains acetaminophen, ask a doctor or pharmacist.

Ask a doctor before use if you have liver disease.

Ask a doctor or pharmacist before use if you are taking the blood thinning drug warfarin.

\*This product is not manufactured or distributed by Johnson & Johnson Corporation, owner of the registered trademark Extra Strength Tylenol® Rapid Release. This product does not contain gluten.

44-519

## RAPID RELEASE ACETAMINOPHEN EXTRA STRENGTH

acetaminophen tablet, coated

### Product Information

<b>Product Type</b>	HUMAN OTC DRUG	<b>Item Code (Source)</b>	NDC:63981-519
<b>Route of Administration</b>	ORAL		

### Active Ingredient/Active Moiety

Ingredient Name	Basis of Strength	Strength
ACETAMINOPHEN (UNII: 362O9ITL9D) (ACETAMINOPHEN - UNII:362O9ITL9D)	ACETAMINOPHEN	500 mg

### Inactive Ingredients

Ingredient Name	Strength
CROSCARMELLOSE SODIUM (UNII: M28OL1HH48)	
D&C RED NO. 33 (UNII: 9DBA0SBB0L)	
FD&C BLUE NO. 1 (UNII: H3R47K3TBD)	
FD&C RED NO. 40 (UNII: WZB9127XOA)	
GELATIN, UNSPECIFIED (UNII: 2G86QN327L)	
HYDROXYPROPYL CELLULOSE, UNSPECIFIED (UNII: 9XZ8H6N6OH)	
HYPROMELLOSE, UNSPECIFIED (UNII: 3NXW29V3W0)	
FERROSFERRIC OXIDE (UNII: XM0M87F357)	
FERRIC OXIDE RED (UNII: 1K09F3G675)	
FERRIC OXIDE YELLOW (UNII: EX43802MRT)	
POLYETHYLENE GLYCOL, UNSPECIFIED (UNII: 3WJQ0SDW1A)	
POVIDONE, UNSPECIFIED (UNII: FZ989GH94E)	
STARCH, CORN (UNII: O8232NY3SJ)	
PROPYLENE GLYCOL (UNII: 6DC9Q167V3)	
SHELLAC (UNII: 46N107B710)	
STEARIC ACID (UNII: 4ELV7Z65AP)	
TITANIUM DIOXIDE (UNII: 15FIX9V2JP)	

## Product Characteristics

<b>Color</b>	red, blue	<b>Score</b>	no score
<b>Shape</b>	OVAL	<b>Size</b>	19mm
<b>Flavor</b>		<b>Imprint Code</b>	L;5
<b>Contains</b>			

## Packaging

#	Item Code	Package Description	Marketing Start Date	Marketing End Date
1	NDC:63981-519-05	400 in 1 BOTTLE, PLASTIC; Type 0: Not a Combination Product	05/10/2004	09/01/2025
2	NDC:63981-519-24	1 in 1 CARTON	05/10/2004	10/09/2021
2		2 in 1 BLISTER PACK; Type 0: Not a Combination Product		

## Marketing Information

Marketing Category	Application Number or Monograph Citation	Marketing Start Date	Marketing End Date
OTC Monograph Drug	M013	05/10/2004	09/01/2025

**Labeler** - COSTCO WHOLESAL CORPORATION (103391843)

## Establishment

Name	Address	ID/FEI	Business Operations
LNK International, Inc.		038154464	manufacture(63981-519) , pack(63981-519)

## Establishment

Name	Address	ID/FEI	Business Operations
LNK International, Inc.		832867837	manufacture(63981-519)

## Establishment

Name	Address	ID/FEI	Business Operations
LNK International, Inc.		832867894	manufacture(63981-519)

## Establishment

Name	Address	ID/FEI	Business Operations
LNK International, Inc.		868734088	manufacture(63981-519)

## Establishment

Name	Address	ID/FEI	Business Operations
LNK International, Inc.		967626305	pack(63981-519)

