

STOOL SOFTENER LAXATIVE- docusate sodium and sennosides tablet H E B

Drug Facts

Active ingredients (in each tablet)

Docusate sodium 50 mg

Sennosides 8.6 mg

Purpose

Stool softener

Stimulant laxative

Uses

- Relieves occasional constipation (irregularity)
- generally produces bowel movement in 6 to 12 hours

Warnings

Do not use

- laxative products for longer than 1 week unless directed by a doctor
- if you are presently taking mineral oil, unless told to do so by a doctor

Ask a doctor before use if you have

- stomach pain
- nausea
- vomiting
- noticed a sudden change in bowel habits that lasts over a period of 2 weeks

Stop use and ask a doctor if

you have rectal bleeding or fail to have a bowel movement after use of a laxative. These may indicate a serious condition.

If pregnant or breast-feeding,

ask a health professional before use.

Keep out of reach of children.

In case of overdose, get medical help or contact a Poison Control Center right away.

Directions

- take only by mouth. Doses may be taken as a single daily dose, preferably in the evening, or in divided doses.

adults and children 12 years and older	take 2-4 tablets daily
children 6 to under 12 years of age	take 1-2 tablets daily
children 2 to under 6 years of age	take up to 1 tablet daily
children under 2	ask a doctor

Other information

- **each tablet contains:** calcium 30 mg
- **each tablet contains:** sodium 6 mg VERY LOW SODIUM
- store at 25°C (77°F); excursions permitted between 15-30°C (59-86°F)

Inactive ingredients

croscarmellose sodium, dibasic calcium phosphate dihydrate, FD&C blue #2 aluminum lake, FD&C red #40 aluminum lake, hypromellose, magnesium stearate, microcrystalline cellulose, polyethylene glycol, silicon dioxide, talc, titanium dioxide

Questions or comments?

Call toll free: **1-877-753-3935** Monday-Friday 9AM-5PM EST

Principal Display Panel

Compare to Colace® 2-IN1 Tablets active ingredients**

Stool Softener & Stimulant Laxative

Docusate sodium 50 mg

Sennosides 8.6 mg

Stool Softener

- Gentle, Dependable
- Relief in 6-12 Hours

TABLETS

**This product is not manufactured or distributed by Avrio Health L.P., distributor of Colace® 2-IN-1

TAMPER EVIDENT: DO NOT USE IF PRINTED SAFETY SEAL UNDER CAP IS BROKEN OR MISSING.

MADE WITH PRIDE AND CARE FOR H-E-B® SAN ANTONIO, TX 78204

Product Label

Compare to Colace® 2-IN-1
active ingredients**

H-E-B

NDC 37808-355-12

Stool Softener & Stimulant Laxative

Docosate Sodium, 50 mg
Sennosides, 8.6 mg

Stool Softener & Stimulant Laxative

Gentle, Dependable

Relief in 6-12 Hours

120 TABLETS



actual size

TAMPER EVIDENT: DO NOT USE IF PRINTED SAFETY SEAL UNDER CAP IS BROKEN OR MISSING.

Drug Facts

Active ingredients
(in each tablet)
Docosate sodium 50 mg.....Stool softener
Sennosides 8.6 mg.....Stimulant laxative

Uses
■ relieves occasional constipation (irregularity)
■ generally produces bowel movement in 6 to 12 hours

Warnings
Do not use
■ laxative products for longer than 1 week unless directed by a doctor
■ if you are presently taking mineral oil, unless told to do so by a doctor

Drug Facts (continued under label)

MADE WITH PRIDE & CARE FOR H-E-B®, SAN ANTONIO, TX 78204

100% GUARANTEE
promise
If you are not satisfied, we will give you a full refund. No questions asked.

PLD-E676A
LB007921
20018-2105

Lot No.:
Exp. Date:

PEEL HERE

Drug Facts (continued)

Ask a doctor before use if you have
■ stomach pain ■ nausea ■ vomiting
■ noticed a sudden change in bowel habits that lasts over a period of 2 weeks

Stop use and ask a doctor if you have rectal bleeding or fail to have a bowel movement after use of a laxative.
These may indicate a serious condition.

If pregnant or breast-feeding, ask a health professional before use.

Keep out of reach of children. In case of overdose, get medical help or contact a Poison Control Center right away.

Directions
■ take only by mouth. Doses may be taken as a single daily dose, preferably in the evening, or in divided doses.

adults and children 12 years and over	take 2-4 tablets daily
children 6 to under 12 years of age	take 1-2 tablets daily
children 2 to under 6 years of age	take up to 1 tablet daily
children under 2	ask a doctor

Other information
■ each tablet contains: calcium 30 mg
■ each tablet contains: sodium 6 mg VERY LOW SODIUM
■ store at 25°C (77°F); excursions permitted between 15-30°C (59-86°F)

Inactive ingredients croscarmellose sodium, dibasic calcium phosphate dihydrate, FD&C blue #2, aluminum lake, FD&C red #40 aluminum lake, hypromellose, magnesium stearate, microcrystalline cellulose, polyethylene glycol, silicon dioxide, talc, titanium dioxide

Questions or comments? Call toll free: 1-877-753-3935, Monday-Friday, 9AM-5PM EST

H-E-B Stool Softener Laxative

STOOL SOFTENER LAXATIVE			
docosate sodium and sennosides tablet			
Product Information			
Product Type	HUMAN OTC DRUG	Item Code (Source)	NDC:37808-355
Route of Administration	ORAL		
Active Ingredient/Active Moiety			
Ingredient Name		Basis of Strength	Strength
DOCUSATE SODIUM (UNII: F05Q2T2JA0) (DOCUSATE - UNII:M7P27195AG)		DOCUSATE SODIUM	50 mg
SENNOSIDES (UNII: 3FYP5M0IJX) (SENNOSIDES - UNII:3FYP5M0IJX)		SENNOSIDES	8.6 mg
Inactive Ingredients			

Ingredient Name	Strength
CROSCARMELOSE SODIUM (UNII: M28OL1HH48)	
DIBASIC CALCIUM PHOSPHATE DIHYDRATE (UNII: O7TSZ97GEP)	
FD&C RED NO. 40 (UNII: WZB9127XOA)	
HYPROMELLOSES (UNII: 3NXW29V3WO)	
MAGNESIUM STEARATE (UNII: 70097M6I3O)	
CELLULOSE, MICROCRYSTALLINE (UNII: OP1R32D61U)	
POLYETHYLENE GLYCOL, UNSPECIFIED (UNII: 3WJQ0SDW1A)	
SILICON DIOXIDE (UNII: ETJ7Z6XBU4)	
TALC (UNII: 7SEV7J4R1U)	
TITANIUM DIOXIDE (UNII: 15FIX9V2JP)	
FD&C BLUE NO. 2 (UNII: L06K8R7DQK)	

Product Characteristics

Color	red	Score	no score
Shape	ROUND	Size	10mm
Flavor		Imprint Code	PSD21
Contains			

Packaging

#	Item Code	Package Description	Marketing Start Date	Marketing End Date
1	NDC:37808-355-24	240 in 1 BOTTLE, PLASTIC; Type 0: Not a Combination Product	06/30/2020	
2	NDC:37808-355-12	120 in 1 BOTTLE, PLASTIC; Type 0: Not a Combination Product	06/30/2020	

Marketing Information

Marketing Category	Application Number or Monograph Citation	Marketing Start Date	Marketing End Date
OTC Monograph Drug	M007	06/30/2020	

Labeler - H E B (007924756)