

FATAL-PLUS POWDER - pentobarbital sodium injection, solution
Vortech Pharmaceuticals, Ltd.

Disclaimer: This drug has not been found by FDA to be safe and effective, and this labeling has not been approved by FDA. For further information about unapproved drugs, [click here](#).

Fatal-Plus Powder

Description

Fatal-Plus Powder

Pentobarbital Sodium - 98 grams

FOR VETERINARY USE ONLY

For Euthanasia of Animals

DIRECTIONS FOR MIXING:

Slowly add water (150 mL to 200 mL).

Replace cap and shake well until powder is dissolved.

Add more water to the 250 mL mark only.

Do not exceed the fill line (250 mL).

DOSAGE AND ADMINISTRATION:

Intravenous injection is the preferred route. However, intraperitoneal or intracardiac injections may be made where the intravenous injection is impractical, as in the very small dog and cat, or in the comatose animal with depressed vascular function. Inject rapidly 1 mL for every 10 lbs. body weight Minimum 1 mL.

WARNING: Must not be used for therapeutic purposes. Do not use in animals intended for food.

ENVIRONMENTAL HAZARD:

This product is toxic to wildlife. Birds and mammals feeding on treated animals may be killed. Birds and mammals feeding on treated animals may be killed. Euthanized animals must be properly disposed of by deep burial, incineration, or other method in compliance with state and local laws, to prevent consumption of carcass material by scavenging wildlife.

CAUTION: Federal law restricts this drug to use by or on the order of a licensed veterinarian.

POISON: KEEP OUT OF THE REACH OF CHILDREN

Principle Display Panel

Fatal-Plus Powder - NDC: 0298-9372-68

Pentobarbital Sodium - 98 grams

FOR VETERINARY USE ONLY

For Euthanasia of Animals

DIRECTIONS FOR MIXING:

Slowly add water (150 mL to 200 mL).

Replace cap and shake well until powder is dissolved.

Add more water to the 250 mL mark only.

Do not exceed the fill line (250 mL).

DOSAGE AND ADMINISTRATION:

Intravenous injection is the preferred route. However, intraperitoneal or intracardiac injections may be made where the intravenous injection is impractical, as in the very small dog and cat, or in the comatose animal with depressed vascular function. Inject rapidly 1 mL for every 10 lbs. body weight Minimum 1 mL.

WARNING: Must not be used for therapeutic purposes. Do not use in animals intended for food.

ENVIRONMENTAL HAZARD:

This product is toxic to wildlife. Birds and mammals feeding on treated animals may be killed. Birds and mammals feeding on treated animals may be killed. Euthanized animals must be properly disposed of by deep burial, incineration, or other method in compliance with state and local laws, to prevent consumption of carcass material by scavenging wildlife.

CAUTION: Federal law restricts this drug to use by or on the order of a licensed veterinarian.

POISON:

KEEP OUT OF THE REACH OF CHILDREN

DO Not Fill Above This Line

CAUTION

250ml

200ml

150ml

100ml

50ml

40ml

30ml

APPROXIMATE VOLUMES

NDC 0298-9372-68
98Grams

FATAL-PLUS®

POWDER

For Euthanasia of Animals
FOR VETERINARY USE ONLY

C-II

When constituted to 250 ml with water, each ml contains:
Sodium Pentobarbital.....392 mg/ml.

DIRECTIONS FOR MIXING: Slowly add water (150 ml. to 200 ml.) Replace cap and shake well until powder is dissolved. Add more water to the 250 ml. mark only. Do not exceed the fill line (250 ml.)

DOSAGE AND ADMINISTRATION: Intravenous injection is the preferred route. However, intraperitoneal or intracardiac injections may be made where the intravenous injection is impractical, as in the very small dog and cat, or in the comatose animal with depressed vascular function. Inject rapidly 1 ml. for every 10 lbs. body weight (Minimum 1 ml.

WARNING: Must not be used for therapeutic purposes. Do not use in animals intended for food.

ENVIRONMENTAL HAZARD: This product is toxic to wildlife. Birds and mammals feeding on treated animals may be killed. Euthanized animals must be properly disposed of by deep burial, incineration, or other method in compliance with state and local laws, to prevent consumption of carcass material by scavenging wildlife.

KEEP OUT OF THE REACH OF CHILDREN



POISON



CAUTION: Federal law restricts this drug to be used by or on the order of a licensed veterinarian.


Potency guaranteed for 35 days after constitution

DATE OF CONSTITUTION _____

Vortech

Dearborn, Michigan 48126

FATAL-PLUS®



pentobarbital sodium injection, solution

Product Information

Product Type	PRESCRIPTION ANIMAL DRUG	Item Code (Source)	NDC:0298-9372
Route of Administration	INTRAVENOUS, INTRAPERITONEAL, INTRACARDIAC	DEA Schedule	CII

Active Ingredient/Active Moiety

Ingredient Name	Basis of Strength	Strength
Pentobarbital Sodium (UNII: NJJ0475N0S) (Pentobarbital - UNII:I4744080IR)	Pentobarbital Sodium	392 mg in 1 mL

Product Characteristics

Color	blue (DARK BLUE)	Score	
Shape		Size	
Flavor		Imprint Code	
Contains			

Packaging

#	Item Code	Package Description	Marketing Start Date	Marketing End Date
1	NDC:0298-9372-68	250 mL in 1 VIAL, MULTI-DOSE		

Marketing Information

Marketing Category	Application Number or Monograph Citation	Marketing Start Date	Marketing End Date
unapproved drug other		06/14/1982	

Labeler - Vortech Pharmaceuticals, Ltd. (052399276)

Registrant - Vortech Pharmaceuticals, Ltd. (052399276)

Establishment

Name	Address	ID/FEI	Business Operations
Vortech Pharmaceuticals, Ltd		052399276	manufacture

Establishment

Name	Address	ID/FEI	Business Operations
Siegfried USA, LLC		001213784	api manufacture