

NITROUS OXIDE - nitrous oxide liquid
Welding & Therapy Service Inc.

Disclaimer: This drug has not been found by FDA to be safe and effective, and this labeling has not been approved by FDA. For further information about unapproved drugs, click here.

NITROUS OXIDE, REFRIGERATED LIQUID LABEL

NITROUS OXIDE, REFRIGERATED LIQUID
USP
UN2201
NON-FLAMMABLE 2 OXIDIZER

WARNING: EXTREMELY COLD LIQUID AND GAS UNDER PRESSURE. VIGOROUSLY ACCELERATES COMBUSTION. CAN CAUSE RAPID SUFFOCATION. CAN CAUSE ANESTHETIC EFFECTS. MAY CAUSE FROSTBITE.

Avoid breathing gas. Store and use with adequate ventilation. Keep oil and grease away. Use only with equipment cleaned for nitrous oxide and rated for cylinder pressure. Do not get liquid in eyes, on skin or clothing. Cylinder temperature should not exceed 125°F (52°C). Open valve slowly. Close valve after each use and when empty. Use in accordance with Material Safety Data Sheet (MSDS).

FIRST AID: IF INHALED, remove to fresh air. If not breathing, give artificial respiration. If breathing is difficult, give oxygen. Call a physician.
IN CASE OF FROSTBITE, obtain medical treatment immediately.

NOTE: SUCK-BACK INTO CYLINDER MAY CAUSE RUPTURE. ALWAYS USE A BACK FLOW PREVENTIVE DEVICE IN THE PIPING.

MEDICAL USE

CAUTION: Rx Only

WARNING: Administration of nitrous oxide may be hazardous or contraindicated. For use only by or under the supervision of a licensed practitioner who is experienced in the use and administration of nitrous oxide and is familiar with the indications, effects, dosages, methods, and frequency and duration of administration, and with the hazards, contraindications and side effects and the precautions to be taken.

DO NOT REMOVE THIS PRODUCT LABEL

WELDING AND THERAPY SERVICE INC.
5010 Crittenden Drive
Louisville, KY 40209

NITROUS OXIDE, REFRIGERATED LIQUID

**USP
UN2201**



WARNING: EXTREMELY COLD LIQUID AND GAS UNDER PRESSURE. VIGOROUSLY ACCELERATES COMBUSTION. CAN CAUSE RAPID SUFFOCATION. CAN CAUSE ANESTHETIC EFFECTS. MAY CAUSE FROSTBITE.

Avoid breathing gas. Store and use with adequate ventilation. Keep oil and grease away. Use only with equipment cleaned for nitrous oxide and rated for cylinder pressure. Do not get liquid in eyes, on skin or clothing. Cylinder temperature should not exceed 125°F (52°C). Open valve slowly. Close valve after each use and when empty. Use in accordance with Material Safety Data Sheet (MSDS).

FIRST AID: IF INHALED, remove to fresh air. If not breathing, give artificial respiration. If breathing is difficult, give oxygen. Call a physician.
IN CASE OF FROSTBITE, obtain medical treatment immediately.

NOTE: SUCK-BACK INTO CYLINDER MAY CAUSE RUPTURE. ALWAYS USE A BACK FLOW PREVENTIVE DEVICE IN THE PIPING.

MEDICAL USE

CAUTION: Rx Only.

WARNING: Administration of nitrous oxide may be hazardous or contraindicated. For use only by or under the supervision of a licensed practitioner who is experienced in the use and administration of nitrous oxide and is familiar with the indications, effects, dosages, methods, and frequency and duration of administration, and with the hazards, contraindications and side effects and the precautions to be taken.

DO NOT REMOVE THIS PRODUCT LABEL

WELDING AND THERAPY SERVICE INC.
5010 Crittenden Drive
Louisville KY 40209

NITROUS OXIDE

nitrous oxide liquid

Product Information

Product Type	HUMAN PRESCRIPTION DRUG	Item Code (Source)	NDC:33344-004
Route of Administration	RESPIRATORY (INHALATION)		

Active Ingredient/Active Moiety

Ingredient Name	Basis of Strength	Strength
Nitrous Oxide (UNII: K50 XQU1029) (Nitrous Oxide - UNII:K50 XQU1029)	Nitrous Oxide	99 L in 100 L

Packaging

#	Item Code	Package Description	Marketing Start Date	Marketing End Date
1	NDC:33344-004-01	137 L in 1 DEWAR		

Marketing Information

Marketing Category	Application Number or Monograph Citation	Marketing Start Date	Marketing End Date
unapproved medical gas		11/01/1971	

Labeler - Welding & Therapy Service Inc. (056823511)**Registrant** - Welding & Therapy Service Inc. (056823511)**Establishment**

Name	Address	ID/FEI	Business Operations
Welding & Therapy Service Inc.		056823511	manufacture

Revised: 7/2011

Welding & Therapy Service Inc.