

**GLYCYLIC- salicylic acid liquid**  
**The Tetra Corporation**

-----

***Active Ingredient***

Salicylic Acid 17%

***Purpose***

Wart Remover

***Uses***

for the removal of common and plantar warts. The common wart is easily recognized by the rough 'cauliflower-like' appearance of the surface. The plantar wart exists only on the bottom of the foot and interrupts footprint pattern.

***Warnings***

**FOR EXTERNAL USE ONLY.**

**Flammable**

- keep away from fire or flame.
- **cap bottle tightly** and store at room temperature away from heat.

**Do not use**

- if you are a diabetic or have poor blood circulation, except under the advice and supervision of a doctor or podiatrist.
- irritated, infected or reddened skin.
- genital warts and warts on the face.
- moles, birthmarks and warts with hair growing from them.
- mucous membranes.

**When using this product**

- avoid contact with eyes. If product gets into the eyes, flush with water for 15 minutes.
- avoid inhaling vapors.

**Stop use and ask doctor if**

- discomfort persists.

**Keep out of reach of children**

If swallowed, get medical help or contact a Poison Control Center right away.

***Directions***


- wash affected area, may soak wart in warm water for 5 minutes

- dry area thoroughly
- apply small amount of wart remover with applicator to sufficiently cover each wart
- let dry and repeat this procedure once or twice daily until wart is removed for up to 12 weeks

## Inactive ingredients

Collodion USP, SDA-40-B 200pf, Glycerin USP, Ethoxydiglycol (Transcutol/Carbitol), Glycolic Acid 70%, Ethyl Pyruvate, Povidone/Iodine USP

## Product label



**GLYCYLIC®**  
**SALICYLIC ACID 17%**  
**LIQUID WART REMOVER**

**Active ingredient:** Salicylic Acid 17%

**Uses:** For the removal of common and plantar warts.

The common wart is easily recognized by the rough 'cauliflower-like' appearance of the surface. The plantar wart exists only on the bottom of the foot and interrupts the footprint pattern.

**Warnings:** For external use only. **Flammable:** Keep away from fire or flame. • Cap bottle tightly and store at room temperature away from heat.

**Do not use:** If you are diabetic or have poor blood circulation, except under the advice and supervision of a doctor or podiatrist. • On irritated, infected or reddened skin. • On genital warts or warts on the face. • On moles, birthmarks or warts with hair growing from them. • On or near mucous membranes.

**When using this product:** Avoid contact with eyes. If product gets into the eyes, flush with water for 15 minutes.

• Avoid inhaling vapors.

**Stop use and ask doctor if discomfort persists.**

**Keep out of reach of children.** If swallowed, get medical help or contact a Poison Control Center right away.

**Directions:**

- Wash affected area, may soak wart in warm water for 5 minutes.
- Dry area thoroughly.
- Apply small amount of wart remover with applicator to sufficiently cover each wart.
- Let dry and repeat this procedure once or twice daily until wart is removed for up to 12 weeks.

**Inactive Ingredients:**

Collodion USP, SDA-40-B 200pf, Glycerin USP, Ethoxydiglycol (Transcutol/Carbitol), Glycolic Acid 70%, Ethyl Pyruvate, Povidone/Iodine USP

Manufactured for THE TETRA CORPORATION  
Eaton Rapids, MI 48827 • 800-826-0479

**GLYCYLIC**

salicylic acid liquid

**Product Information**

**Product Type**

HUMAN OTC DRUG

**Item Code (Source)**

NDC:49406-009

Route of Administration	TOPICAL
-------------------------	---------

**Active Ingredient/Active Moiety**

Ingredient Name	Basis of Strength	Strength
<b>SALICYLIC ACID</b> (UNII: O414PZ4LPZ) (SALICYLIC ACID - UNII:O414PZ4LPZ)	SALICYLIC ACID	17 g in 100 mL

**Inactive Ingredients**

Ingredient Name	Strength
<b>GLYCERIN</b> (UNII: PDC6A3C0OX)	
<b>DIETHYLENE GLYCOL MONOETHYL ETHER</b> (UNII: A1A1I8X02B)	
<b>IODINE</b> (UNII: 9679TC07X4)	
<b>GLYCOLIC ACID</b> (UNII: 0WT12SX38S)	
<b>ETHYL PYRUVATE</b> (UNII: 03O98E01OB)	
<b>ALCOHOL</b> (UNII: 3K9958V90M)	
<b>PYROXYLIN</b> (UNII: KYR8BR2X6O)	

**Packaging**

#	Item Code	Package Description	Marketing Start Date	Marketing End Date
1	NDC:49406-009-15	1 in 1 BOX	07/01/2022	
1		15 mL in 1 BOTTLE; Type 0: Not a Combination Product		

**Marketing Information**

Marketing Category	Application Number or Monograph Citation	Marketing Start Date	Marketing End Date
OTC Monograph Drug	M005	07/01/2022	

**Labeler** - The Tetra Corporation (829958409)

Revised: 10/2023

The Tetra Corporation