

CAPRON DMT- dextromethorphan hbr and pyrilamine maleate tablet

Capital Pharma

Disclaimer: This drug has not been found by FDA to be safe and effective, and this labeling has not been approved by FDA. For further information about unapproved drugs, click here.

Capron DMT Tablets

Directions

Do not exceed recommended dosage.

Adults and children 12 years of age and over:	1 tablet every 6-8 hours.
Children under 12 years of age:	Consult a physician.

Other information

Store at 15 °-30 °C (59 °-86 °F).

Capron DMT is a white, round tablet, debossed with "DMT" on one side and blank of the other side.

Supplied in a tight, light-resistant container with a child-resistant cap.

Active ingredients (in each tablet)

Dextromethorphan HBr 30 mg

Pyrilamine Maleate 30 mg

Purposes

Antitussive

Antihistamine

Uses

Temporarily relieves these symptoms due to the common cold, hay fever (allergic rhinitis) or other upper respiratory allergies:

- cough due to minor throat and bronchial irritation
- runny nose
- itchy watery eyes
- itching of the nose and throat
- relief of cough

Do not exceed recommended dosage.

- May cause drowsiness; alcohol, sedatives, and tranquilizers may increase the drowsiness effect. Avoid alcoholic beverages while taking this product. Do not take this product if you are taking sedatives or tranquilizers, without first consulting your doctor. Use caution when driving a motor vehicle or operating machinery.

Do not use this product

- if you are now taking a prescription monoamine oxidase inhibitor (MAOI) (certain drugs for depression, psychiatric, or emotional conditions, or Parkinson's disease), or for 2 weeks after stopping the MAOI drug. If you do not know if your prescription contains an MAOI, ask a doctor or pharmacist before taking this product.

Ask a doctor before use if you have

- a cough that lasts or is chronic such as occurs with smoking, asthma, chronic bronchitis, or emphysema
- a cough that occurs with too much phlegm (mucus)
- heart disease
- thyroid disease
- diabetes
- trouble urinating due to enlargement of the prostate gland

Stop use and ask doctor if

- cough persists for more than 1 week, tends to recur, or is accompanied by fever, rash, or persistent headache. A persistent cough may be a sign of a serious condition.
- new symptoms occur

If pregnant or breast-feeding,

ask a health professional before use.

Keep out of reach of children.

In case of overdose, get medical help or contact a Poison Control Center right away.

Inactive ingredients


Croscarmellose Sodium, Magnesium Stearate,
Microcrystalline Cellulose, Silicon Dioxide.

Questions? Comments?

Serious side effects may be reported to this number.

Call 1 (614) 638-4622.

Rev. 09/16



CAPRON DMT

dextromethorphan hbr and pyrilamine maleate tablet

Product Information

Product Type	HUMAN OTC DRUG	Item Code (Source)	NDC:29978-128
Route of Administration	ORAL		

Active Ingredient/Active Moiety

Ingredient Name	Basis of Strength	Strength
DEXTROMETHORPHAN HYDROBROMIDE (UNII: 9D2RTI9KYH) (DEXTROMETHORPHAN - UNII:7355X3ROTS)	DEXTROMETHORPHAN HYDROBROMIDE	30 mg

PYRILAMINE MALEATE (UNII: R35D29L3ZA) (PYRILAMINE - UNII:HPE317O9TL)		PYRILAMINE MALEATE	30 mg	
Inactive Ingredients				
Ingredient Name			Strength	
CROSCARMELOSE SODIUM (UNII: M28OL1HH48)				
MAGNESIUM STEARATE (UNII: 70097M6I30)				
SILICON DIOXIDE (UNII: ETJ7Z6XBU4)				
MICROCRYSTALLINE CELLULOSE (UNII: OP1R32D61U)				
Product Characteristics				
Color	white	Score	2 pieces	
Shape	ROUND	Size	7mm	
Flavor		Imprint Code	DMT	
Contains				
Packaging				
#	Item Code	Package Description	Marketing Start Date	Marketing End Date
1	NDC:29978-128-10	100 in 1 BOTTLE, PLASTIC; Type 0: Not a Combination Product	01/26/2017	
Marketing Information				
Marketing Category		Application Number or Monograph Citation	Marketing Start Date	Marketing End Date
unapproved drug other			01/26/2017	

Labeler - Capital Pharma (831545541)