

WOMANS LAXATIVE- bisacodyl tablet, coated
Dolgenercorp, Inc. (DOLLAR GENERAL & REXALL)

Disclaimer: Most OTC drugs are not reviewed and approved by FDA, however they may be marketed if they comply with applicable regulations and policies. FDA has not evaluated whether this product complies.

Drug Facts

Active ingredient (in each tablet)

Bisacodyl USP 5 mg

Purpose

Stimulant laxative

Use

- for temporary relief of occasional constipation and irregularity
- this product generally produces a bowel movement in 6 to 12 hours

Warnings

Do not use

if you cannot swallow without chewing.

Ask a doctor before use if you have

- stomach pain, nausea or vomiting
- a sudden change in bowel habits that lasts more than 2 weeks

When using this product

- do not chew or crush tablet(s)
- do not use within 1 hour after taking an antacid or milk
- it may cause stomach discomfort, faintness and cramps

Stop use and ask a doctor if

- you have rectal bleeding or no bowel movement after using this product. These could be signs of a serious condition.
- you need to use a laxative for more than 1 week

If pregnant or breast-feeding,

ask a health professional before use.

Keep out of reach of children

In case of overdose, get medical help or contact a Poison Control Center right away.

Directions

- take with a glass of water

adults and children 12 years of age and over	take 1 to 3 tablets in a single daily dose
children 6 to under 12 years of age	take 1 tablet in a single daily dose
children under 6 years of age	ask a doctor

Other information

- **each tablet contains:** magnesium 5 mg
- store between 20-25°C (68-77°F)

Inactive ingredients

acacia, calcium sulfate anhydrous, anhydrous lactose, carnauba wax, colloidal silicon dioxide, corn starch, D&C red # 27 aluminum lake, FD&C blue #2 aluminum lake, FD&C yellow #6 aluminum lake, gelatin, iron oxide, iron oxide black, iron oxide yellow, magnesium stearate, microcrystalline cellulose, polyethylene glycol, polyvinyl acetate phthalate, povidone, shellac, sodium starch glycolate, stearic acid, sugar, talc, titanium dioxide

Questions or comments?

Call **1-888-309-9030**

Principal Display Panel

Compare to active ingredient of Dulcolax® Pink® Laxative*

Women's Gentle Laxative Tablets

Bisacodyl 5 mg

Stimulant laxative

Gentle enough for sensitive stomachs

Tablets

Comfort Coated

*This product is not manufactured or distributed by Boehringer Ingelheim Pharmaceuticals, Inc., distributor of Dulcolax® Pink® Laxative

TAMPER EVIDENT: DO NOT USE IF CARTON IS OPENED OR IF BLISTER UNIT IS TORN, BROKEN OR SHOWS ANY SIGNS OF TAMPERING.

KEEP OUTER CARTON FOR COMPLETE WARNINGS AND PRODUCT

INFORMATION.

DISTRIBUTED BY DOLGENCORP, LLC

100 MISSION RIDGE

GOODLETTSVILLE, TN 37072

Product Label

DG™ | health

Compare to
the active
ingredient of
Dulcolax® Pink®
Laxative*

Women's Gentle Laxative Tablets

Bisacodyl, 5 mg
Stimulant laxative

Gentle Enough for
Sensitive Stomachs

5
mg



25 Tablets
Comfort Coated

Actual Tablet Size

TAMPER EVIDENT: DO NOT USE IF CARTON IS OPENED OR IF BLISTER UNIT IS TORN, BROKEN OR SHOWS ANY SIGNS OF TAMPERING.
KEEP OUTER CARTON FOR COMPLETE WARNINGS AND PRODUCT INFORMATION.

Lot No.:
Exp. Date:

*This product is not manufactured or distributed by Boehringer Ingelheim Pharmaceuticals, Inc., distributor of Dulcolax® Pink® Laxative.

DISTRIBUTED BY DOLGENCORP, LLC
100 MISSION RIDGE
GOODLETTSVILLE, TN 37072
100% SATISFACTION GUARANTEED
(888) 309-9030

PLD-A204C FC005214

A0202



Questions or comments?

Call 1-888-309-9030

Inactive ingredients acacia, anhydrous calcium sulfate, anhydrous lactose, carnauba wax, colloidal silicon dioxide, corn starch, D&C red #27 aluminum lake, FD&C blue #2 aluminum lake, FD&C yellow #6 aluminum lake, gelatin, iron oxide, iron oxide black, iron oxide yellow, magnesium stearate, microcrystalline cellulose, polyethylene glycol, polyvinyl acetate phthalate, povidone, shellac, sodium starch glycolate, stearic acid, sugar, talc, titanium dioxide

Utner information
■ each tablet contains: magnesium 5 mg
■ store between 20-25°C (68-77°F)

■ stomach pain, nausea or vomiting
■ a sudden change in bowel habits that lasts more than 2 weeks
When using this product
■ do not chew or crush tablet(s)
■ do not use within 1 hour after taking an antacid or milk
■ it may cause stomach discomfort, faintness and cramps
Stop use and ask a doctor if
■ you have rectal bleeding or no bowel movement after using this product. These could be signs of a serious condition.
■ you need to use a laxative for more than 1 week
If pregnant or breast-feeding, ask a health professional before use.

Drug Facts Active ingredient (in each tablet) Bisacodyl USP 5 mg.....Stimulant laxative		Warnings Do not use if you cannot swallow without chewing. Ask a doctor before use if you have	
Use ■ for temporary relief of occasional constipation and irregularity ■ this product generally produces a bowel movement in 6 to 12 hours		Directions ■ take with a glass of water adults and children 12 years of age and over take 1 to 3 tablets in a single daily dose children 6 to under 12 years of age take 1 tablet in a single daily dose children under 6 years of age ask a doctor	
Drug Facts (continued) Keep out of reach of children. In case of overdose, get medical help or contact a Poison Control Center right away.			

DOLLAR GENERAL Women's Gentle Laxative Tablets

WOMANS LAXATIVE

bisacodyl tablet, coated

Product Information

Product Type	HUMAN OTC DRUG	Item Code (Source)	NDC:55910-253
Route of Administration	ORAL		

Active Ingredient/Active Moiety

Ingredient Name	Basis of Strength	Strength
BISACODYL (UNII: 10X0709Y6I) (DEACETYLBISACODYL - UNII:R09078E41Y)	BISACODYL	5 mg

Inactive Ingredients

Ingredient Name	Strength
ACACIA (UNII: 5C5403N26O)	
CALCIUM SULFATE ANHYDROUS (UNII: E934B3V59H)	
CARNAUBA WAX (UNII: R12CBM0EIZ)	
SILICON DIOXIDE (UNII: ETJ7Z6XBU4)	
STARCH, CORN (UNII: O8232NY3SJ)	
D&C RED NO. 27 ALUMINUM LAKE (UNII: ZK64F7XSTX)	
FD&C BLUE NO. 2 (UNII: L06K8R7DQK)	
FERRIC OXIDE RED (UNII: 1K09F3G675)	
FERROSFERRIC OXIDE (UNII: XM0M87F357)	
FERRIC OXIDE YELLOW (UNII: EX438O2MRT)	
FD&C YELLOW NO. 6 (UNII: H77VEI93A8)	
MAGNESIUM STEARATE (UNII: 70097M6I30)	
CELLULOSE, MICROCRYSTALLINE (UNII: OP1R32D61U)	
POLYETHYLENE GLYCOL, UNSPECIFIED (UNII: 3WJQ0SDW1A)	
POVIDONE (UNII: FZ989GH94E)	
SHELLAC (UNII: 46N107B71O)	
SODIUM STARCH GLYCOLATE TYPE A CORN (UNII: AG9B65PV6B)	

STEARIC ACID (UNII: 4ELV7Z65AP)

SUCROSE (UNII: C151H8M554)

TALC (UNII: 7SEV7J4R1U)

TITANIUM DIOXIDE (UNII: 15FIX9V2JP)

Polyvinyl Acetate Phthalate (UNII: 58QVG85GW3)

GELATIN (UNII: 2G86QN327L)

ANHYDROUS LACTOSE (UNII: 3SY5LH9PMK)

Product Characteristics

Color	pink	Score	no score
Shape	ROUND	Size	6mm
Flavor		Imprint Code	TCL
Contains			

Packaging

#	Item Code	Package Description	Marketing Start Date	Marketing End Date
1	NDC:55910-253-25	25 in 1 CARTON	06/30/2018	06/30/2025
1		1 in 1 BLISTER PACK; Type 0: Not a Combination Product		

Marketing Information

Marketing Category	Application Number or Monograph Citation	Marketing Start Date	Marketing End Date
OTC monograph not final	part334	06/30/2018	06/30/2025

Labeler - Dolgencorp, Inc. (DOLLAR GENERAL & REXALL) (068331990)

Revised: 12/2022

Dolgencorp, Inc. (DOLLAR GENERAL & REXALL)