

**CHILDRENS ALLERGY- diphenhydramine hydrochloride liquid**  
**Rite Aid Corporation**

-----

**Drug Facts**

**Active ingredient (in each 5 mL)**

Diphenhydramine HCl 12.5 mg

**Purpose**

Antihistamine

**Uses**

- temporarily relieves these symptoms due to hay fever or other upper respiratory allergies:
  - runny nose
  - sneezing
  - itchy, watery eyes
  - itching of the nose or throat

**Warnings**

**Do not use**

- to make a child sleepy
- with any other product containing diphenhydramine, even one used on skin

**Ask a doctor before use if the child has**

- glaucoma
- a breathing problem such as chronic bronchitis
- a sodium-restricted diet

**Ask a doctor or pharmacist before use if the child is**

taking sedatives or tranquilizers.

**When using this product**

- marked drowsiness may occur
- sedatives and tranquilizers may increase drowsiness
- excitability may occur, especially in children

**Keep out of the reach of children.**

In case of overdose, get medical help or contact a Poison Control Center (1-800-222-1222) right away.

## Directions

- do not take more than 6 doses in 24 hours
- take every 4 to 6 hours, or as directed by a doctor
- measure only with dosing cup provided. Do not use any other dosing device
- mL = milliliter
- keep dosing cup with product
- find the right dose on the chart below

age (yr)	dose (mL)
children 6 to 11 years	5 mL to 10 m
children 2 to 5 years	do not use unless directed by a doctor
children under 2 years	do not use

## Other information

- each 5 mL contain: sodium 6 mg
- store between 20-25°C (68-77°F). Do not refrigerate.
- protect from light. Store in outer carton until contents are used

## Inactive ingredients

anhydrous citric acid, D&C red #33, FD&C red #40 flavor glycerin, poloxamer 407, purified water, sodium benzoate, sodium chloride, sodium citrate, sucrose

## Questions or comments?

Call **1-877-753-3935** Monday-Friday 9AM-5PM EST

## Principal Display Panel

Compare to the active ingredient in Children's Benadryl® Allergy\*

**FREE** | ALCOHOL

FROM | FREE

AGES 6-11

### CHILDREN'S ALLERGY RELIEF

DIPHENHYDRAMINE HCl 12.5 mg/5 mL

ANTIHISTAMINE ORAL SOLUTION

relieves:

sneezing • runny nose

itchy, watery eyes

itching of the nose or throat

CHERRY FLAVOR

DOSAGE CUP INCLUDED

FL OZ (mL)

\*This product is not manufactured or distributed by McNeil Consumer Healthcare, distributors of Children's Benadryl® Allergy.

**TAMPER EVIDENT: DO NOT USE IF CARTON IS OPENED OR IF PRINTED SAFETY SEAL AROUND BOTTLE OR UNDER THE CAP IS BROKEN OR MISSING.**

DISTRIBUTED BY:

RITE AID

30 HUNTER LANE,  
CAMP HILL, PA 17011

**Product Label**


**Drug Facts (continued)**

**Inactive ingredients** citric acid, D&C red #33, FD&C red #40, Tiavor, glycerin, poloxamer 407, purified water, sodium benzoate, sodium chloride, sodium citrate, sucrose

**Questions or comments?**  
Call 1-877-753-3835 Monday-Friday 9AM-5PM EST

\*This product is not manufactured or distributed by McNeil Consumer Healthcare, distributor of Benadryl® Allergy.

TAMPER EVIDENT: DO NOT USE IF CARTON IS OPENED OR IF PRINTED SAFETY SEAL AROUND BOTTLE OR UNDER CAP IS BROKEN OR MISSING.



DOSAGE CUP INCLUDED

**DISTRIBUTED BY:**  
RITE AID  
30 HUNTER LANE,  
CAMP HILL, PA 17011  
www.riteaid.com

**SATISFACTION GUARANTEE**  
If you're not satisfied, we'll happily refund your money.

NDC 11822-0020-5

Compare to the active ingredient in Children's Benadryl® Allergy\*


**FREE FRM ALCOHOL FREE**

**AGES 6-11**


**CHILDREN'S ALLERGY RELIEF**

**DIPHENHYDRAMINE HCl 12.5 mg / 5 mL**  
ANTI-HISTAMINE ORAL SOLUTION

relieves:  
sneezing • runny nose  
itchy, watery eyes  
itching of the nose or throat



**CHERRY FLAVOR**  
DOSAGE CUP INCLUDED  
4 FL OZ (118 mL)



NDC 11822-0020-5

Compare to the active ingredient in Children's Benadryl® Allergy\*


**FREE FRM ALCOHOL FREE**

**AGES 6-11**


**CHILDREN'S ALLERGY RELIEF**

**DIPHENHYDRAMINE HCl 12.5 mg / 5 mL**  
ANTI-HISTAMINE ORAL SOLUTION

relieves:  
sneezing • runny nose  
itchy, watery eyes  
itching of the nose or throat



**CHERRY FLAVOR**  
DOSAGE CUP INCLUDED  
4 FL OZ (118 mL)



**Drug Facts**

**Active ingredient (in each 5 mL)** Diphenhydramine HCl 12.5 mg.....Antihistamine

**Purpose**

**Uses**  
■ temporarily relieves these symptoms due to hay fever or other upper respiratory allergies  
■ sneezing ■ runny nose ■ itchy, watery eyes  
■ itching of the nose or throat

**Warnings**  
**Do not use**  
■ with any other product containing diphenhydramine, even one used on the skin  
■ to make a child sleepy

**Ask a doctor before use if the child has**  
■ a breathing problem such as chronic bronchitis  
■ glaucoma  
■ a sodium-restricted diet

**Ask a doctor or pharmacist before use if the child is taking sedatives or tranquilizers.**


**When using this product**  
■ marked drowsiness may occur  
■ sedatives and tranquilizers may increase drowsiness  
■ excitability may occur, especially in children

**Keep out of reach of children.** In case of overdose, get medical help or contact a Poison Control Center (1-800-222-1222) right away.

**Directions**  
■ do not take more than 6 doses in 24 hours  
■ take every 4 to 6 hours, or as directed by a doctor  
■ measure only with dosing cup provided. Do not use any other dosing device.  
■ mL = milliliter ■ keep dosing cup with product  
■ find the right dose on the chart below

Age (yr)	Dose (mL)
children 6 to 11 years	5 mL to 10 mL
children 2 to 5 years	do not use unless directed by a doctor
children under 2 years	do not use

**Other information**  
■ each 5 mL contains: sodium 6 mg  
■ store between 20-25°C (68-77°F). Do not refrigerate.  
■ protect from light. Store in outer carton until contents are used.



0 11822 00205 9

PLD-J241D FC005829

Lot No.:  
Exp. Date:

## RITE AID Children's Allergy Relief

### CHILDRENS ALLERGY

diphenhydramine hydrochloride liquid

#### Product Information

<b>Product Type</b>	HUMAN OTC DRUG	<b>Item Code (Source)</b>	NDC:11822-0020
<b>Route of Administration</b>	ORAL		

#### Active Ingredient/Active Moiety

Ingredient Name	Basis of Strength	Strength
<b>DIPHENHYDRAMINE HYDROCHLORIDE</b> (UNII: TC2D6JAD40) (DIPHENHYDRAMINE - UNII:8GTS82S83M)	DIPHENHYDRAMINE HYDROCHLORIDE	12.5 mg in 5 mL

Inactive Ingredients				
Ingredient Name			Strength	
ANHYDROUS CITRIC ACID (UNII: XF417D3PSL)				
GLYCERIN (UNII: PDC6A3C0OX)				
POLOXAMER 407 (UNII: TUF2IVW3M2)				
WATER (UNII: 059QF0KO0R)				
SODIUM BENZOATE (UNII: OJ245FE5EU)				
SODIUM CHLORIDE (UNII: 451W47IQ8X)				
TRISODIUM CITRATE DIHYDRATE (UNII: B22547B95K)				
SUCROSE (UNII: C151H8M554)				
D&C RED NO. 33 (UNII: 9DBA0SBB0L)				
FD&C RED NO. 40 (UNII: WZB9127XOA)				
Product Characteristics				
Color			Score	
Shape			Size	
Flavor		CHERRY	Imprint Code	
Contains				
Packaging				
#	Item Code	Package Description	Marketing Start Date	Marketing End Date
1	NDC:11822-0020-6	1 in 1 BOX	01/29/2021	
1		237 mL in 1 BOTTLE, PLASTIC; Type 0: Not a Combination Product		
2	NDC:11822-0020-5	1 in 1 BOX	01/29/2021	
2		118 mL in 1 BOTTLE, PLASTIC; Type 0: Not a Combination Product		
Marketing Information				
Marketing Category		Application Number or Monograph Citation	Marketing Start Date	Marketing End Date
OTC Monograph Drug		M012	01/29/2021	

**Labeler** - Rite Aid Corporation (014578892)