

MENSTRUAL RELIEF MAXIMUM STRENGTH- acetaminophen, caffeine and pyrilamine maleate tablet

Walgreen Company

Disclaimer: Most OTC drugs are not reviewed and approved by FDA, however they may be marketed if they comply with applicable regulations and policies. FDA has not evaluated whether this product complies.

Walgreens 44-390

Active ingredients (in each caplet)

Acetaminophen 500 mg

Caffeine 60 mg

Pyrilamine maleate 15 mg

Purpose

Pain reliever

Diuretic

Antihistamine

Uses

for the temporary relief of these symptoms associated with menstrual periods:

- bloating
- headache
- water-weight gain
- cramps
- backache
- muscle aches
- fatigue

Warnings

Liver warning: This product contains acetaminophen. Severe liver damage may occur if you take

- more than 4,000 mg of acetaminophen in 24 hours
- with other drugs containing acetaminophen
- 3 or more alcoholic drinks every day while using this product

Allergy alert: Acetaminophen may cause severe skin reactions. Symptoms may include:

- skin reddening
- blisters
- rash

If a skin reaction occurs, stop use and seek medical help right away.

Do not use

- with any other drug containing acetaminophen (prescription or nonprescription). If you are not sure whether a drug contains acetaminophen, ask a doctor or pharmacist.

- if you have ever had an allergic reaction to this product or any of its ingredients

Ask a doctor before use if you have

- difficulty in urination due to enlargement of the prostate gland
- liver disease
- glaucoma
- a breathing problem such as emphysema or chronic bronchitis

Ask a doctor or pharmacist before use if you are

- taking the blood thinning drug warfarin
- taking sedatives or tranquilizers

When using this product

- excitability may occur, especially in children
- be careful when driving a motor vehicle or operating machinery
- alcohol, sedatives, and tranquilizers may increase drowsiness
- you may get drowsy
- limit the use of caffeine-containing medications, foods, or beverages while taking this product because too much caffeine may cause nervousness, irritability, sleeplessness, and, occasionally, rapid heartbeat. The recommended dose of this product contains about as much caffeine as a cup of coffee.
- avoid alcoholic beverages

Stop use and ask a doctor if

- new symptoms occur
- redness or swelling is present
- pain gets worse or lasts more than 10 days
- fever gets worse or lasts more than 3 days

These could be signs of a serious condition.

If pregnant or breast-feeding,

ask a health professional before use.

Keep out of reach of children.

In case of accidental overdose, get medical help or contact a Poison Control Center (1-800-222-1222) right away. Prompt medical attention is critical for adults as well as for children even if you do not notice any signs or symptoms.

Directions

- **do not take more than the recommended dose**
- adults and children 12 years and over:
 - take 2 caplets with water
 - repeat every 6 hours, as needed
 - do not exceed 6 caplets per day
- children under 12 years: ask a doctor

Other information

- see end flap for expiration date and lot number
- **TAMPER EVIDENT: DO NOT USE IF OUTER PACKAGE IS OPENED OR BLISTER IS**

TORN OR BROKEN

- store at 25°C (77°F); excursions permitted between 15°-30°C (59°-86°F)

Inactive ingredients

corn starch, croscarmellose sodium, crospovidone, hypromellose, magnesium stearate, microcrystalline cellulose, polydextrose, polyethylene glycol, povidone, silicon dioxide, stearic acid, titanium dioxide, triacetin

Questions or comments?

1-800-426-9391

Principal Display Panel

Walgreens

Compare to Midol® Complete
active ingredients^{††}

NDC 0363-0252-21

Menstrual Relief

ACETAMINOPHEN 500 mg / PAIN RELIEVER

CAFFEINE 60 mg / DIURETIC

PYRILAMINE MALEATE 15 mg / ANTIHISTAMINE

MAXIMUM STRENGTH

ASPIRIN FREE

NEW

LOOK

SAME GREAT

QUALITY

- Relieves cramps, bloating, fatigue, headaches & backaches

16

CAPLETS

ACTUAL SIZE

^{††}This product is not manufactured or distributed by Bayer HealthCare LLC, owner of the registered trademark Midol® Complete.

50844 ORG051739021

TAMPER EVIDENT: DO NOT USE IF PACKAGE IS OPENED OR IF BLISTER UNIT IS TORN, BROKEN OR SHOWS ANY SIGNS OF TAMPERING

DISTRIBUTED BY: WALGREEN CO.

200 WILMOT RD., DEERFIELD, IL 60015

100% SATISFACTION GUARANTEED

walgreens.com ©2017 Walgreen Co.



Walgreens

Compare to Midol® Complete active ingredients!

NDC 0363-0252-21

Menstrual Relief

ACETAMINOPHEN 500 mg / PAIN RELIEVER
CAFFEINE 60 mg / DIURETIC
PYRILAMINE MALEATE 15 mg / ANTIHISTAMINE

MAXIMUM STRENGTH

ASPIRIN FREE

NEW LOOK
 SAME GREAT QUALITY

• Relieves cramps, bloating, fatigue, headaches & backaches

16
 CAPLETS



ACTUAL SIZE

Drug Facts (continued)
KEEP OUTER PACKAGE FOR COMPLETE PRODUCT INFORMATION

Active ingredients (in each caplet)
 Acetaminophen 500 mg, Pain reliever
 Caffeine 60 mg, Diuretic
 Pyrilamine maleate 15 mg, Antihistamine

Purpose
 symptoms associated with menstrual periods.

Warnings
 Liver warning: This product contains acetaminophen. Severe liver damage may occur

Drug Facts (continued)

Ask a doctor or pharmacist before use if you are:
 taking sedatives or tranquilizers
 taking the blood thinning drug warfarin
 When using this product
 excitability may occur, especially in children
 be careful when driving a motor vehicle or operating machinery
 alcohol, sedatives, and tranquilizers may increase drowsiness ■ you may get drowsy
 limit the use of caffeine-containing medications, foods, or beverages while taking this product because too much caffeine may cause nervousness, rapid heartbeat. The recommended dose of this product contains about as much caffeine as a cup of coffee. ■ avoid alcoholic beverages

Stop use and ask a doctor if: ■ new symptoms occur ■ redness or swelling is present ■ pain gets worse or lasts more than 10 days ■ fever gets worse or lasts more than 3 days These could be signs of a serious condition.

If pregnant or breast-feeding, ask a health professional before use.

Drug Facts (continued)

Directions ■ do not take more than the recommended dose

Keep out of reach of children. In case of accidental overdose, get medical help or contact a Poison Control Center (1-800-222-1222) right away. Prompt medical attention is critical for adults as well as for children even if you do not notice any signs or symptoms.

Other information
 ■ adults and children 12 years and over: take 2 caplets with water
 ■ repeat every 6 hours, as needed
 ■ do not exceed 6 caplets per day
 ■ children under 12 years: ask a doctor

■ see end flap for expiration date and lot number

TAMPER EVIDENT: DO NOT USE IF PACKAGE IS OPENED OR IF BLISTER UNIT IS TORN, BROKEN OR SHOWS ANY SIGNS OF TAMPERING

50844 ORG051739021

3 11917 09196 9

No print area
Lot no/exp date

100% SATISFACTION GUARANTEE
 walgreens.com ©2017 Walgreen Co.
 ITEM 5409834 W00000-0000-0

DISTRIBUTED BY: WALGREEN CO.
 200 WILMOT RD., DEERFIELD, IL 60015
 LLC, owner of the registered trademark Midol® Complete.

Drug Facts (continued)

TAMPER EVIDENT: DO NOT USE IF OUTER PACKAGE IS OPENED OR BLISTER IS TORN OR BROKEN
 ■ store at 25°C (77°F; excursions permitted between 15°-30°C (59°-86°F))

Inactive ingredients corn starch, croscarmellose sodium, crospovidone, hypromellose, magnesium stearate, microcrystalline cellulose, polydextrose, polyethylene glycol, povidone, silicon dioxide, stearic acid, titanium dioxide, Traces of Traces

Questions or comments? 1-800-426-9391

Drug Facts (continued)

Other information
 ■ adults and children 12 years and over: take 2 caplets with water
 ■ repeat every 6 hours, as needed
 ■ do not exceed 6 caplets per day
 ■ children under 12 years: ask a doctor

■ see end flap for expiration date and lot number

Drug Facts (continued)

TAMPER EVIDENT: DO NOT USE IF OUTER PACKAGE IS OPENED OR BLISTER IS TORN OR BROKEN
 ■ store at 25°C (77°F; excursions permitted between 15°-30°C (59°-86°F))

Inactive ingredients corn starch, croscarmellose sodium, crospovidone, hypromellose, magnesium stearate, microcrystalline cellulose, polydextrose, polyethylene glycol, povidone, silicon dioxide, stearic acid, titanium dioxide, Traces of Traces

Questions or comments? 1-800-426-9391

Drug Facts (continued)

TAMPER EVIDENT: DO NOT USE IF OUTER PACKAGE IS OPENED OR BLISTER IS TORN OR BROKEN
 ■ store at 25°C (77°F; excursions permitted between 15°-30°C (59°-86°F))

Inactive ingredients corn starch, croscarmellose sodium, crospovidone, hypromellose, magnesium stearate, microcrystalline cellulose, polydextrose, polyethylene glycol, povidone, silicon dioxide, stearic acid, titanium dioxide, Traces of Traces

Questions or comments? 1-800-426-9391

MENSTRUAL RELIEF MAXIMUM STRENGTH

acetaminophen, caffeine and pyrilamine maleate tablet

Product Information

Product Type	HUMAN OTC DRUG	Item Code (Source)	NDC:0363-0252
Route of Administration	ORAL		

Active Ingredient/Active Moiety

Ingredient Name	Basis of Strength	Strength
ACETAMINOPHEN (UNII: 362O9ITL9D) (ACETAMINOPHEN - UNII:362O9ITL9D)	ACETAMINOPHEN	500 mg
CAFFEINE (UNII: 3G6A5W338E) (CAFFEINE - UNII:3G6A5W338E)	CAFFEINE	60 mg
PYRILAMINE MALEATE (UNII: R35D29L3ZA) (PYRILAMINE - UNII:HPE317O9TL)	PYRILAMINE MALEATE	15 mg

Inactive Ingredients

Ingredient Name	Strength
CROSCARMELLOSE SODIUM (UNII: M28OL1HH48)	
HYPROMELLOSE, UNSPECIFIED (UNII: 3NXW29V3WO)	
MAGNESIUM STEARATE (UNII: 70097M6I30)	
POLYDEXTROSE (UNII: VH2XOU12IE)	
POLYETHYLENE GLYCOL, UNSPECIFIED (UNII: 3WJQ0SDW1A)	
STEARIC ACID (UNII: 4ELV7Z65AP)	
TITANIUM DIOXIDE (UNII: 15FIX9V2JP)	
TRIACETIN (UNII: XHX3C3X673)	
SILICON DIOXIDE (UNII: ETJ7Z6XBU4)	
POVIDONE, UNSPECIFIED (UNII: FZ989GH94E)	
STARCH, CORN (UNII: O8232NY3SJ)	
CROSPVIDONE, UNSPECIFIED (UNII: 2S7830E561)	
MICROCRYSTALLINE CELLULOSE (UNII: OP1R32D61U)	

Product Characteristics

Color	WHITE	Score	no score
Shape	OVAL	Size	17mm
Flavor		Imprint Code	44;390
Contains			

Packaging

#	Item Code	Package Description	Marketing Start Date	Marketing End Date
1	NDC:0363-0252-21	2 in 1 CARTON	04/29/2002	
1		8 in 1 BLISTER PACK; Type 0: Not a Combination Product		
2	NDC:0363-0252-10	1 in 1 CARTON	04/29/2002	
2		40 in 1 BOTTLE, PLASTIC; Type 0: Not a Combination Product		

Marketing Information

Marketing Category	Application Number or Monograph Citation	Marketing Start Date	Marketing End Date
OTC MONOGRAPH NOT FINAL	part343	04/29/2002	

Labeler - Walgreen Company (008965063)

Establishment

Name	Address	ID/FEI	Business Operations
LNK International, Inc.		038154464	PACK(0363-0252)

Establishment

Name	Address	ID/FEI	Business Operations
LNK International, Inc.		832867894	MANUFACTURE(0363-0252)

Establishment

Name	Address	ID/FEI	Business Operations
LNK International, Inc.		967626305	PACK(0363-0252)

Establishment

Name	Address	ID/FEI	Business Operations
LNK International, Inc.		832867837	PACK(0363-0252)

Establishment

Name	Address	ID/FEI	Business Operations
LNK International, Inc.		868734088	PACK(0363-0252)

Revised: 2/2020

Walgreen Company