

**MENSTRUAL RELIEF MAXIMUM STRENGTH- acetaminophen, caffeine and pyrilamine maleate tablet, film coated**  
**Walgreen Company**

-----  
**Walgreens 44-390-Menstrual Relief**

***Active ingredients (in each caplet)***

Acetaminophen 500 mg  
Caffeine 60 mg  
Pyrilamine maleate 15 mg

***Purpose***

Pain reliever  
Diuretic  
Antihistamine

***Uses***

for the temporary relief of these symptoms associated with menstrual periods:

- bloating
- headache
- water-weight gain
- cramps
- backache
- muscle aches
- fatigue

***Warnings***

**Liver warning:** This product contains acetaminophen. Severe liver damage may occur if you take

- more than 4,000 mg of acetaminophen in 24 hours
- with other drugs containing acetaminophen
- 3 or more alcoholic drinks every day while using this product

**Allergy alert:** Acetaminophen may cause severe skin reactions. Symptoms may include:

- skin reddening
- blisters
- rash

If a skin reaction occurs, stop use and seek medical help right away.

**Do not use**

- with any other drug containing acetaminophen (prescription or nonprescription). If you are not sure whether a drug contains acetaminophen, ask a doctor or pharmacist.
- if you have ever had an allergic reaction to this product or any of its ingredients

**Ask a doctor before use if you have**

- difficulty in urination due to enlargement of the prostate gland
- liver disease
- glaucoma
- a breathing problem such as emphysema or chronic bronchitis

**Ask a doctor or pharmacist before use if you are**

- taking the blood thinning drug warfarin
- taking sedatives or tranquilizers

**When using this product**

- excitability may occur, especially in children
- be careful when driving a motor vehicle or operating machinery
- alcohol, sedatives, and tranquilizers may increase drowsiness
- you may get drowsy
- limit the use of caffeine-containing medications, foods, or beverages while taking this product because too much caffeine may cause nervousness, irritability, sleeplessness, and, occasionally, rapid heartbeat. The recommended dose of this product contains about as much caffeine as a cup of coffee.
- avoid alcoholic beverages

**Stop use and ask a doctor if**

- new symptoms occur
- redness or swelling is present
- pain gets worse or lasts more than 10 days
- fever gets worse or lasts more than 3 days

These could be signs of a serious condition.

**If pregnant or breast-feeding,**

ask a health professional before use.

**Keep out of reach of children.**

In case of accidental overdose, get medical help or contact a Poison Control Center right away. Prompt medical attention is critical for adults as well as for children even if you do not notice any signs or symptoms.

**Directions**

- **do not take more than the recommended dose**
- adults and children 12 years and over:

- take 2 caplets with water
- repeat every 6 hours, as needed
- do not exceed 6 caplets per day
- children under 12 years: ask a doctor

### ***Other information***

- see end flap for expiration date and lot number
- **TAMPER EVIDENT: DO NOT USE IF OUTER PACKAGE IS OPENED OR BLISTER IS TORN OR BROKEN**
- store at 25°C (77°F); excursions permitted between 15°C-30°C (59°F-86°F)

### ***Inactive ingredients***

corn starch, croscarmellose sodium, crospovidone, hypromellose, magnesium stearate, microcrystalline cellulose, polydextrose, polyethylene glycol, povidone, silicon dioxide, stearic acid, titanium dioxide, triacetin

### ***Questions or comments?***

**1-800-426-9391**

### **Principal Display Panel**

#### ***Walgreens***

WALGREENS PHARMACIST RECOMMENDED†

Compare to the active ingredients in  
Midol® Complete††

NDC 0363-0252-21

#### **Menstrual Relief**

**ACETAMINOPHEN** 500 mg / PAIN RELIEVER

CAFFEINE 60 mg / DIURETIC

PYRILAMINE MALEATE 15 mg / ANTIHISTAMINE

Maximum Strength

Aspirin Free

- Relieves cramps, bloating, fatigue, headaches & backaches

**16**

CAPLETS

ACTUAL SIZE

†Our pharmacists recommended the Walgreens brand.  
We invite you to compare to national brands.

††This product is not manufactured or distributed by

Bayer HealthCare LLC, owner of the registered  
trademark Midol® Complete.

50844 ORG051739021

**TAMPER EVIDENT: DO NOT USE IF PACKAGE IS OPENED OR IF BLISTER  
UNIT IS TORN, BROKEN OR SHOWS ANY SIGNS OF TAMPERING**

DISTRIBUTED BY: **WALGREEN CO.**

**200 WILMOT RD., DEERFIELD, IL 60015**

**100% SATISFACTION GUARANTEED**

**walgreens.com** ©2021 Walgreen Co.



NDC 0363-0252-21

Compare to the active ingredients in Midol® Complete<sup>†</sup>

# Menstrual Relief

ACETAMINOPHEN 500 mg / PAIN RELIEVER  
 CAFFEINE 60 mg / DIURETIC  
 PYRILAMINE MALEATE 15 mg / ANTIHISTAMINE

Maximum Strength    Aspirin Free

- Relieves cramps, bloating, fatigue, headaches & backaches

**16** CAPLETS



ACTUAL SIZE

Walgreens 44-390 ORG0517

### Drug Facts

KEEP OUTER PACKAGE FOR COMPLETE PRODUCT INFORMATION

#### Active Ingredients (in each caplet)

Acetaminophen 500 mg, Pain reliever

Caffeine 60 mg, Diuretic

Pyrilamine maleate 15 mg, Antihistamine

#### Uses

for the temporary relief of these

symptoms associated with menstrual periods:

■ bloating ■ headache ■ water-weight gain

■ cramps ■ backache ■ muscle aches

■ fatigue

#### Warnings

Liver warning: This product contains acetaminophen. Severe liver damage may occur

**Drug Facts (continued)**

**Purpose**

operating machinery

■ alcohol, sedatives, and tranquilizers may increase drowsiness ■ you may get drowsy

■ be careful when driving a motor vehicle or operating machinery

■ taking sedatives or tranquilizers

■ taking the blood thinning drug warfarin

**When using this product**

■ excitability may occur, especially in children

■ be careful when driving a motor vehicle or operating machinery

■ limit the use of caffeine-containing medications, food, or beverages while taking this product

■ because too much caffeine may cause nervousness, irritability, sleeplessness, and, occasionally, rapid heartbeat. The recommended dose of this product contains about as much caffeine as a cup of coffee. ■ avoid alcoholic beverages

**Stop use and ask a doctor if** ■ new symptoms occur ■ redness or swelling is present

■ pain gets worse or lasts more than 10 days

■ fever gets worse or lasts more than 3 days

These could be signs of a serious condition. If pregnant or breast-feeding, ask a health professional before use.

#### Drug Facts (continued)

If you take

■ more than 4,000 mg of acetaminophen in 24 hours

■ with other drugs containing acetaminophen

■ 3 or more alcoholic drinks every day while using this product

**Allergy alert:** Acetaminophen may cause severe skin reactions. Symptoms may include:

■ skin reddening ■ blisters ■ rash

If a skin reaction occurs, stop use and seek medical help right away.

**DO NOT USE** ■ with any other drug containing acetaminophen (prescription or nonprescription).

If you are not sure whether a drug contains acetaminophen, ask a doctor or pharmacist.

■ If you have ever had an allergic reaction to this product or any of its ingredients

**Ask a doctor before use if you have**

■ difficulty in urination due to enlargement of the prostate gland ■ liver disease ■ glaucoma

■ a breathing problem such as emphysema or chronic bronchitis

#### Drug Facts (continued)

**Keep out of reach of children.** In case of accidental overdose, get medical help or contact a Poison Control Center right away. Prompt medical attention is critical for adults as well as for children even if you do not notice any signs or symptoms.

**Directions** ■ do not take more than the recommended dose

**Drug Facts (continued)**

■ adults and children 12 years and over: take 2 caplets with water

■ repeat every 6 hours, as needed

■ do not exceed 6 caplets per day

■ children under 12 years: ask a doctor

**Other Information**

■ see end flap for expiration date and lot number

#### Drug Facts (continued)

**Drug Facts (continued)**

**TAMPER EVIDENT: DO NOT USE IF PACKAGE IS OPENED OR IF BLISTER UNIT IS TORN, BROKEN OR SHOWS ANY SIGNS OF TAMPERING**

DISTRIBUTED BY: WALGREEN CO.  
 200 WILLMOT RD., DEERFIELD, IL 60015  
 100% SATISFACTION GUARANTEED  
 walgreens.com ©2021 Walgreen Co.  
 ITEM 540934 W00000-0000-0  
 50844 ORG051739021

Your pharmacist recommends the Walgreens brand. We invite you to compare to national brands. This product is not manufactured or distributed by Bayer HealthCare LLC, owner of the registered trademark Midol® Complete.

No print area  
 Lot no/exp date

3 11917 09196 9

**Drug Facts (continued)**


**TAMPER EVIDENT: DO NOT USE IF OUTER PACKAGE IS OPENED OR BLISTER IS TORN OR BROKEN**

■ store at 25°C (77°F); excursions permitted between 15°-30°C (59°-86°F)

**Inactive Ingredients** corn starch, croscarmellose sodium, crospovidone, hypromellose, magnesium stearate, microcrystalline cellulose, polydextrose, polyethylene glycol, povidone, silicon dioxide, stearic acid, titanium dioxide, triacetin

**Questions or comments?** 1-800-426-9391

B-2201-390-21-HR  
 ORG051739021



W30RG0821-F

# MENSTRUAL RELIEF MAXIMUM STRENGTH

acetaminophen, caffeine and pyrilamine maleate tablet, film coated

## Product Information

Product Type	HUMAN OTC DRUG	Item Code (Source)	NDC:0363-0252
Route of Administration	ORAL		

## Active Ingredient/Active Moiety

Ingredient Name	Basis of Strength	Strength
ACETAMINOPHEN (UNII: 362O9ITL9D) (ACETAMINOPHEN - UNII:362O9ITL9D)	ACETAMINOPHEN	500 mg
CAFFEINE (UNII: 3G6A5W338E) (CAFFEINE - UNII:3G6A5W338E)	CAFFEINE	60 mg
PYRILAMINE MALEATE (UNII: R35D29L3ZA) (PYRILAMINE - UNII:HPE317O9TL)	PYRILAMINE MALEATE	15 mg

## Inactive Ingredients

Ingredient Name	Strength
STARCH, CORN (UNII: O8232NY3SJ)	
CROSCARMELLOSE SODIUM (UNII: M28OL1HH48)	
CROSPVIDONE, UNSPECIFIED (UNII: 2S7830E561)	
HYPROMELLOSE, UNSPECIFIED (UNII: 3NXW29V3WO)	
MAGNESIUM STEARATE (UNII: 70097M6I30)	
MICROCRYSTALLINE CELLULOSE (UNII: OP1R32D61U)	
POLYDEXTROSE (UNII: VH2XOU12IE)	
POLYETHYLENE GLYCOL, UNSPECIFIED (UNII: 3WJQ0SDW1A)	
POVIDONE, UNSPECIFIED (UNII: FZ989GH94E)	
SILICON DIOXIDE (UNII: ETJ7Z6XBU4)	
STEARIC ACID (UNII: 4ELV7Z65AP)	
TITANIUM DIOXIDE (UNII: 15FIX9V2JP)	
TRIACETIN (UNII: XHX3C3X673)	

## Product Characteristics

Color	white	Score	no score
Shape	OVAL	Size	17mm
Flavor		Imprint Code	44;390
Contains			

## Packaging

#	Item Code	Package Description	Marketing Start Date	Marketing End Date
1	NDC:0363-0252-21	2 in 1 CARTON	04/29/2002	
1		8 in 1 BLISTER PACK; Type 0: Not a Combination Product		
2	NDC:0363-	1 in 1 CARTON	04/29/2002	11/08/2020

4	0252-10	1 III 1 CARTON	04/29/2002	11/06/2020
2		40 in 1 BOTTLE, PLASTIC; Type 0: Not a Combination Product		
<b>Marketing Information</b>				
<b>Marketing Category</b>	<b>Application Number or Monograph Citation</b>		<b>Marketing Start Date</b>	<b>Marketing End Date</b>
OTC Monograph Drug	M013		04/29/2002	

**Labeler -** Walgreen Company (008965063)

<b>Establishment</b>			
<b>Name</b>	<b>Address</b>	<b>ID/FEI</b>	<b>Business Operations</b>
LNK International, Inc.		038154464	pack(0363-0252)

<b>Establishment</b>			
<b>Name</b>	<b>Address</b>	<b>ID/FEI</b>	<b>Business Operations</b>
LNK International, Inc.		832867837	manufacture(0363-0252) , pack(0363-0252)

<b>Establishment</b>			
<b>Name</b>	<b>Address</b>	<b>ID/FEI</b>	<b>Business Operations</b>
LNK International, Inc.		832867894	manufacture(0363-0252)

<b>Establishment</b>			
<b>Name</b>	<b>Address</b>	<b>ID/FEI</b>	<b>Business Operations</b>
LNK International, Inc.		967626305	pack(0363-0252)

<b>Establishment</b>			
<b>Name</b>	<b>Address</b>	<b>ID/FEI</b>	<b>Business Operations</b>
LNK International, Inc.		117025878	manufacture(0363-0252)